

BID: 25.109

**MEDICAL OXYGEN & INDUSTRIAL GAS**

Opening Date: August 14, 2024

Vendor	Fullerton Welding Supply			American Medical Gas			Gas and Supply		
Medical Oxygen for BAFD	Refill	Lease	Rental	Refill	Lease	Rental	Refill	Lease	Refill
Medical Oxgen (Gas Only)	\$0.00	\$0.00	NA	\$10.00	\$0.00	\$0.00	Under 100cf-\$0.49 Over 100cf- \$0.24	NA	NA
Oxygen USP "D" CGA 870	\$9.00	\$36.00/Yr/Cyl	NA	\$10.00	\$5.00/Mo/Cyl	\$60.00	\$7.35	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Oxygen USP 125 "M" CGA 540	\$18.50	\$50.00/Yr/Cyl	NA	\$10.00	\$5.00/Mo/Cyl	\$60.00	\$29.98	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Oxygen USP "E" 80 CGA 870	\$12.50	\$36.00/Yr/Cyl	NA	\$10.00	\$5.00/Mo/Cyl	\$60.00	\$19.20	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Industrial Gas Cylinders	Refill	Lease	Rental	Refill	Lease	Rental	Refill	Lease	Rental
Oxygen Indusrial 80 CGA 540	\$8.50	\$50.00/Yr/Cyl	NA	\$20.00	\$5.00/Mo/Cyl	\$60.00	\$14.23	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Carbon Dioxide 200 CGA 320	\$15.00	\$50.00/Yr/Cyl	NA	\$25.00	\$5.00/Mo/Cyl	\$60.00	\$27.39	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Carbon Dioxide 300 CGA 320	\$20.00	\$50.00/Yr/Cyl	NA	N/A	N/A	N/A	\$39.56	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Acetylene "C"	\$68.50	\$50.00/Yr/Cyl	NA	\$30.00	\$5.00/Mo/Cyl	\$60.00	\$59.65	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Acetylene "WQ"	\$48.50	\$50.00/Yr/Cyl	NA	\$65.00	\$5.00/Mo/Cyl	\$60.00	\$31.50	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Acetylene "MC"	\$28.50	\$50.00/Yr/Cyl	NA	\$30.00	\$5.00/Mo/Cyl	\$60.00	\$15.90	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Argon "T"	\$28.50	\$50.00/Yr/Cyl	NA	\$50.00	\$5.00/Mo/Cyl	\$60.00	\$35.25	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Argon "T-C/25"	\$28.50	\$50.00/Yr/Cyl	NA	\$50.00	\$5.00/Mo/Cyl	\$60.00	\$35.25	\$85.00/Yr/Cl	\$0.28/Dy/Cyl
Forklift Propane	Refill	Lease	Rental	Refill	Lease	Rental	Refill	Lease	Rental
	\$24.00	\$50.00	NA	\$50.00	\$20.00	\$240.00	\$25.83	\$85.00	\$0.28
Optional/Extra Services	Delivery Charge - \$10.00			Delivery Charge- \$40.00			Cylinder re-test for customer owned cylanders- \$35.00		

Notes\* BID 25.109 was sent to five (5) vendors with three (3) responses. This BID was published in the Tulsa World as well as the City Website.

This Bid tabulation is true and accurate to the best of my knowledge.

\_\_\_\_\_  
Ryan Baze  
Maintenance Services Director

\_\_\_\_\_  
Date