



Quote 281294-9999

Jul 14, 2023

CITY OF BROKEN ARROW
PO BOX 610
BROKEN ARROW
Oklahoma
74013-0610

Attention: CITY OF BROKEN ARROW

CITY OF BROKEN ARROW, Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Model: 938M Wheel Loaders with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: XXXXXXXX **SERIAL NUMBER:** XXXXXXXX **YEAR:** 2023

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Diego Marin
Machine Sales Representative

One (1) New Caterpillar Model: 938M Wheel Loaders with all standard equipment in addition to the additional specifications listed below:

STANDARD EQUIPMENT

POWERTRAIN -Axe seal guards -Auto Idle shut down feature -Cat C7.1ACERT engine --Power Modes (Standard and Performance) --Power by Range (High Power in Range 4) --Tier 4 Final/Stage IV compliant --Turbocharged and aftercooled --Filtered crankcase breather --Diesel particulate filter --Selective Catalyst Reduction -Coolant protection to -34C (-29F) -Differential lock in front axle -Dry type air cleaner -Enclosed wet disc full hydraulic brakes -Fuel priming pump, automatic -Fuel water separator -Hydraulically driven demand cooling fan -Hydrostatic transmission with electronic -control --Operator Modes (Default, TC, Hystat and -Ice) --Directional Shift Agressiveness (Fast, -Medium, Slow) --Rimpull control, adjust wheel torque --Creeper control, adjust ground speed -Lubed for life driveshafts -Parking brake, electric -Single plane cooling package wide 6 fins -per inch density -S-O-S port,engine,coolant,transmission -oil -

HYDRAULICS -Automatic lift and bucket kickouts, -adjustable in-cab -Bucket and Fork Modes, adjustable in-cab -Cylinder damping at kickout and -mechanical end stops -Fine Mode control (Fast, Medium, Slow) -in Fork Mode -Hydraulic Response setting (Fast, -Medium, Slow) -Hydraulic diagnostic connectors and -S-O-S ports -Hydraulic sight gauge, visible -Load sensing hydraulics and steering -Seat mounted hydraulic joystick controls

ELECTRICAL -Alternator, 115-amp, heavy duty -12V power supply in cab (2) -Batteries, 1,000 CCA (2) 24 volt system, -disconnect switch -Back up alarm -Emergency shutdown switch -Halogen work lights front and rear, LED -rear stop and turn lights -Heavy duty gear reduction starter -Product Link PRO w/3 year subscription -Remote jump start post -Resettable main and critical function -breakers -Roading lights front and rear

OPERATOR ENVIRONMENT -75 mm (3 in) retractable seatbelt -Automatic temperature control -Cab, enclosed ROPS/FOPS pressurized -and sound suppressed -Cup holders -External heated mirrors with lower -parabolic -Ground level cab door release -Gauges --Digital hour meter, odometer and -tachometer --Digital ground speedometer and -direction indicator --Engine coolant temperature gauge --Fuel and Diesel Exhaust Fluid level -indicator --Hydraulic oil temperature gauge -Hydraulic control lockout -Interior cab lighting, door and dome -Interior rearview mirrors (2) -Lunch box storage -Operator warning system indicators -Radio ready speakers -Rear window defrost, electric -Seat mounted electronic implement -controls, adjustable -Sliding glass on the side windows -Column mounted multi function control --lights, wipers, turn signal -Suspension seat, fabric -Tilt and telescope steering wheel -Tinted front glass -Wet arm wiper/washer, 2-speed and -intermittent, front -Wet arm wiper washer, rear -

OTHER STANDARD EQUIPMENT -Large-access enclosure doors with -adjustable close/open force -Parallel lift loader linkage -Recovery hitch with pin -Remote mounted lubrication points -Vandalism protection- -lockable compartments -

MACHINE SPECIFICATIONS

938M SWL AGGREGATE CFG1	579-7672
FILM GP, AGGREGATE	387-4097
938M WHEEL LOADER	541-2673
LANE 2 ORDER	0P-9002
PREP PACK, UNITED STATES	430-2943
HYDRAULICS, 3V, CPLR READY, SL	536-5343
HYDRAULICS, STANDARD	536-5284
LIGHTS, AUX, LED, PREMIUM	559-0844
LIGHTS, ROADING, LED, RH	541-3067
STEERING, STANDARD, DUAL MODE	333-6859
DIFFERENTIAL, LIMITED SLIP REAR	349-8013
ENVIRONMENT, STANDARD	536-5320
WEATHER, STANDARD	454-0612
CAB, DELUXE	549-0451
ENGINE	527-0422
SEAT, DELUXE	563-5967
STANDARD RADIO (12V)	372-1868
PRODUCT LINK, SATELLITE PL631	454-0590
TIRES, 20.5R25 TI MXL * L3	376-0830
FENDERS, EXTENDED COVER	366-8198
COUNTERWEIGHT, 3770LBS, HEAV, 7PC	467-7990
TOOLBOX AUX, NONE	519-8081
HYDRAULIC OIL, STANDARD	619-8439
SERIALIZED TECHNICAL MEDIA KIT	421-8926
LINES, AUX 3RD, STD LIFT	530-1628
AUX ECM	536-5318
RIDE CONTROL	430-2860
DECAL, HI VIS STEP, HANDRAIL, DLX	615-9210
WARNING, BEACON, LED STROBE	333-1425
LIGHTS, WARNING, REVERSE STROBE	616-0040
SIDE MIRROR, RH	482-5167
GUARD, TILT CYLINDER, STD LIFT	433-9751
GUARD, POWERTRAIN, LOWER	349-8165
GUARD, DRIVESHAFT	349-8164
GUARD, STEERING CYLINDER	430-2917
BREATHER GROUP	469-0502
QUICK COUPLER, FUSION	536-5314
JUMPER LINES, AUX 3RD, FUSION	445-4725
CARRIAGE, CON, FORK, 72", FUS	538-3867
BUCKET-S+G, 4.2 YD3, FUS, BOCE	451-1411

****Quote Created Using Sourcewell member ID# 67325****

CATERPILLAR LIST PRICE	\$409,958.00
SOURCEWELL MEMBER DISCOUNT	(\$45,875.00)
PRICE BEFORE ADDITIONAL WARREN CAT DISCOUNT	\$364,083.00
ADDITIONAL WARREN CAT DISCOUNT	(\$75,370.00)
FINAL BALANCE DUE:	\$288,713.00

WARRANTY

Standard Warranty: Standard 12 Month Unlimited Hour Full Machine Coverage

Extended Coverage: 938M-84 MO/4000 HR PREMIER

UNLIMITED MACHINE SAFETY AND OPERATION TRAINING INCLUDED TO THE CITY AND ITS EMPLOYEES FOR THE LIFE OF THE MACHINE

OPTIONS: ABOVE PRICING INCLUDES HIGHLIGHTED OPTION BELOW

Components	Ref No.	Qty	Sell
Warranty			
IT38-84 MO/4000 HR PREMIER			\$6,350.00
IT38-84 MO/5000 HR PREMIER			\$7,710.00
IT38-84 MO/6000 HR PREMIER			\$13,930.00
IT38-84 MO/7000 HR PREMIER			\$15,910.00
IT38-84 MO/8000 HR PREMIER			\$18,400.00
IT38-84 MO/9000 HR PREMIER			\$22,270.00

Accepted by _____ on _____

Signature