



Quote 319483-01

Aug 12, 2025

CITY OF BROKEN ARROW  
PO BOX 610  
BROKEN ARROW  
Oklahoma  
74013-0610

Attention: RYAN BAZE

Dear Ryan Baze, Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Model: 255 C3H3 Skid Steer Loaders | Compact Track Loaders with all standard equipment in addition to the additional specifications listed below:

**STOCK NUMBER:** C156096

**SERIAL NUMBER:** 0FL711109

**YEAR:** 2025

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Diego Marin  
Machine Sales Representative

**One (1) New Caterpillar Model: 255 C3H3 Skid Steer Loaders | Compact Track Loaders with all standard equipment in addition to the additional specifications listed below:**

#### **STANDARD EQUIPMENT**

**POWERTRAIN** -Cat C2.8T turbocharged diesel engine --Gross horsepower per ISO 14396 -74.2 hp (55.3 kW) --Electric fuel priming pump --Glow plugs starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal -S-O-S sampling valve, hydraulic oil -Ecology drain - coolant -Filter, hydraulic supply, cartridge type -Filter, hydraulic return, cartridge type -Filter, canister type, engine oil -Filter, canister type, fuel -and water separator -Radiator / hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -parking brakes -Hydrostatic transmission -Lockable fuel cap -Auto engine idle -

**UNDERCARRIAGE** -Torsion Suspension (4 independent -torsion axles) -Two speed travel -Integrated tie downs on track -frame (4) -

**HYDRAULICS** -Selectable control pattern - ISO or H -Electro/hydraulic implement control -Electro/hydraulic hydrostatic -transmission control -Speed sensor guarding -Heavy duty flat faced quick disconnects -with integrated pressure release lever -

**ELECTRICAL** -Work Tool Electrical Harness -Heavy duty battery --includes battery disconnect with -lockout feature -12 volt electrical system -85 ampere alternator -LED work lights -Auto reverse lights -Switch backlighting -Interior LED dome light -Backup alarm -Electrical outlet, beacon -Courtesy lighting, exterior -Automatic Work light notification flash -when parking brake is released -

**OPERATOR ENVIRONMENT** -Operator warning system indicators: --Air filter restriction --Alternator output --Armrest raised / operator out of seat --Engine coolant temperature --Engine oil pressure --Glow plug activation --Hydraulic supply filter restriction --Hydraulic oil temperature --Park brake engages --Engine emission system -(where applicable) -Control interlock system, when operator -leaves seat or armrest raised: --Hydraulic system disables --Hydrostatic transmission disables --Parking brake engages -ROPS cab, tilt up -FOPS, Level I -Color LCD monitor: --Creep speed control --Drive response adjustment --Implement response adjustment --Drive Power Priority adjustment --Language selection (x32) --Date, Time, Units, and brightness -settings --Multi-operator Anti-theft Security -System & Monitoring --Maintenance schedule and reminders --Event and Diagnostic Code monitoring --Smart Technology, enables use of -Smart Attachments -Gauges: fuel level, hour meter, -hydraulic temperature, battery -voltage, tachometer. -Cell Phone Storage Pocket -Cup Holder -Ergonomic contoured armrest -Independently adjustable, seat -mounted joystick controls. -Top and rear windows -Floormat -Headliner -Interior rear view mirror -Horn -Hand (dial) throttle, electronic -12 volt power port -Rear window breaker hammer -

**FRAMES** -Lift linkage, vertical path -Chassis, one piece welded -Machine tie down points (9) -Removable panels for machine -frame cleanout -Support, lift arm -Steel rear and front bumpers, welded -Fuel fill, machine right hand side

**OTHER STANDARD EQUIPMENT** -Steel engine door with replaceable -louvers -Engine door - lockable -Extended life antifreeze (-37C, -34F) -Work tool attachment coupler -Hydraulic oil level sight gauge -Radiator coolant level sight gauge -Radiator expansion bottle -Cat ToughGuard TM hose -Hydraulic demand cooling fan

**MACHINE SPECIFICATIONS**

255 CTL DCA6C	657-5694
255 05A COMPACT TRACK LOADER	586-0258
CAB PACKAGE, ULTRA	651-8304
HYDRAULICS, PERFORMANCE, (HP3)	585-9684
WORKLIGHTS,LED,FRONT/REAR/SIDE	579-2311
COMFORT PKG, ENCLOSED CAB,HVAC	585-9836
SEAT,AIR SUSPENSION,HEAT/VENT	585-9588
PACKAGE, TECHNOLOGY (T5)	601-6604
FAN, COOLING, DEMAND	585-9666
QUICK COUPLER, HYD, SELF LEVEL	586-0291
HOSE GUIDE, ATTACHMENT	640-5405
IDLER WHEELS, TRIPLE FLANGE	642-3004
RIDE CONTROL, NONE	592-6357
REAR LIGHTS	579-2312
DOOR, CAB, POLYCARBONATE	593-7244
SEAT BELT, 2"	613-1924
CERTIFICATION ARR, P65	643-7208
COLD STARTING PACKAGE (120V)	652-2074
LANE 1 ORDER	0P-9001
GUARDING / SEALING PKG, (HD1)	586-0092
TRACK,RUBBER,400MM(15.7 IN)BAR	594-1466
FUEL, ELECTRIC PRIMING	590-1211
INTEGRATED RADIO	651-8586
PRODUCT LINK, CELLULAR PL243	579-2323
INSTRUCTIONS, ANSI, USA	585-9582
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	643-1300
FACTORY PDI	
<b>BUCKET-IND, 74", BOCE</b>	<b>644-9996</b>
<b>CARRIAGE, PAL C2, 46", SSL</b>	<b>351-9371</b>
<b>FORK, PAL C2, 48" X 4" X 1.6"</b>	<b>195-8545</b>
<b>BROOM, PICKUP, BP115C</b>	<b>448-5680</b>
<b>HAMMER, H65S</b>	<b>561-2552</b>
<b>BRACKET, SSL, MD-LG</b>	<b>532-9250</b>
<b>LINES, H55-H65, SSL</b>	<b>269-7271</b>
<b>KIT, TURBO DEBRIS GUARD</b>	<b>607-7351</b>
<b>KIT, DEBRIS</b>	<b>609-5609</b>
<b>KIT, DEMAND FAN, REVERSING</b>	<b>637-2983</b>

**\*\*Quote Created Using Sourcewell City of Broken Arrow member ID# 67325\*\***

**\*\* Using Sourcewell #020223-CAT Contract \*\***

---

<b>LIST PRICE</b>	<b>\$137,833.00</b>
<b>SOURCEWELL MEMBER DISCOUNT (21%)</b>	<b>(\$28,944.93)</b>
<b>PRICE BEFORE ADDITIONAL WARREN CAT DISCOUNT</b>	<b>\$108,888.07</b>
<b>ADDITIONAL WARREN CAT DISCOUNT</b>	<b>(\$16,388.07)</b>
<b>FINAL BALANCE DUE:</b>	<b>\$92,500.00</b>

---

**WARRANTY**

Standard Warranty:        Standard 24 Month 2000 Hour Full Machine Coverage

**\*UNLIMITED MACHINE SAFETY AND OPERATION TRAINING INCLUDED TO THE CITY AND ITS EMPLOYEES FOR THE LIFE OF THE MACHINE\***

Accepted by \_\_\_\_\_ on \_\_\_\_\_

Signature