


DWG: P:\2017\2017-0204-0204-0204\0204-0204\0204-0204\0204-0204.dwg
 DATE: Feb 28, 2018 11:38am
 USER: rromer
 T:\JMS\2017\2017-0204-0204\0204-0204.dwg
 T:\JMS\2017\2017-0204-0204\0204-0204.dwg
 T:\JMS\2017\2017-0204-0204\0204-0204.dwg




Pg 1009

tabbles*

EXHIBIT

1

DATE: 1/31/2018 10:00 AM FILE: C:\PROJECTS\2018\11\2018\11_13_18\11_13_18.dwg PLOT DATE: 1/31/2018 11:35 AM PLOT FILE: 11_13_18.dwg
 PLOT SCALE: 1"=40' USER: JPH/ML/ED/2018 PLOT DEVICE: HPGL PLOTTER: HPGL PLOTTER
 PLOT SCALE: 1"=40' USER: JPH/ML/ED/2018 PLOT DEVICE: HPGL PLOTTER: HPGL PLOTTER
 PLOT SCALE: 1"=40' USER: JPH/ML/ED/2018 PLOT DEVICE: HPGL PLOTTER: HPGL PLOTTER
 PLOT SCALE: 1"=40' USER: JPH/ML/ED/2018 PLOT DEVICE: HPGL PLOTTER: HPGL PLOTTER
 PLOT SCALE: 1"=40' USER: JPH/ML/ED/2018 PLOT DEVICE: HPGL PLOTTER: HPGL PLOTTER




- KEY NOTES:
- ① 8" PANEL LIGHTED P.C. FRICTION REEF. TYPICAL SECTIONS 1.2.A, 1.5.B, 7.1.B, 8.7
 - ② CONCRETE CURB (6" BARRIER INTEGRAL) REEF. TYPICAL SECTIONS 1.2.A, 1.5.A, 7.4.B, 8.7
 - ③ 30" CONCRETE CURB & GUTTER (6" BARRIER) REEF. TYPICAL SECTIONS 1.2.A, 1.5.A, 7.4.B, 8.7
 - ④ SEGMENTAL BLOCK RETAINING WALL REEF. TYPICAL SECTIONS 1.2.A, 1.5.A, 7.4.B, 8.7
 - ⑤ STA. 10+53.69, 48.79 LT. BEGIN RETAINING WALL LT.
 - ⑥ STA. 12+47.13, 23.37 LT. RETAINING WALL LT.
 - ⑦ STA. 11+52.87 S. 9TH STREET CR. 11.50' RT.
 - ⑧ STA. 108+27.33 S. 9TH STREET CR. 11.50' RT.
 - ⑨ STA. 10+50.63, 39.25 RT. BEGIN 6" BARRIER CURB WITH 5'-0" TRANSITION TO 6" BARRIER CURB
 - ⑩ STA. 80+20.78, 45.45' RT. BEGIN 6" BARRIER CURB
 - ⑪ STA. 109+54.17, 23.77' RT. S. 9TH STREET CR. CURB OPENING SEE HO. 1 14 LF

STA. 10+11.50
 BEGIN CONSTRUCTION
 PROJECT FISH
 X=2624917.8660
 Y=385825.8118


EAST NASHVILLE STREET CITY OF BROKEN ARROW
 PROJECT NO. 18-ED1701
 SHEET NO. 22

P92069



DATE: 6/25/2023 10:00:00 AM PROJECT: EAST NASHVILLE STREET, CITY OF BROWN ARROW, ARIZONA
 DATE: 6/25/2023 1:30 PM FILE: 1_12023_001_001_001_001.dwg DRAWN BY: [REDACTED] CHECKED BY: [REDACTED]
 DATE: 6/25/2023 1:30 PM PROJECT: EAST NASHVILLE STREET, CITY OF BROWN ARROW, ARIZONA
 DATE: 6/25/2023 1:30 PM FILE: 1_12023_001_001_001_001.dwg DRAWN BY: [REDACTED] CHECKED BY: [REDACTED]



DATE: 11/20/2018 10:58:51 AM PROJECT: 18031310 - Broken Arrow - E. Nashville Street - 2013-2018
 DATE: 11/20/2018 10:58:51 AM PROJECT: 18031310 - Broken Arrow - E. Nashville Street - 2013-2018
 DATE: 11/20/2018 10:58:51 AM PROJECT: 18031310 - Broken Arrow - E. Nashville Street - 2013-2018



DATE: 11/21/2011 10:50AM
 DRAWN BY: J. JAMES
 CHECKED BY: J. JAMES
 PROJECT NO.: 101701
 SHEET NO.: 26



SCALE IN FEET
0 10 20 40

EAST NASHVILLE STREET CITY OF BROKEN ARROW
PROJECT NO. 101701 SHEET NO. 26

pg 6 of 9

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023

1: PLAN, 2023


1: PROFILE, 2023

1: PLAN, 2023

1: PROFILE, 2023


KEY NOTES

- 1. 8" CONCRETE PARALLEL P.C. PAVEMENT PER TYPICAL SECTION 1.2.3.4.5.6.7 1959 SY
- 2. CONCRETE CURB (8" BARRIER-FUNCTION) PER TYPICAL SECTION 1.2.3.4.5.6.7 1959 SY



DATE: 11/20/2023 10:00 AM
 DRAWN BY: J. J. JONES
 CHECKED BY: J. J. JONES
 PROJECT NO: ED170

DATE: 1/31/2019 10:01:19 AM
 USER: JGROVER
 PROJECT: EAST NASHVILLE STREET
 SHEET: 170101
 SCALE: 1"=20'
 DRAWN BY: JGROVER
 CHECKED BY: JGROVER
 PROJECT NO: ED1701
 SHEET NO: 17




- KEYED NOTES
- 1 8" DOME, JOINTED P.C. PAVEMENT REF. TYPICAL SECTIONS 1.2, 3.1, 5.6, 7.1, 11.1, 12
 - 2 CONCRETE CURB (8" BARRIER-INTEGRAL) REF. TYPICAL SECTIONS 1.2, 3.1, 5.6, 7.1, 11.1, 12



Pg 8009

DATE: 1/31/24 10:28:00 AM
 FILE: 24_2018_31304
 USER: JAMES W. WOODS
 PROJECT: E. NASHVILLE STREET IMPROVEMENT PROJECT
 DRAWING: EAS-NASHV-ADD-ALTERNATE-NO. 2
 LAYOUT: JAMES W. WOODS
 SCALE: 1/8" = 1'-0"
 SHEET NO: 12 OF 12



099009