



To: City of Broken Arrow Drainage Advisory Committee
From: Patrick P. Wilson, P.E., CFM, Stormwater Division Manager
Project Name: Zogg Channel
Project Number: SW24100
DAC Case Number: 24-004
DAC Agenda Number: 24-561
Allocated Funds: \$30,000.00
Basin: Broken Arrow Creek
Funds Spent: \$1,600.00
Funds Remaining: \$28,400.00

Description: Citizens in the Oak Crest third Addition subdivision applied to the Drainage Advisory Committee to receive assistance, from the City, with the cleaning and repair of a drainage channel that flows through their back yards. The Drainage Advisory Committee recommended the expenditure of \$30,000.00 to clean and repair the channel and reestablish the drainage path that conveys stormwater flows to the Arrowhead Park detention basin.

The City of Broken Arrow hired a tree service to clear the channel for \$1,600.00.

See Page 2 for photographs.

Recommendation: Close the project and transfer the remaining funds back to the Broken Arrow Creek Basin fund.

Patrick P. Wilson 1/20/2026
Patrick P. Wilson, P.E. CFM
City of Broken Arrow
Stormwater Division Manager

Tara Kilpatrick 1/21/2026
Tara Kilpatrick
City of Broken Arrow
Budget Officer

