

SANITARY SEWER PARTIAL RELEASE

Exhibit "A"

SHEET 1 OF 2

LEGAL DESCRIPTION

A TRACT OF LAND LYING IN THE SOUTHEAST QUARTER (SE/4) OF SECTION ELEVEN (11), TOWNSHIP EIGHTEEN (18) NORTH, RANGE FOURTEEN (14) EAST OF THE INDIAN BASE AND MERIDIAN (I.B.&M.), CITY OF BROKEN ARROW, TULSA COUNTY, STATE OF OKLAHOMA, ACCORDING TO THE U.S. GOVERNMENT SURVEY THEREOF RECORDED IN THE IN THE TULSA COUNTY CLERKS OFFICE, BOOK: 1955, PAGE 237, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, TO-WIT:

COMMENCING (P.O.C.) AT THE NORTHEAST CORNER OF THE SOUTHEAST QUARTER OF SAID SECTION ELEVEN (11); THENCE S01°30'11"E ALONG THE EAST LINE OF THE SOUTHEAST QUARTER (SE/4) OF SAID SECTION ELEVEN (11) FOR A DISTANCE OF 674.25 FEET; THENCE S88°50'39"W FOR A DISTANCE OF 470.22 FEET TO THE POINT OF BEGINNING (P.O.B.); THENCE CONTINUING S88°50'39"W FOR A DISTANCE OF 59.69 FEET; THENCE N71°34'40"W FOR A DISTANCE OF 108.15 FEET; THENCE N65°48'49"W FOR A DISTANCE OF 371.52 FEET; THENCE S01°19'56"E FOR A DISTANCE OF 57.94 FEET; THENCE S88°37'11"W FOR A DISTANCE OF 20.00 FEET; THENCE N01°19'56"W FOR A DISTANCE OF 67.51 FEET; THENCE N65°48'49"W FOR A DISTANCE OF 371.24 FEET; THENCE N01°16'21"W FOR A DISTANCE OF 22.15 FEET; THENCE S65°48'49"E FOR A DISTANCE OF 773.44 FEET; THENCE S71°34'40"E FOR A DISTANCE OF 163.38 FEET TO THE POINT OF BEGINNING (P.O.B.). AREA CONTAINS 0.44 ACRES, MORE OR LESS.

BASIS OF BEARINGS

BASIS OF BEARINGS FOR THIS EXHIBIT IS THE OKLAHOMA STATE PLANE COORDINATE SYSTEM (NAD83 OKLAHOMA NORTH ZONE 3501). BASED LOCALLY ON THE EAST LINE OF THE SE/4, SEC. 11, T-18-N, R-14-E, I.B. & M. AS S01°30'11"E.

SURVEYOR'S CERTIFICATE

I, AARON BURNS, OF WALLACE DESIGN COLLECTIVE, PC, CERTIFY THAT THE ATTACHED LEGAL DESCRIPTION CLOSES IN ACCORDANCE WITH THE EXISTING REQUIREMENTS AND IS A TRUE REPRESENTATION OF THE LEGAL DESCRIPTION AS DESCRIBED. THIS LEGAL DESCRIPTION MEETS THE MINIMUM STANDARDS FOR LEGAL DESCRIPTIONS AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS FOR THE STATE OF OKLAHOMA.

WITNESS MY HAND AND SEAL THIS 8TH DAY OF JULY 2026.



Cliff Bennett
CLIFF BENNETT, P.L.S.
OKLAHOMA NO. 1815
CERT. OF AUTH. NO. 1460
EXP. DATE JUNE 30, 2027



wallace
design
collective

wallace design collective, pc
structural • civil • landscape • survey
123 north martin luther king jr. boulevard
tulsa, oklahoma 74103
918.594.5958 • 600.364.5858
wallacedesign.com

ORIG SIZE: 8.5"X11"




PLOT: 7/8/2026 12:38:30 PM

\\Chouteau-Server\Root\Jobs\2540130.20-BAPS Kirkland Natatorium-Wallace\Final Drawing\2540130.21 Q Easement Sanitary Sewer.dwg

Sanitary Sewer Partial Release "A"

SHEET 2 OF 2

A PART OF THE SE/4 OF SEC. 11, T.18 N., R.14 E., I.B. & M.,
CITY OF BROKEN ARROW, TULSA COUNTY, STATE OF OKLAHOMA



BASIS OF BEARINGS

THE BASIS OF BEARING FOR THIS SURVEY IS THE OKLAHOMA STATE PLANE COORDINATE SYSTEM (NAD83 OKLAHOMA NORTH ZONE 3501). SAID BEARINGS ARE BASED LOCALLY ON THE EAST LINE OF THE SE/4, SEC. 11, T-18-N, R-14-E, I.B. & M. AS S01°30'11"E.

LEGEND

P.O.B. = POINT OF BEGINNING
P.O.C. = POINT OF COMMENCEMENT
R/W = RIGHT OF WAY

CERTIFICATION

I, CLIFF BENNETT, HEREBY CERTIFY THAT THE ABOVE REPRESENTS A SURVEY PERFORMED UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AS OF THIS DATE. THIS PLAT OF SURVEY MEETS THE MINIMUM TECHNICAL STANDARDS, AS ADOPTED BY THE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS FOR THE STATE OF OKLAHOMA.

WITNESS MY HAND AND SEAL THIS 8TH DAY OF JULY 2026.



Cliff Bennett
CLIFF BENNETT P.L.S.
OKLAHOMA NO. 1815
CERT. OF AUTH. NO. 1460
EXP. DATE JUNE 30, 2027



wallace
design
collective

wallace design collective, pc
structural · civil · landscape · survey
123 north martin luther king jr. blvd.
tulsa, oklahoma 74103
918.584.5858 · 800.364.5858
wallace.design

Exhibit "A"

CLOSURE REPORT

North: 390396.6024' East: 2624341.4692'

Segment #1 : Line

Course: S88° 50' 39"W Length: 59.69'

North: 390395.3984' East: 2624281.7914'

Segment #2 : Line

Course: N71° 34' 40"W Length: 108.15'

North: 390429.5756' East: 2624179.1837'

Segment #3 : Line

Course: N65° 48' 49"W Length: 371.52'

North: 390581.7897' East: 2623840.2766'

Segment #4 : Line

Course: S01° 19' 56"E Length: 57.94'

North: 390523.8654' East: 2623841.6237'



wallace
design
collective

wallace design collective, pc
structural - civil - landscape - survey
123 north martin luther king jr. boulevard
tulsa, oklahoma 74103
918.584.5358 • 800.364.5858
wallacedesign

Exhibit "A"

CLOSURE REPORT

Segment #5 : Line

Course: S88° 37' 11"W Length: 20.00'

North: 390523.3836' East: 2623821.6295'

Segment #6 : Line

Course: N01° 19' 56"W Length: 67.51'

North: 390590.8754' East: 2623820.0599'

Segment #7 : Line

Course: N65° 48' 49"W Length: 371.24'

North: 390742.9748' East: 2623481.4083'

Segment #8 : Line

Course: N01° 16' 21"W Length: 22.15'

North: 390765.1193' East: 2623480.9164'

Segment #9 : Line

Course: S65° 48' 49"E Length: 773.44'

North: 390448.2360' East: 2624186.4619'



wallace
design
collective

wallace design collective, pc
structural • civil • landscape • survey
123 north martin luther king jr. boulevard
tulsa, oklahoma 74103
918.581.5858 • 800.364.5858
wallacedesign

Exhibit "A"

CLOSURE REPORT

Segment #10 : Line

Course: S71° 34' 40"E Length: 163.38'

North: 390396.6052' East: 2624341.4693'

Perimeter: 2015.02' Area: 19353.42 Sq. Ft.

Error Closure: 0.0027 Course: N00° 53' 52"E

Error North: 0.00273 East: 0.00004

Precision 1: 746303.70



wallace
design
collective

wallace design collective, pc
structural · civil · landscape · survey
123 north martin luther king jr. boulevard
tulsa, oklahoma 74103
918.584.5858 · 800.364.5858
wallace design