

Quote 298644-01

Jul 09, 2024

CITY OF BROKEN ARROW PO BOX 610 BROKEN ARROW Oklahoma 74013-0610

Attention: MICHAEL SPURGEON

Dear Michael Spurgeon, Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New Caterpillar Model: 906 Wheel Loaders with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: C141809

SERIAL NUMBER: 0MZ601099

99 **YEAR:** 2024

SMU: 0

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Diego Marin Machine Sales Representative

One (1) New Caterpillar Model: 906 Wheel Loaders with all standard equipment in addition to the additional specifications listed below:

STANDARD EQUIPMENT

POWERTRAIN -- Emissions compliant, two options -- U.S EPA Tier 4 Final and EU Stage V* -- U.S. EPA Tier 3 and EU Stage IIIA** --Cat C2.8 engine -- Diesel particulate filter (DPF)* -(Fit for Life) or exhaust muffler** -- Fuel, diesel, ultra low sulphur, -@ < 15 ppm (stage V)* -- Fuel, diesel, standard sulphur, -@ < 500 ppm (stage IIIA)** -- Hydrostatic transmission, 2 speed, -with inching function, shift on the go -- Powertrain mode, hystat -- Air cleaner, two stage filter, with in -cab audio/visual indicator on display -- Axles, heavy duty, frame mounted -with outboard planetary reduction -- Closed circuit breather -- Coolant, extended life, -36ÊC (-33ÊF) -- Drive shaft, maintenance free, -sealed for life, universal joints -- Engine, auto idle shutdown, -ultra low idle, hibernation mode -- Engine oil, ECO drain tap and hose -- Fuel pump, priming (manual) with -water seperator & drain port

HYDRAULICS -- Caterpillar HYDO Adv. 10 hydraulic oil -- Coupler/pin on attachment ready -- Demand cooling fan, hyd. driven --Dead engine lower, lift valve, manual -- EH fully proportional controls -- Hydraulic pilot shut off switch, incab -- Hystat pump, infinatly variable, -- Implement valve, anti drift -- and pressure compensated -- Joystick, single auxillary roller -- Lift and tilt control -- Loader arm float function -- Motor, single drive with dedicated -implement and steering pumps -- Oil Sampling SOS ports, -

ELECTRICAL -- Alternator, 100 amp sealed -- Battery, heavy duty, 12V, 90Ah&1000CCA -- Battery disconnect switch -- Cab mounted fuse panel -- Lights, rear stop and turn, LED -- Lights, roading, front halogen -- Service port, electronic diagnostic, ET -- Product link

OPERATOR ENVIRONMENT -- ROPS/FOPS certified canopy/cab -- 12V power outlets, interior/exterior -- Pedals, brake/inching, accelerator -- Lever, parking brake -- Cup holders (2) -- CB radio clip, phone holder, -- Door release, internal (left/right) -- Hook, large, coat and hard hat -- Floormat, easy clean, raised pedals -- Mirrors, 2 external, 1 internal -- Steering wheel, spinner knob, horn -- Seat belt, orange, 51mm (2 in), -- Storage, cab (trays x3, seat pocket) -- Steering column, tilt adjusted -- Column mounted multi function -control: lights, roading, wipers, -self cancelling turn signals -- Quick coupler switch, in cab -- Display, analog and digital -- Guages (2), hyd oil, engine coolant -- Digital with soft touch buttons, -fuel level, speed range, speedometer, -service hour meter, service/maint info, -hyd/powertrain perf and aggr settings, -security passcode (multiple languages) -- Joystick, seat mounted, multifunction -- Forward/neutral/reverse, aux roller, -speed range, cont flow, diff lock, horn -- Right Arm rest, padded, multi height -- Seat, manual height adjust/suspension, -(cab) fabric, adjustable left arm rest -(canopy) vinyl, no left arm rest -- Cab -- Doors, (2), fixed glass -- Wipers , front/rear, full coverage -- Windshield, front single piece, -- Window, rear heated -- Radio ready, speakers and wiring -- Air vents, 4 screen, 7 directional -- Heating, mechanical control unit -- Sun Visor, solid, front full width -- Interior light (incandecent)

OTHER STANDARD EQUIPMENT -- Cat optimized Z-bar loader linkage -- Fenders, front and rear -- Ground level daily service points -- Loader arm safety brace -- Lockable engine enclosure/side access -- fuel filler cap,nose cone,HVAC filters -- Machine lifting/tie down points -- Paint, E-Coat primer, gloss top coat -- Recovery hitch with pin -

MACHINE SPECIFICATIONS

906 14A CWL AM-N	572-7976
LANE 2 ORDER	0P-9002
PREPARATION PKG-USA, ANSI	601-2045
LIGHTS, ROAD, FN, LED, RH DIP	573-3910
FAN, DEMAND, REV, PRECLEANER	581-5447
WEATHER, COLD START, 120V	580-6299
ENGINE, C2.8, STAGE V	607-1279
FILTER, FUEL, MANUAL	569-2570
TRANS 25 MPH DIFF LOCK	597-1178
HYD, 3V, STD FLOW, STD LIFT	597-2302
COUPLER, SSL	577-6057
AUX, STD FLOW, 3 VALVE	607-6809
RIDE CONTROL, STD LIFT	577-6050
KICKOUT, RTD, NONE	573-3915
CAB, STD, FIXED DOOR GLASS	577-7152
PUSH START, PASSCODE SECURITY	616-3507
MIRROR, EXT HEAT, ELEC ADJUST	577-7162
CAMERA, REAR VIEW, W/O MIRROR	602-2629
STORAGE, BOX WITH LOCK	580-0597
KEYPAD 16, RIM PULL/CREEP CTL	580-0523
SEAT, DELUXE PLUS, AIR, HEAT	573-4006
SEAT BELT, 2"	595-3363
AIR CON, AUTO TEMP CONTROL	573-3923
DOOR STOP, CAB	600-3108
TIRES, 340/80 R18,FS,DURAFORCE	331-3193
FENDERS, STANDARD	577-6164
HITCH, REAR RETRIEVAL,ELEC OPT	580-0512
HYDRAULIC OIL, STANDARD	577-6969
SERIALIZED TECHNICAL MEDIA KIT	421-8926
LIGHTS, CAB, DLX, 4XHAL+4XLED	580-0533
ALARM, BACK UP	580-0537
DOOR SWITCH & 2X USB POWER	596-4178
HARNESS, WIRING, WT, SSL	580-0539
STANDARD RADIO (12V)	623-9432
PACKING, LAST MILE PROGRAM	0P-4299
RUST PREVENTATIVE APPLICATOR	0G-3273
PRODUCT LINK, CELLULAR PL243	636-6174
BUCKET-GP, 1.2 YD3, SSL	261-1341
CARRIAGE, PAL CL2, 51", SSL	261-1350
FORK, PAL C2, 48" X 4" X 1.6"	195-8545

Quote Created Using Sourcewell member ID# 67325

CATERPILLAR LIST PRICE	\$158,031.00
SOURCEWELL MEMBER DISCOUNT	(\$36,347.13)
PRICE BEFORE ADDITIONAL WARREN CAT DISCOUNT	\$121,683.87
ADDITIONAL WARREN CAT DISCOUNT	(\$21,683.87)
FINAL BALANCE DUE:	<mark>\$100,000.00</mark>

WARRANTY

Standard Warranty: Standard 12 Month or 1,500 Hour Full Machine Coverage Extended Coverage: 906-48 MO/2000 HR PREMIER

UNLIMITED MACHINE SAFETY AND OPERATION TRAINING INCLUDED TO THE CITY AND ITS EMPLOYEES FOR THE LIFE OF THE MACHINE

Accepted by _____ on _____

Signature