# **CHAPTER 2: ZONING DISTRICTS**

### 2.1 DISTRICTS ESTABLISHED; ZONING MAP

Chapter 2 establishes the City's zoning districts and contains statements of purpose for each of the districts. Chapter 3, Use Regulations, and Chapter 4, Dimensional Standards, identify the uses allowed within the districts and the dimensional standards applying to development in the districts, respectively.

#### A. **Zoning Districts Established**

The following zoning districts are established:

District Type	Abbreviation	District Name					
Agricultural	A-1	Agricultural					
	RE	Residential Estate					
	RS-1	Single-Family Residential – 1					
	R-2 Single-Family Residential – 2 RS-2 Single-Family Residential – 2 RS-3 Single-Family Residential – 3						
	RS-2 Single-Family Residential – 2 RS-3 Single-Family Residential – 3						
ctive Residential	RS-3 Single-Family Residential – 3  RS-4 Single-Family Residential – 4						
	RD Residential Duplex						
	RD Residential Duplex						
	RD Residential Duplex RM Residential Multi-Family RMH Residential Mobile Home Park						
	RMH Residential Mobile Home Park						
tive Residential	R-1 Single-Family Residential – 1						
live Nesideriliai	R-3 Single-Family Residential – 3						
	NM Neighborhood Mixed-Use						
Mixed-Use	CM Community Mixed-Use						
viixeu-Ose	DM Downtown Mixed-Use Core						
	DF	Downtown Fringe					
	ON	Office Neighborhood					
	CN	Commercial Neighborhood					
ommercial and	CG	Commercial General					
Industrial	CH	Commercial Heavy					
	II	Industrial Light					
8	IH	Industrial Heavy					
	PUD Planned Unit Development						
ecial Purpose	FD Floodplain						
nd Overlays	DRO Downtown Residential Overlay						
	HDO Highway Design Overlay						

abbreviations above for transitional properties being annexed.

#### B. **Zoning Map**

The zoning districts are shown on the "City of Broken Arrow Zoning Map" (Zoning Map). The boundaries of zoning districts established in this Ordinance are delineated upon the Zoning Map and adopted as part of this Ordinance. Procedures for amending the Zoning Map are in Section 6.3.D., Applications to Amend the Zoning Map (Rezonings).

### C. Single-Family Residential District (RS-1)

The RS-1 district is intended to promote and encourage the construction of and continued use of land for single-family dwellings with a greater density than the RE district but a lesser density than the RS-2 district. The district prohibits commercial, office, and industrial uses or any other use that would substantially interfere with the development or continuation of single-family dwellings in the district.

# D. Single-Family Residential District (R-2)

The R-2 district is intended as a district in which the predominant use of land is for single-family dwellings. It is the purpose of this district to promote the construction of and the continued use of the land for single-family dwellings. The intent of this district further prohibits commercial and industrial use or any other use that would substantially interfere with the development or continuation of single-family dwellings in this district.

### E. Single-Family Residential District (RS-2)

The RS-2 district is intended to promote the construction of and the continued use of the land for single-family dwellings with a greater density of land use allowed than in the RS-1 district. The district prohibits commercial and industrial use or any other use that would substantially interfere with the development or continuation of single-family dwellings in this district.

### F. Single-Family Residential District (RS-3)

The RS-3 district is intended for single-family dwellings at a higher density than allowed in the RS-1 and RS-2 districts. The district prohibits commercial and industrial use or any other use that would substantially interfere with the development or continuation of single-family dwellings in this district.

### G. Single-Family Residential District (RS-4)

The RS-4 district is intended for single-family dwellings at a higher density than allowed in the RS-2 and RS-3 districts. The front building setback line in the RS-4 district is also less than in the RS-2 and RS-3 districts. The district prohibits commercial and industrial use or any other use that would substantially interfere with the development or continuation of single-family dwellings in this district.

#### G.H. Residential Duplex (RD)

The RD district is intended for the construction of and the continued use of the land for single-family and two-family dwellings. The district prohibits commercial and industrial use or any other use that would substantially interfere with the development or continuation of single-family or two-family dwellings in this district.

### H.I. Residential Multi-Family (RM)

The RM district is intended to accommodate the development of multi-family units, including apartments and condominiums, in neighborhoods with medium to high residential densities. It is the intent of this district, through proper site planning and design, to provide compatibility of uses in zoning, assure privacy and individuality by adequate screening techniques, protect adjacent property values, and make provisions for usable open space (exclusive of parking areas and streets).

### F. Table of Allowed Uses

			TA	BLE 3.1-1	TAB	LE O	F AL	LOW	/ED (	JSES								
				P= Perr	nitte	d; S=	Spe	cific	Use									
USE CATEGORY	USE TYPE	AG		RESIDE	AIT	L		1	WIXE	D US	E	CC		ERCI FICE		IN	D'L	
		A1	RE	RS1 / R1 RS2 / R2 RS3 / R3	R D	R M	R M H	N	C M	D M	D F	0 N	CN	C G	C H	L	I H	SPECIFIC USE PERMIT STANDARDS
RESIDENTIAL U	SES																	
Household Living	Dwelling, duplex				Р	Р	2011/10/2019											
	Dwelling, multi- family Dwelling, single-					Р		Р	Р	Р	Р							
	family attached  Dwelling, single-				Р	Р		Р	Р	Р	Р							
	family detached  Dwelling, mobile	P S	Р	Р	Р		P				Р							3.2.A.1.
	home Dwelling, zero lot	3			Р		F	Р			Р							3.2.A.1.
	line Mobile home park						Р											
	Mobile home subdivision						Р											7.
Group Living	Boarding, dormitory, and rooming house			-		Р	į.											
	Group home	Р	Р	Р	Р	Р	Р											
	Convalescent home, nursing home, or assisted living facility	s	s	s	Р	Р		Р	Р	Р	Р							3.2.A.2.
PUBLIIC/INSTITU							i fa											
Community Service	Cemetery	s																3.2.B.3.
	Crematorium, without funeral parlor or public area	s														Р	P	3.2.B.4.
4	Government administration and civic buildings	s	s	s	s	s	S	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	
	Municipal or community recreation center	Р	Р	Р	Р	Ρ	Р	Р	Р	Р	Р	Р	Р	Р	Р	s		
	Places of assembly	s	s	s	s	S	s	s	s	s	s	Р	s	s	s			3.2.B.6.
	Public safety facility	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	
Cultural Facility	Art gallery or museum, public	s	S	s	s	s		Р	Р	Р	Р		Р	Р	Р			3.2.B.2.
	Library, public	s	S	s	s	s		Р	Р	Р	Р		Р	Р	Р			3.2.B.5.

			TA	BLE 3.1-1	ТАВ	LE O	F AL	LOW	ED L	JSES								
				P= Peri	nitte	d; S=	Spe	cific	Use									
USE CATEGORY	USE TYPE	AG		RESIDE	AIT				MIXE	D US	Ε	CC		ERCI FICE	AL/	IN	D'L	
		A1	RE	RS1 / R1 RS2 / R2 RS3 / R3/RS4	R D	R M	R M H	N M	C M	D M	D F	0 N	C N	C G	C H	JL	l H	SPECIFIC USE PERMI STANDARD
	Child care center	s	s	s	s	s	s			s	s	Р	Р	s				
Child Care Facility	Day care center / nursery school	s	s	s	s	s	s			s	s	Р	Р	s				
	Home day care	Р	Р	Р	Р	Р	Р											
Education	College or university	S	s						s	s	s		s	Р	Р			3.2.B.7.
	Elementary	S	s	s	s	s	s	Р	Р	Р	Р							3.2.B.7.
	Middle school or high school	S	s	s	s	s	s	Р	Р	Р	Р							3.2.B.7.
	Trade school	s	s	s	s	s	s	Р	Р	Р	Р	s	s	Р	Р	Р		3.2.B.7
Health Care Facility	Medical office or clinic							Р	Р	Р	Р	Р	Р	Р	Р			
	Hospital	s	s	s	s	s	s				s			Р	Р			
Parks and Open Space	Arboretum or botanical garden	Р	s	s														3.2.B.1.
	Campground	s									1.							
	Community playfields and parks	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	
Telecom- munication Facility	Tower (including any facility with tower)	d		s	s	s	s	s	s	s	s	s	s	Р	Р	Р	Р	5.9
8	Broadcasting or recording studio, (no tower)	1						Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	
	Transmitting station (no tower)								1				Р	Р	Р	Р	Р	
Transportation Facility	Airport	s													s	s	s	
enegariotisticis <b>€</b>	Bus and passenger train terminal								Р	s	s	s	Р	Р	Р	Р		
	Heliport	s												s	s	s	s	
Utility	Utility facility, major	s												s	s	s	Р	
	Utility facility, minor	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	

				P= Per	mitte	d; S=	Spe	cific	Use									
USE	1,05,7705	١.,										cc	OMM:	ERCI	AL/	1		
CATEGORY	USE TYPE	AG		RESIDE RS1 / R1	NTIA				MIXE	D US	Ξ			FICE			lD'L	100-1
		A1	RE	RS2 / R2 RS3 / R3/RS4	R D	R M	R M H	N M	C M	D M	D F	0 N	C N	C G	C H		H	SPECIFIC USE PERMIT STANDARDS
COMMERCIAL U	ISES																	
Agriculture	Agriculture	Р																
Animal Sales and Services	Animal pet shop, retail								s					Р	Р	Р		
	Animal training school	s													s	Р		3.2.C.1.
	Kennel	S													s	Р		3.2.C.1.
	Veterinary clinic/animal hospital	s							s					s	Р	Р		3.2.C.1.
	Veterinary clinic, large animal	S					97	÷										3.2.C.1.
Financial Service	Financial institution, with drive-thru							s	Р	Р	s	s	Р	Р	Р			
	Financial institution, without drive-thru							Р	Р	Р	Р	Р	Р	Р	Р			
Food and Beverage Service	Bar/Nightclub								Р	Р				Р	Р			
	Catering service							Р	Р		Р		Р	Р	Р			
	Fruit and vegetable market									Р	Р		Р	Р	Р			
	Restaurant, drive-in													Р	Р			
	Restaurant, without drive-thru							Р	Р	Р	Р		Р	Р	Р			
	Restaurant, with drive-thru												s	Р	Р			
	Micro food and beverage production*							<u>s</u>	<u>s</u>	<u>s</u>	<u>s</u>		<u>s</u>	<u>s</u>	<u>s</u>	<u>P</u>	<u>P</u>	3.2.C.2
Office	Office, business or professional							Р	Р	Р	Р	Р	Р	Р	Р	Р		
	Research laboratory														Р	Р		
Recreation and Entertainment, Outdoor	General outdoor recreation	s													Р	s		3.2.C. <mark>34</mark> .
	Golf course or driving range, unlighted	Р	Р	Р	Р	Р	Р	I										3.2.C. <mark>34</mark> .
	Golf course or driving range, lighted	s													Р			3.2.C. <mark>34</mark>
	Major entertainment facility	s													Р	s		3.2.C. <mark>34</mark>
	Race track (auto,	s													s			3.2.C. <mark>34</mark>

				P= Peri	nitte	d; S=	Spec	cific	Use									
USE	USE TYPE	46								D US		C0	MMC	ERCI	AL/	ļ ".	D'L	
CATEGORY	USETTPE	AG		RESIDEI	NIIAI				MIXE	ט ע				FICE		IN	υL	00=01=10
		A1	RE	RS2 / R2 RS3 / R3/RS4	R D	R M	R M H	N M	C M	D M	D F	0 N	C N	C G	C H	I.	H	SPECIFIC USE PERM STANDARD
	dog, or horse)										N SAN							
	RV campground/ park														s			3.2.C. <mark>23</mark> .
	Shooting range	s																3.2.C. <mark>34</mark>
	Zoo	s																3.2.C. <mark>34</mark>
Recreation And Entertainment Indoor	Art gallery or museum, private								Р	Р	Р	Р	Р	Р	Р			
	Fitness and recreational sports center	s						s	Р	Р	Р	s	s	Р	Р	s		
	General indoor recreation								Р	s			Р	Р	Р	s		
	Major entertainment facility									s	s			s	Р	Р		
	Movie theatre								Р	s	s			Р	Р			
Personal Services	Dry cleaning and laundry service								Р					Р	Р	Р		
	Funeral services								Р				Р	Р	Р			
	General personal services							Р	Р	Р	Р		Р	Р	Р			
	Instructional services								Р		Р	s	Р	Р	Р			
Retail (Sales)	Alcoholic beverages, retail sale								Р	Р			Р	Р	Р			5
	Convenience store with gas sales								Р				Р	Р	Р			
	Horticulture nursery sales	s												Р	Р			
	Open-air market or flea market									s				s	s			
	Retail, general							Р	Р	Р	Р		Р	Р	Р			
	Retail, large													Р	Р			
	Sexually oriented business														Р			
Vehicles and Equipment	Boat and/or RV storage														s	Р	Р	
-чигритент	Car wash														Р	Р		
	Gasoline sales													Р	Р	Р		
	Parking structure							Р	Р	Р	Р			Р	Р	Р	Р	
	Vehicle sales and rental				$\dashv$										s			3.2.C.4 <u>5</u> .

			TA	BLE 3.1-1	TAB	LE O	FAL	LOW	/ED L	JSES								
				P= Peri	mitte	d; S=	-Spe	cific	Use									
USE CATEGORY	USE TYPE	AG		RESIDE	NTIA			1	WIXE	D US	E	cc		ERCI FICE	AL/	IN	D'L	
		A1	RE	RS1 / R1 RS2 / R2 RS3 / R3/RS4	R D	R M	R M H	N M	C M	D M	D F	0 N	CN		C H	I L	l H	SPECIFIC USE PERMI STANDARDS
	Vehicle service and repair, major			NO.							200.00					Р	Р	
	Vehicle service and repair, minor								Р					Р	Р	Р	Р	
Visitor Accom- modation	Bed and breakfast	Р			s	s		s	s	Р	s			Р	Р			
	Hotel or motel								Р	Р	s			Р	Р			
INDUSTRIAL USI	≣S																	
Industrial Service	Fossil fuel storage															s	Р	
	General industrial service															Р	Р	
Manufacturing and Production	Assembly, light									s						Р	Р	3.2.D.1
	Manufacturing,			5												Р	Р	
	Manufacturing, heavy												-				Р	
Mining and Processing	Minerals and raw materials	S															s	
	Oil and gas	s															s	
Warehouse and Freight Movement	Mini-storage														s	Р	Р	3.2.D.3.
	Motor freight terminal															Р	Р	
	Office warehouse		80												s	Р	Р	
	Storage yard															Р	Р	
	Warehouse			(4)												Р	Р	
	Wholesale establishment															Р	Р	
Waste and Salvage	Auto salvage yard																s	3.2.D.4.
	Scrap operations																s	
	Recycling center (outdoor or indoor)														s	Р	Р	
	Solid waste disposal	s															s	3.2.D.2.

### 3.2 SPECIFIC USE PERMIT STANDARDS

When reviewing requests for specific use permits, the Planning Commission may require that the applicant furnish plans and data concerning the operation, location, function, and characteristics of any use of land or building proposed.

The Planning Commission may recommend to the City Council that certain safeguards and conditions concerning setbacks, ingress and egress, off-street parking and loading arrangements, and location or construction of buildings and uses and operation be required. The foregoing standards are considered to be minimal. The Planning Commission may recommend additional standards and conditions.

The City Council may, in the interest of the public welfare and to assure compliance with the intent of this ordinance, require such development standards and operational conditions and safeguards as are indicated to be important to the welfare and protection of adjacent property and the community as a whole.

#### A. Residential Uses

### 1. Dwelling, Mobile Home

- a. Access to the mobile home shall be from an arterial street.
- **b.** Mobile home shall setback at least 50 feet from all property lines.
- 2. Convalescent Home, Nursing Home, Or Assisted Living Facility
  In the A-1, RE, RS-1, RS-2, RS-3, RS-4, R-1, R-2, and R-3 districts, the use shall abut an arterial street.

#### B. Public and Institutional Uses

#### 1. Arboretum or Botanical Garden

- **a.** In the RE, RS-1, RS-2, RS-3, <u>RS-4,</u> R-1, R-2, and R-3 districts, the use shall abut an arterial street.
- **b.** No sales are allowed with this use, except through gift shops that are approved accessory uses.

### 2. Art Gallery or Museum

In the A-1, RE, RS-1, RS-2, RS-3, RS-4, R-1, R-2, R-3, RD, and RM districts, the use shall abut an arterial street.

### 3. Cemetery

- a. Cemeteries shall have a minimum net area of forty (40) acres.
- **b.** All principle vehicular entrances and exits shall be on arterial streets. Access lanes (i.e., acceleration and deceleration lanes) shall be provided on all principle entrances.
- **c.** Cemeteries may be permitted to have funeral homes or crematories as accessory uses.
- **d.** Structure or building line setbacks shall be one hundred feet (100') from arterial streets and fifty feet (50') from non-arterial streets.

**e.** No gravesite shall be located within twenty-five feet (25') of a future street right-of-way.

# 4. Crematorium, without funeral parlor or public area

- a. All vehicular access shall be from an arterial street.
- **b.** All buildings shall setback at least 50 feet from all property lines.

### 5. Library

In the A-1, RE, RS-1, RS-2, RS-3, <u>RS-4</u>, R-1, R-2, R-3, RD, and RM districts, the use shall abut an arterial street.

### 6. Place of Assembly

Any place of assembly use shall meet the following standards:

- a. Where an assembly use is originally approved by specific use or PUD, any subsequent associated development that increases the intensity of the use on the site by more than what has been approved shall require an amendment to the specific use or PUD. For the purposes of this section, an increase in intensity shall be measured as (1) an increase in vehicular trips generated and/or (2) an increase in impervious surface by five percent or more.
- **b.** Developments designed to accommodate more than one gathering, ceremony, or meeting within any two-hour window shall be required to provide overflow parking spaces: one (1) space for every 2.5 persons of maximum fire-rated occupancy in addition to the standard parking requirements listed in Section 5.5.
- c. Places of assembly shall be located on a parcel with a minimum net lot area of two (2) acres if on sanitary sewer and five (5) acres if on a septic system. No parking shall be permitted within a required front yard or building line setback, within agriculture (A-1) or any residential (R) zoning district.
- **d.** Landscaping and lighting shall meet the standards for commercial uses contained in Chapter 5.

#### 7. Schools

- All colleges, universities, high schools and trade schools shall have their principal vehicular entrance and exit on an arterial street and shall be located on land no less than two (2) acres in size if on sanitary sewer, or five (5) acres if on septic system. Ingress and egress to local streets shall be prohibited. Elementary and middle schools may have ingress and egress to local streets if it will not cause adverse impacts on surrounding properties.
- **b.** Landscaping and lighting shall meet the standards for commercial uses contained in Chapter 5.

**d.** Provision shall be made to prevent any contamination of the domestic water supply or excessive surface runoff from the property into adjoining lands or streams. The drainage plan that carries water off the site shall be subject to the approval of the Director.

### 3.3 ACCESSORY USES AND STRUCTURES

### A. Purpose

This section authorizes the establishment of accessory uses that are incidental and customarily subordinate to principal uses. An accessory use is "incidental and customarily subordinate" to a principal use if it complies with the standards set forth in this section.

### B. Approval of Accessory Uses and Structures

All principal uses allowed in a zoning district shall be deemed to include those accessory uses, structures, and activities typically associated with the use, unless specifically prohibited in this Ordinance. All accessory uses shall be subject to the standards in this Section 3.3, as well as any Specific Use Permit standards applicable to the associated principal use as set forth in Section 3.2 above.

#### C. General Standards

All accessory uses and structures shall comply with the general standards in this Section 3.3.C.

#### 1. Compliance with this Ordinance

- **a.** All accessory uses and structures shall be subject to the dimensional requirements of Chapter 4 unless otherwise specified in this Ordinance.
- **b.** Accessory uses shall comply with all standards of this Ordinance applicable to the principal use with which they are associated. Parking requirements shall be met for both the principal use and any accessory use.

#### 2. Dimensional Standards for Accessory Buildings and Structures

#### a. Same Lot

The accessory use or structure shall be conducted and/or located on the same lot(s) as the principal use.

#### b. Size

- i. In the R-2, R-2S, R-3, RS-3, RS-4, and RD districts, the maximum size of any accessory building shall be one thousand square feet (1,000 sq.ft.) unless otherwise approved by specific use permit. No accessory building shall be constructed until the construction of the main building has been actually commenced, and no accessory building shall be used unless the main building is also being used.
- ii. In commercial and industrial districts, an accessory use shall not occupy more than 50% of the building square footage associated with the principal use.

		TAE	TABLE 4.1-2: DIMEN	ISIONAL AND [	DENSITY STA	:NSIONAL AND DENSITY STANDARDS – RESIDENTIAL DISTRICTS	IDENTIAL DIS	TRICTS		
			[Bracketed] Lot Dimensions	ed numbers re	fer to notes a	[Bracketed numbers refer to notes at the bottom of the table.]  Minimum Sethack Requirements (Note 6)	he table.]	nente [Note		
District	Use	Min. Lot Area (sq ft)	Min Lot Frontage (ft) [NOTE 1]	Max Lot Coverage (%)	Front (ft)	Side (ft)	Rear (ft.)	Adjacent to Arterial (ft)	Co Adja P Stre	Max. Height (ft)
RS-2	Single-family detached	8,000	70	Interior: 50	25	Both: 10 One: 5	20	35	25	90
	Other uses	12,000	200	Corner: 60	40	Both: 40 One: 20	35	40	40	35 [Note 4]
R-2	Single-family detached	8,000	02	Interior: 50	25	Both: 15 One: 10	20	35	25	50
	Other uses	12,000	200	Corner: 60	40	Both: 40 One: 20	35	40	40	35 [Note 4]
RS-3	Single-family detached	7,000	09	Interior: 50	25 [Note 3]	Both: 10 One: 5	20 ft	35	25 [Note 3]	35 or 2.5 stories
	Other uses	12, 000	200	Corner: 60	40 [Note 3]	Both: 40 One: 20	35	40	40	35 [Note 4]
R-3 (Inactive)	Single-family detached	7,000	09	Interior: 50	25 [Note 3]	Both: 15 One: 10	20% of lot	35	25 [Note 3]	35 or 2.5 stories
	Other uses	12,000	200	Corner: 60	40 [Note 3]	Both: 40 One: 20	depth	40	40	35 [Note 4]

		TAE	TABLE 4.1-2: DIMEN	ISIONAL AND E	DENSITY STA	2: DIMENSIONAL AND DENSITY STANDARDS – RESIDENTIAL DISTRICTS [Bracketed numbers refer to notes at the bottom of the table I	DENTIAL DIS	TRICTS		2.2
			Lot Dimensions	S		Minimum Setback Requirements [Note 6]	ack Requirer	nents [Note (	5]	
District	Use	Min. Lot Area (sq ft)	Min Lot Frontage (ft) [NOTE 1]	Max Lot Coverage (%)	Front (ft)	Side (ft)	Rear (ft.)	Adjacent to Arterial (ft)	Corner or Adjacent to Public Street/Alley (ft)	Max. Height (ft)
RS-4	Single-family detached	005,0	<u>55</u>	Interior: 50 Corner: 60	20 [Notes 3 and 7]	Both: 10 One: 5	20 ft	35	$\frac{20}{\text{Notes 3 and 7]}}$	35 or 2.5 stories
	Other uses	12,000	200		40	Both: 40 One: 20	35 ft	40	40	35 [Note 4]

		Max. Height (ft)	=		[Note 5]	
	5]	Corner or Adjacent to Public Street/Alley (ft)	25	25	35 unpaved; 75 with parking	40
STRICTS	ments [Note (	Adjacent to Arterial (ft)	35	35	35 unpaved; 75 with parking	40
IDENTIAL DIS he table.]	oack Require	Rear (ft.)	20	20	35 unpaved; 75 with parking	20%
:: DIMENSIONAL AND DENSITY STANDARDS – RESIDENTIAL [Bracketed numbers refer to notes at the bottom of the table.]	Minimum Setback Requirements [Note 6]	Side (ft)	10 on unattached side	10 on unattached side	Both: 70 unpaved; 150 feet with parking One: 35 unpaved; 75	Both: 30 One: 20
DENSITY STA		Front (ft)	25	25	35 unpaved; 75 with parking	40
ISIONAL AND I	S	Max Lot Coverage (%)	50	09	90	50
TABLE 4.1-2: DIMENSIONAL AND DENSITY STANDARDS – RESIDENTIAL DISTRICTS [Bracketed numbers refer to notes at the bottom of the table.]	Lot Dimensions	Min Lot Frontage (ft) [NOTE 1]	Lot: 30; Building: 100	70	200	200
TAB		Min. Lot Area (sq ft)	4500 (4000 per DU)	8000 (4000 per DU)	22,000 (2300 per DU)	22,000
		Use	Single-family attached	Duplex	Multi-family	Other uses
		District			R N	

[1]: The frontage of any wedge-shaped lot that meets the requirements of minimum lot size may be less than the minimum lot frontage requirements of this table, so long as the applicable minimum lot frontage requirement is met at the front building line. Lot must have at least 30 feet of frontage at the front property line.

[2]: Plus five feet for every ten-foot reduction in the minimum lot width requirement of 175 feet, not to exceed 50 feet.
[3]: For lots in the RS-3, R3, RS-4, and RD districts with more than two sides abutting a public way (not including arterials), the front yard may be reduced to 15 feet along those rights of way that have no vehicular access. In such instances, there shall be no obstruction in a 15-foot front yard (such as buildings, fences, parked vehicles, etc.) and vehicular access should be from the street with the lowest design speed and capacity and lowest traffic volume. The jog in the front yard between the two lots shall not exceed five feet.

[4]: Maximum height for change of the control of the foot in setback provided beyond the minimum required setback.

[5]: No height restriction unless may be increased by one foot for every additional foot in setback provided beyond the minimum required setback.

[5]: No height restriction unless abutting single-family detached residential, building shall be set back two feet for every foot in height above 35 feet.

[6]: A required building setback from an abutting street shall be measured from the planned right of way as designated by the Transportation Plan as set forth in the Comprehensive Plan.

[7]: In the RS-4 district, the front building line setback may be reduced to 15 feet on any lot where vehicular access is derived from an alley. There shall be no direct vehicular access is derived from an alley. In the RS-4 district, the front building line setback may be reduced to 15 feet on any lot where vehicular access is derived from an alley. There shall be no direct vehicular street access.

Zoning Ordinance Broken Arrow, Oklahoma

### E. Planned Unit Development District Standards

### 1. Bulk and Area Requirements for Planned Unit Developments

### a. Intensity of Use

Within a PUD, the permitted intensity, calculated as set forth in this subsection, may be reallocated irrespective of the general zoning district boundaries.

### b. Residential Intensity

i. The maximum number of permitted dwelling units within a PUD shall be computed as follows:

Permitted dwelling units	=	Gross land area of the property located within a residential district divided by
remitted dwelling drills	_	Minimum gross land area per dwelling unit permitted in the applicable use district

- ii. The gross land area for the purposes of the above-described computation shall be the gross area of the PUD less the lot area or areas designated for any use other than dwellings, quasi-dwellings, residential open space, and recreation areas. For the purpose of intensity computations, "gross land area" shall mean the lot area plus one half (1/2) of the right-of-way of any abutting street to which the lot has access.
- **iii.** The minimum gross land area per dwelling unit for the purposes of the above described computation shall be as follows:

TABLE 4.1-5: Minimu	m Land Area Per Dwelling Unit for PUD
District	Minimum Gross Land Area Per Dwelling Unit (s.f)
R-1	14,500
RS-1	12,125
R-2	9,750
RS-2	9,750
R-3	8,500
RS-3	8,500
RS-4	7,875
RD	5,750
RM	2,200
RMH	4,000

iv. Each six hundred square feet (600 sq.ft) of a quasi-dwelling, such as a care home, shall constitute a dwelling unit. If the PUD is within two (2) or more districts, the permitted density shall be the sum of the permitted dwelling units computed separately for the residential area within each district.

### c. Nonresidential Intensity

i. The nonresidential intensity shall not exceed a maximum permitted floor area computed as follows:

Maximum permitted floor area	=	Gross land area of the property located within a nonresidential	Х	Maximum floor area ratio permitted in the applicable
- 000		district		use district

- ii. If a floor area ratio is not specified within the applicable use district, a floor area ratio of 0.75) shall apply. The nonresidential intensity of use of a PUD located within two (2) or more general zoning districts shall be calculated separately for each district and allocated within the PUD with delineation of permitted floor area of specified permitted uses.
- **iii.** For the purpose of intensity computations, "gross land area" shall mean the lot area plus one-half (1/2) of the right-of-way of any abutting street to which the lot has access.

### d. Livability Open Space

Within a residential development area of a PUD, livability open space (open space not utilized for parking or drives) shall be provided in an aggregate amount equal to the sum of the livability open space required for each dwelling unit calculated separately for each of the underlying use districts from which the permitted dwelling unit allocation is derived as follows:

TABLE 4.1-6: Minimum Livability Open Space per Dwelling Unit	
District	Minimum Livability Open Space per dwelling unit (s.f.)
R-1	6,800
RS-1	5,400
R-2	3,700
RS-2	3,700
R-3	3,000
RS-3	3,000
RS-4	2.800
RD	1,600
RM	1,200
RMH	1,600

Required livability open space may be provided on the lot containing the dwelling unit or units on which computed, or in common areas, common livability open space should be designed and located to be accessible to the dwelling units it is intended to serve.

### e. Building Height

Within a PUD, the building height limitations shall be prescribed and set forth as development standards of the approved planned unit

#### J. Council Permits for Towers

If the tower or antenna may not be permitted administratively as described above in subsection i., then no tower may be constructed without securing a permit from the Broken Arrow City Council.

- Applications for a tower permit from the City Council shall first obtain a specific use permit from the Planning Commission pursuant to Section 6.5 of this Ordinance.
- 2. The City Council may impose conditions that it, in good faith, believes is reasonably necessary to minimize any adverse effect of the proposed tower on adjoining properties, and that foster competition by encouraging multiple uses on co-location structures. For purposes of evaluation of the application, the use of a billboard as a basis for a tower shall be considered co-location, even if only one (1) antenna array is to be placed thereon.
- 3. The City Council may require particular evidence or special conditions in the event the Council determines the proposal may potentially contaminate water supplies, contaminate surface waters or soil, interfere with drainage, or interfere with the primary use of the public property.
- 4. All sized freestanding towers are prohibited in A-1 and RE zoning districts, including areas that are in fact used as agricultural or residential estate areas even though zoned at more intense levels. Towers in excess of 100 feet are prohibited in R1, RS-1, R2, RS-2, R3, and RS-3, and RS-4 zoning districts. Applicants in such areas shall be required to establish the necessity of the tower and all elements of the application by clear and convincing evidence.
- 5. When an applicant for a tower permit works with a developer of residential land, and designs a subdivision that uses a flagpole and guard house (or comparable camouflage) as elements within the design of the subdivision entrance or private park reserve, the approval of the final plat shall include the permit for the tower at a height not to exceed eighty feet (80') and used as the flagpole, and an equipment cabinet within the guardhouse.

### K. Factors Considered for City Council Approval

The City Council shall consider the following factors in determining whether or not to issue a permit for a tower, although Council may modify one or more of these criteria if, in the particular circumstances of the application, Council concludes that the goals and intent of this Ordinance are better served by such modification. Factors to be considered are:

- 1. Height of the proposed tower;
- 2. Proximity of the tower to residential structures and adjacent residential lot boundaries:
- Nature of uses on adjacent and nearby properties;
- 4. Surrounding topography;