


PC Concrete Street Repairs 2016-2017 Contract Bid No. 16.126


Engineering and Construction Department 485 N. Poplar, Broken Arrow, OK. 74012 Fax: 918-259-8453 - Office: 918-259-7000

		Contr	act \	Work	Orde		# Revision:	W	O-017
Contractor Assigned to Work Order: Tri-Star Construction, LLC				_				em Yoakum	
Department Requesting Work OrderStreets and Storm Water				Requesting Party: Joh					
Funding Account Number:	010-530	5-438-70-	15		-		ng Note:		
		******************************			-	T UITG	ing 11010.		3W1701
Work Priority Status: Urge	ent 🗹	Normal		Low		Other:			
The following scope of work consisting	of work locat	ion, work	descrir	of Wor	'K hlished	quantities	and timaling for		
and agreed upon by the	contractor, th	e requestir	ng depa	irtment, ai	nd the E	ingineering	and Construction	n Departi	ment.
Total Number of Days Agreed Upon for O					or				
Task and Location: Between 2501 W. Gary Street ar 1) headwall back to the East. Const Plan Sheets or Additional Documents Att	ruction draw	ings are in	remove cluded,	, use conc	ract stai	rox 111' of 1 ndards wher Other:	e not noted on p	lans.	nel from the current
		Wo	rk Or	der Quan	titos			Material	William Wolf
Item# (Spec) Item				Jnits	-	Price	Quantity	1	Total Amount
9 SP-15 Sawing Pavement (10" or	Less)			LF	\$	10.00	37	\$	370.00
24 SP-22 Miscellaneous Concrete			0	CY	\$	400.00	50.5	\$	20,200.00
28 SP-26 Miscellaneous Reinforcing	g Steel			LB	\$	1.50	900	\$	1,350.00
29 SP-27 Solid Slab Sod				SY	\$	3.25	125	\$	406.25
34 SP-32 Subgrade Method B				SY	\$	4.00	100	\$	400.00
35 SP-33 Separator Fabric				SY	\$	10.00	230	\$	2,300.00
36 SP-34 Aggregate Base Type A			1	CY	\$	80.00	39	\$	3,120.00
This Work Order in the course Co. C.							Total Cos	0.000 O.000	28,146.25
This Work Order in the sum of: \$	28	3,146.25 h	nas bee	n reviewe	d by all		is recommended		1.5%
Director of Division Submitting Work Or	der:	Name	U	ran	\mathcal{L}	SHe Signature	ve Arant	3	11/9/16
Contractor Performing Work Order:	AND	Name	ent			Signature	-5		Date 11-7-16 Date
Construction Division Manager:	Timot	hy S Robir	ns, PE		3	ignature		5	11/14/16 Date
Director of Engineering & Construction:	A1	ex Mills, I	PΕ		S	gnature	The		11/16/16
Assistant City Manager - Operations:	Kenne	th D Schwa	ab, PE	7	Sen	meth ignature	D. Sch	wal	Date
Approved at Council Period on: _									
City Manager Approval:	_Micha	ael L. Sp Name	urged	on		Signature			Date Date



NOTE: - ALL CONCRETE TO BE 3500 PSI. BA MIX

- REINFORCING TO BE 3" CLEAR OF EXPOSED EDGES
- SEALED SAW JOINTS @ 15' C/C
- SEALED 3" EXPANSION JOINTS @ 90' C/C
- CONTRACTOR TO VERIFY ALL FIELD DIMENSIONS





2501 S Gary St. Channel **WORK ORDER WO-17**

DATE: OCT. 2016 DRAWN BY: TSR

CHECKED BY: TSR

BROKEN ARROW

Where opportunity lives

Engineering & Construction Department

485 N. Poplar Ave. Broken Arrow, Oklahoma 74012 918-259-7000 / 918-259-8453 (fax) www.brokenarrowok.gov

SHEET # ____ of ___

	work order # 17
Concrete.	(5-6" + 7-1" + 5-6") × 95-6" +(5'-(", 5', ") × 15'-6"
	+(5'-6"+5'-6") x 15'-6" + 164 39 ft => 2063.05 s, ft => 229.3 sy
	@ 6 "concrete = 38.2.ey + 1' return = 4.2 cy/223sy total = > 42.4cy 6x6 10 ga wwF
Steel -	6x6 10; a wwF = ,2063.05,/100 x21 = 7 433.3
	Long : tudina (Bars = 111.5 x 2 x 2 = 446 of #55
	= 446' x 1.043 /c, - -7 466.5#
	total = 899.85 =7 900#
Agg ragete	
	= 2063.05 Sq A × 6" = 38.2 cy
Seperator Form 5542X (Rev. 6-09)	Fubric = 2063.05 59 At = 7 229 Sy + overlap use 5905

Engineering & Construction Department



485 N. Poplar Ave. Broken Arrow, Oklahoma 74012 918-259-7000 / 918-259-8453 (fax) www.brokenarrowok.gov

SHEET # ____ of ___

Solid SI	nb Sod			
	= 111.5	X 2 sides X	5 wide	
		X 2 sides X =7 1115 =7 12	S9 FF	
			5.7 Sy	
Sawini	Pavement			
	= 5	-6"+7-1"	+ 5'-6"	x 2 sides
		-6"+ 7-1" = 36.5	2	
3 Pipe	weepholes" =7 Misc	forming = M	isc Concrete	
	O 25	forming = M. 9/e E/s =	8 total	
			mise Conc	
mise Exc	avabled 1 refurns			
	-/ a.	Je Jabyrace	Method B	
		111.5' × 1' = 24.77	$\times 2sides$	s:des
		=7	50 3y + m	ise 50 sy =7 100 sy

Engin

Where opportunity lives

Engineering & Construction Department

485 N. Poplar Ave. Broken Arrow, Oklahoma 74012 918-259-7000 / 918-259-8453 (fax) www.brokenarrowok.gov

SHEET # ____ of ___

Pump Truc	k
•	4/00 per hour
	2 per yar
	50 Set up
	estimate a surface
	2 placements @ 3 hrs
	= 6 hours total = \$ 2400
	44 CY - 188 2 set ups = 100
	2 set ups = 1100
	72588
	111111111111111111111111111111111111111
	use mise cone.
	- 72588/1 - 147
	12001 - 6.11 01
	= \$2588/400/cy = 6.47 cy





PC Concrete Street Repairs 2016-2017 Contract Bid No. 16.126

Engineering and Construction Department

485 N. Poplar, Broken Arrow, OK. 74012 Fax: 918-259-8453 - Office: 918-259-7000

Request for PC Contract Work Order

Contractor Requested	d for Work:	Tri-	Star		R	equest Date:			
Department Requesti	ing Work:	Stor	m Was	ter	Requ	esting Party:			
Funding Account Nu	umber:	020-5	305 - 42	38 <u>*70-</u> 1	5 Fo	unding Note:	SWI	701	
Work Priority Status			Normal [-30 days	Low 30+ days	☐ Othe	r:			
				ork Being Req					
	e with as much det any pertanent info tilize as many of th	rmation required	to perform such ac	ctivites. A plan she	et is attached	for additional	sketches or detail	s. For addition	easoning nal tasks,
Task #1 Task Location: _	2501	W.	Gary	184.					
Task Description:	chan	inel.		ing:					H
Task Comments:	Use	Conc	refe s	Spec.	Sp	-9	For	AI	1
Task #2					•			4 3 (
Task Location:	Conc	rete mod	Nep	w k	wi	th 1	best	P	racti
Task Description:									
_	Appr	oxima	thy	4 111	Ft.	to	be	Rec	Jack
Task Comments:			\					,	
Task #3									
Task Location:									
Task Description:									
Task Comments:	Note	: F	Reside	tus	at	25	105 1	N. (rary,
Task #4							H103500		
Task Location:	is t	o pro	ovide	Fren	ich	dre	in P	ipe	to
Task Description:	be s	extend	ded	INto	av	νd	thru	N	ew
Task Comments:	5 lop	e we	11 6	DE	low	Li	Ne		
By signing below, y	our department is	giving the authors	orization to the E	Engineering and C ing source noted	Construction	Department to	o establish a work	k order follo	wing the
Submitted by: Requesting Departm Received by: Construction Division	nents Representati	ve:	Name nothy S Robins,	n My	Signature	Selly.	10	15/16 Date	16
Contract Administra	ator Assigned:		Soe Vo	redasco		•			

PC Conrete Repairs 2016-2017 Bid No. 16.126


Work Order Quantites (For Contract Administrator Use Only)


			vvoir Citter Quantites (For Contract Administrator Use Only)			8
Item Used (X)	Item#	(Spec)	Item	Units	Agreed Upon Quantities	
	1	SP-9	Remove and Replace PC Concrete Street Section (10 SY+)	SY		
	2	SP-10	Remove and Replace PC Concrete Barrier Curb and Gutter	LF		
	3	SP-10	Remove and Replace PC Concrete Mountable Curb and Gutter	LF		
	4	SP-11	Remove and Replace PC Concrete Sidewalk	SY		
	5	SP-12	Remove and Replace Driveway (High-Early Strength)	SY		
	6	SP-13	Remove and Replace Handicap Ramp (Type "A") with ADA Tactile Warning System	EA		
	7	SP-14	Remove and Replace Handicap Ramp (Type "B") with ADA Tactile Warning System	EA		
	8	SP-14	Remove and Replace Precast Concrete Inlet Hoods	EA		
	9	SP-15	Sawing Pavement (10" or Less)	LF	37	
	10	SP-16	Formed Barrier Curb and Gutter (50 ft or Less in Length)	LF		
	11	SP-16	Formed Mountable Curb and Gutter (50 ft or Less in Length)	LF		
	12	SP-16	Formed Barrier Curb and Gutter (More than 50 ft in Length)	LF		
	13	SP-16	Formed Mountable Curb and Gutter (More than 50 ft in Length)	LF		
	14	SP-16	Slip-formed Barrier Curb and Gutter (1,000 LF or more)	LF		
	15	SP-16	Slip-formed Mountable Curb and Gutter (1,000 LF or more)	LF		
	16	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (less than 200 SF)	SF		
	17	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (more than 200 SF)	SF		
	18	SP-18	Formed Concrete Sidewalk (less than 200ft in Length) In Place	SY		
	19	SP-18	Formed Concrete Sidewalk (more than 200ft in Length) In Place	SY		
	20	SP-19	Install Handicap Ramp (Type "A") with ADA Tactile Warning	EA		
	21	SP-19	Install Handicap Ramp (Type "B") with ADA Tactile Warning	EA		
	22	SP-20	Flowable Fill Installed	CY		
	23	SP-21	Patterned Concrete Sidewalks (Colored)	SY		
	24	SP-22	Miscellaneous Concrete	CY	50.5	43, 1, 6.5
	25	SP-23	Adjust Valve Box to Grade (including Concrete Collars Less than 4")	EA		3000 St
	26	SP-24	Adjust Manholes to Grade (including Concrete Collars Less than 4")	EA		
	27	SP-25	Adjust Inlets to Grade	EA		
	28	SP-26	Miscellaneous Reinforcing Steel	LB	900	
	29	SP-27	Solid Slab Sod	SY	125	
	30	SP-28	15" Corrugated Polyethylene Drainage Conduit, In Place	LF		
	31	SP-29	18" Corrugated Polyethylene Drainage Conduit, in Place	LF		
	32	SP-30	15" Steel Drainage Conduit End Section, In Place	EA		
	33	SP-31	18" Steel Drainage Conduit End Section, in Place	EA		
	34	SP-32	Subgrade Method B	SY	5010	0
	35	SP-33	Separator Fabric	SY	230	
	36	SP-34	Aggregate Base Type A	CY	39	
						I

actor
Signature Date

Painted Grouge U Start of Work) 16/9/11 2505 W. Gary St 2501 W. Gary St.

	Total Legath in 200.4.	
	Метр	
		0
0213	2' 12.2' (WIDTH OF WATER SURFACE) 2	cio
A STATE OF THE PARTY OF THE PAR	- WS G O S - 1	
w >		1000
51 Toewall	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0,0
2 m/0-45 Cm	2	0 -
	() # CLASS A'	
	4 of the out of the second section of the second section of the second section of the second	N. 3. A. 3.
	SECTION C.C. ON 6" COMPACE	1 An Ass.
	2/2/5(5)"	perator Textile
	216 = 305 = 317 14/140	
	A= 13-72 ap. FT.	





192972

4389

UNPLATTED

Wolf Greek South

AN ADDITION TO THE CITY OF BROKEN ARROW, TULSA COUNTY, OKLAHOMA A SUBDIVISION OF A PART OF THE SE 1/4 OF SECTION 21, T-18-N, R-14-E W. WASHINGTON STREET (E. 9IST STREET SOUTH)/ WOLF CREEK ESTATES STREET UNPLATTED 30 1 10 WEST GARY WOLF CREEK ESTATES // UNPLATTED Wolf Creek Estates V 35.00' Due South 10 35.00' Due North. UNP UNPLATTED 25 B.L. Volf Creek South Church Site 12 HONOLULU STREET UNPLATTED Wolf Creek Plaza W. HONOLULU ST. W. NEW ORLEANS STREET (E. IOIST STREET SOUTH) WOLF CREEK SOUTH APPROVED 6-6-83 by the City **ITHICA** STREET !THICA ST. UNPLATTED 50 100 25' B.L. SCALE: 1"= 100" KENT STREET OWNER-DEVELOPER: THE TIMBERCREST COMPANIES, INC. 1700 WEST ALBANY BROKEN ARROW, OKLAHOMA LAREDO & STREET 1-918-258-8621 WOLF CREEK 15 SOUTH ENGINEERING CONSULTANTS, INC. 1700 WEST ALBANY BROKEN ARROW, OKLAHOMA I-918-258-8621 75 Esmt. 13 UNPLATTED THE APPROVAL AND FILING OF THIS PLAT DOES NOT GUARANTEE THAT CONNECTIONS WILL BE PERMITTED TO THE HALKEY CREEK/LYNN LANE MASTEWATER TREATMEN PLANT. THE CONNE OF EACH LOT IS RESPONSIBLE FOR OBTAINING FROM THE CITY INGINEER A CONNECTION CONTRACT AND/OP CONNECTION PERMIT. CEPTIFYING TO CAPACITY. IF CAPACITY IS NOT AVAILABLE, CONNECTION OF THE LOT WILL MOT BE PERMITTED. MONTGOMERY & STREET ADDITION CONTAINS: 35 198 ACRES GROSS 126 SINGLE FAMILY RESIDENTIAL LOTS SW Corner of the SE'4 of Section 21, T-18-N. R-14-E Section Line W. NEW ORLEANS ST. 101ST ST. SO.) BE Corner of Section 21, T-18-N, R-14-E Future RIW

Minefilm 10-83

HOLF CREEK SOUTH (EXTENDED)

STATE OF OKLAHOMA COUNTY OF TULSA

CERTIFICATE AND DEED OF DEDICATION

SS:

KNOW ALL MEN BY THESE PRESENTS: The Timbercrest Companies, Inc., an Oklahoma Corporation ("Timbercrest"), being the Owner of the following described land in Tulsa County, State of Oklahoma to-wit:

A tract of land located within and being a part of the SE4 of Section 21, T-18-N, R-14-E, of the Indian Base and Heridian, according to the original U.S. Government Survey there-of, Tulsa County, Oklahomm, said tract being more particularly described as follows, to-writ:

BEGINNING AT A POINT, said point being the Southwest (SW) corner of said Southeast Quarter (SEA), thence N 00°-02'-55" W a distance of 1,374.51 feet to a point, thence due East a distance of 290.94 feet to a point, thence due North a distance of 35.00 feet to a point, thence due East a distance of 120.00 feet to a point, thence due East a distance of 485.00 feet to a point, thence N 70°-00'-00" E a distance of 253.70 feet to a point, thence N 65°-03'-41" E a distance of 29.35 feet to a point, thence S 00°-01'-28" E a distance of 105.00 feet to a point, thence due Seat a distance of 22.05 feet to a point, thence due Seat a distance of 22.05 feet to a point, thence due South a distance of 152.21 feet to a point, thence N 89°-52'-50" W a distance of 293.74 feet to a point, thence S 00°-07'-10" W a distance of 495.00 feet to a point, thence N 89°-52'-50" W a distance of 700.00 feet to a point N POINT OF EGINNING, said described tract containing 1,533,210.13 square feet or 35.198 acres, more or less.

Has caused the above described real property to be surveyed and platted into a residential subdivision, henceforth known as "MOLF CREEK SOUTH (EXTENDED)", an Addition to the City of Broken Arrow, Tulsa County, State of Oklahoma, according to the recorded plat thereof. Moreover, in furtherance of the orderly and dedicate to the public and all future owners of the lots in "MOLF CREEK SOUTH (EXTENDED)". Tibecreast does hereby grant the public use all streets, and easements for the Installation and maintenance of utilities and drainage facilities, together with rights of ingress and egress to and upon said easements for the purpose of construction, maintaining, operating, repairing, removing and replacing any and all public utilities as may be placed thereon, the parcel designated "Reserve," shall be reserved for use as a storm water drainage course and easement upon the aforesaid plat, and such dedication shall be perpetual in longevity and absolute in character. No structure, plantings (other than sod) or other materials shall be placed, stored, erected or permitted to remain upon or within any easement as may be deemed to damage or interfere with the installation, maintenance and repair of given utility or utilities or with the natural flow of water as bould normally and usually occur within drainage easements. Easements within each lot "MOLF CREEK SOUTH (EXTENDED)", are to be maintained by the comer of that lot.

No trees, shrubs or seedlings of any form shall be planted in the drainage easements except for certain grasses normally used for lawn purposes. No obstruction shall be placed or permitted to remain in any of the designated drainage easements that would hinder or restrict the free and voluntary flow of stream water from its intended passageway. Naintenance of the area shall be the responsibility of the lot owner except that the City of Broken Arrow, Oklahoma, their employees or agents, at their discretion, have the right to enter upon said easement for the purpose of improving and/or maintaining the same. There will be no compensation to the lot owners for such actions. Construction of fences within said easements will not be permitted.

Timbercrest has established a general plan for the improvement and development of the above described premises, and does hereby establish the following covenants, conditions, reservations and restrictions upon which, and subject to which, all lots and portions of such lots, shall be improved or sold and conveyed by it as owner thereof. Each and every one of these covenants, conditions, reservations and restrictions is and are for the benefit of each owner of land in such subdivision, or any interest therein, and shall inure to and pass with each and every parcel of such subdivision, and shall bind the respective successors in interest of the present owner thereof. These covenants, conditions, reservations and restrictions are and each thereof is imposed upon such lots, and shall run with the land and shall be binding on all parties and all persons claiming by, through and under them until January 1, 2000, at which time the same shall be automatically extended for successive periods of beenty (20) years thereafter, PROVIDED, however, upon not liess than two-thirds (2/3) of all the property owners in "MOLF CREEK SOUTH (EXTENDED)", said covenants, conditions, reservations, and restrictions may be amended or modified, in whole or in part, at any time such amendment for modification shall be deemed necessary and shall become effective when due evidence of such vote on the given amendment of modification, and the applicable amendment of modification shall be filed of record in the depository for land records in Tiusa County, State of Oklahoma. In the event Timbercrest, its successors and assigns, or any future owner of any lot or lots within "MOLF CREEK SOUTH (EXTENDED)", shall volate or attempt the violation of any of the covenants, conditions, reservations and restrictions hereby imposed, then, in such event, any other person or persons ming any lot or lots within "MOLF CREEK SOUTH (EXTENDED)" shall be entitled to prosecute an action or proceeding at law or in equity against the person or persons violating or attem

- All lots in the subdivision shall be residential single-family dwellings. No lot may be subdivided to accompdate two or more separate owners and/or dwellings.
- 2. No buildings, nor parts thereof, except porches and terraces shall be constructed and maintained on said lots nearer to the front property lines than the building setback lines shown on the accompanying plat. All lots shall have a minimum side yard setback of 10° on one side and 5° on the other, for a total of 15°. No structure shall be placed, altered or permitted to remain on any lot which exceeds two (2) stories in height.
- 3. No dwelling shall be started in this subdivision without prior approval of the plans and specifications by the Building Committee ("Committee"). The first Committee shall be appointed by the Developer at such time as it is determined by them that sufficient lots are sold to warrant same. Three members shall be appointed to this Committee. One member shall be appointed for one year, the second member for two years and the third member for three years. After this initial appointment, the Committee shall appoint each year a new member to serve for three years, and the third member for three years. The Committee shall consist of three members and the majority of these members shall be required for approval or disapproval of plans and specifications. Should plans and specifications be submitted and no action taken within 30 days of submission of same, said plans will be deemed approved. Two (2) working sets of drawings and specifications shall be submitted, one (1) for approval and one (1) for file.
- 4. No single-story dwelling shall be erected in this subdivision which has a living space of less than 1,100 square feet. Two-story, including split-level dwellings, shall have a minimum of 600 square feet at the lower level and a total living space of 1,300 square feet. Living space means exclusive of garages, carports and porches.
- 5. The exterior of all structures erected on any lot in this Addition shall be constructed of not less
- 6. All dwellings shall have attached garages suitable for accommodating a minimum of two (2) standard size automobiles. All servant quarters, tool sheds, hobby rooms, etc., shall be attached to the house. A portecochere will be permitted when approved by the Committee. No detached garages or other outbuildings shall be located on any lot unless approved in writing by the Committee and being in compliance with Broken Arrow City ordinances.

- Walks, driveways and patios must be shown on plot plan accompanying houses when submitted to the Committee prior to start
 of construction. No white chat walks or driveways will be permitted. Driveway materials shall be concrete.
- Asphalt composition shingles will be permitted. Certain now existing and future types of synthetic or natural roofing
 materials may be used upon approval of the Committee. Other roofing shall be restricted to cedar shingles, slate or builtup roof. Tar and gravel will be permitted on contemporary style residences.
- Boats, trailers, pick-up campers, race cars, dune buggies and commercial vehicles shall not be parked or stored on any lot except inside the garage or in the backyard, screened from public view. All repair work shall be performed inside the garage or in the backyard. Automobile parking shall be contained to the prepared driveway and will not be allowed on the yard or lawn.
- 10. No steel posts, hog or barb wire fences will be allowed. No fences more than six (6) feet in height will be permitted on any homesite. Standard chain link fencing is allowed. Ornamental fences only, not exceeding three (3) feet in height, compatible to the architecture of the residence, constructed of brick, stone, brick and stone, brick and frame, stone and frame, or split rails may be built forward of the building lines shown on the plat.
- 11. No trees over three (3) inches in diameter may be cut unless under house pad or within eight (8) feet of house eaves, or unless approved by the Committee.
- 12. No mobile home, or premanufactured dwelling of any nature, new or used, nor any used dwelling or outbuilding shall be moved into this subdivision.
- 13. No trailer, basement, tent, shack, garage, barn or other outbuilding erected or placed in this subdivision shall at any time be used as a residence, temporarily or permanently, nor shall any structure of a temporary character be used as a residence.
- 14. No noxious or offensive trade, activity or business enterprise shall be carried on upon any lot, nor shall anything be done thereon which may be or become an annoyance or nuisance to the neighborhood.
- 15. No outside storage of building materials, old cars, or other salvage shall be permitted. Building materials may be stored for a period of 30 days prior to the start of construction. Construction shall be completed in nine (9) months.
- 16. No sign of any kind shall be displayed to the public view on any lot except one (1) sign of not more than five (5) square feet advertising sale or rent of said property, or signs used by the builder to advertise the property during construction and sales periods, unless approved in writing by the Committee and being in compliance with Broken Arrow City ordinances.
- 17. No animals, livestock or poultry of any kind shall be raised, bred, kept or maintained on any lot except for dogs, cats and other household pets, provided that they are kept fenced and are not kept, bred or maintained for commercial purposes.
- 18. No lot shall be used or maintained as a dumping ground for rubbish, trash, garbage or other wastes. All waste shall be kept in a sanitary container and all incinerators or other equipment for the storage of waste materials, or its disposal, and all lots shall be kept in a clean and orderly manner.
- 19. No outside toilets shall be allowed on the property hereon described and all sanitary facilities must comply with local
- All radio or television transmitting or receiving antennas shall be erected in the attic or other places concealed from the public or private view unless approved by the Committee.
- In connection with the installation of underground services, all lots in the Addition are subject to the following pro-visions, which are enforceable by Public Service, Cable Television, and General Telephone, to-wit:
 - Overhead pole lines for the supply of electric, cable TV, or telephone service may be located along the East, South and West boundaries of this Addition. Street light poles or standards will be served by underground cable and elsewhere in said Addition. All supply lines shall be located underground, in the easement-ways reserved for general services and streets shown on the attached plat. Service pedestals and transformers, as sources of supply at secondary woltages, may also be located in said easement-ways.
- b. Underground service cables to all houses which may be located on all lots in said Addition may be run from the nearest service pedestal or transformer to the point of usage as determined by the location and construc-tion of such house as may be located upon each lot: Provided that upon installation of such a service cable to a particular house, the supplier of said service shall thereafter be deemed to have a definite, permanent, effective and exclusive right-of-way easement on said lot, covering a five (5) foot strip extending 2.5 feet on each side of such service cable, extending from the service pedestal or transformer to the service
- c. The supplier of electric, telephone or cable TV service, through its proper agents and employees, shall at all times have right of access to and upon all such easement-ways shown on said plat, or provided for in this Deed of Dedication for the purpose of installing, maintaining, removing, or replacing any portion of said underground facilities so installed by it.
- d. The owner of each lot shall be responsible for the protection of the underground cable TV, electric or telephone facilities located on his property and shall prevent the alteration of grade or any construction activity which may interfere with said facilities. The company will be responsible for ordinary maintenance of underground electric, telephone and cable TV facilities, but the owner will pay for the damage or relocation of such facilities caused or necessitated by acts of the owner or his agent or
- e. The foregoing covenants concerning underground electric, telephone and cable TV facilities shall be enforceable by the supplier of electrical, telephone and cable TV service and the owner of each lot agrees
- 22. The approval and filing of this plat does not guarantee that connections will be permitted to the Haikay Creek Mastewater Treatment Plant. The owner of each lot is responsible for obtaining from the City Engineer of Broken Arrow, a connection contract and/or connection permit, certifying to capacity. If capacity is not available, connection of the lot will not be accepted.
- 23. Should a court of competent jurisdiction by final order, judgement or decree determine that any covenant, or part thereof, herein made and contained expressly or by reference, be invalid, null, void or otherwise unenforceable, such determination shall not void, invalidate, adversely affect, or otherwise violate any of the remaining covenants, or parts thereof, not so found which shall remain in full force and effect.

1	HI HITNESS HEREOF, Timbercrest has set its hand and seal this To day of SEPT, , 1983.
į	of the Timbercrest companies, inc. in Oklahoma companies, inc.
	ATTEST:
1	y: Je Frestdent Jacobs Secretary (Corporate Sept)
	STATE OF DISLAHOMA)
	COUNTY OF TULSA } SS /
	Before me, the undersigned, a Notary Public, in and for said County and State, on this to day of the said to the s
	Given under my hand and seal the day and year last above written.
	Hy Commission Expires: 10-12-83 Juntle Shompson
	ENGINEERING CONSULTANTS, INC., an Oklahoma Corporation, does hereby certify that it has, at the instance of the OM designated above, made the above described survey and that the accompanying plat is a true and correct representat of said survey.
	Signed and sealed this 7th day of SFT. , 1983.
	ENGINEERING CONSULTANTS, INC.
	By: Jinden L. Burrow, Vice-President: Lynden L Secretary (Corporate Seal) Lis. No. 1077 Secretary (Corporate Seal)
	STATE OF OKLAHOMA SS COUNTY OF TULSA
	Before me, the undersigned, a Notary Public in and for said County and State, on this day of Section Dec., 1983, personally appeared Lynden L. Burrow, to me known to be the identical person who subscribed the name of the maker thereof to the foregoing instrument as its Vice-President and

acknowledged to me that he did the same as his free and voluntary act and deed and as the free and voluntary act and deed of such corporation for the uses and purposes therein set forth.

Given under my hand and seal the day and year last above written. J. Sunte Thompson My Commission Expires: 10-12-83

CERTIFICATE

As provided in Title 11, Chapter 13, Section 514 of the Oklahoma Statutes, I hereby certify that as to all real estate taxes involved to this plat, all such taxes have been paid as reflected by the curveit as rolls and eccurrity as required by said Section 514, has been provided in the amount of 3.73 11,556 per trust receipt on 3557 to be applied to 19 2 taxes not as yet certified to me.

This certification is NOT to be construed as payment of 19 6.7. taxes in full but is given in order that this plat may be filed of record. 19 (3) taxes could exceed the amount of the security deposit. Dured ______ ___ 19.63

JOHN F. CANTRELL TULSA COUNTY TREASURER