

PC Concrete Street Repairs 2016-2017 Contract Bid No. 16.126

Engineering and Construction Department

485 N. Poplar, Broken Arrow, OK. 74012 Fax: 918-259-8453 - Office: 918-259-7000

	Cont	ract Work (Order	# Revision:		VO-030
Contractor Assigned to Work Order:	Cherokee Pride Cons	truction, Inc.	Contra	actor Contact:		lam Yocham
Department Requesting Work Order	General Serv	rices	Requesting Party:		Roger Edwards	
Funding Account Number:	044-3009-421-	-40.07				
Work Priority Status:	Urgent 🗸 Normal	Low	☐ Oth	er:		
Г 		Scope of Worl				
The following scope of work consist and agreed upon by	sting of work location, work the contractor, the request					
Total Number of Days Agreed Upon						
Task and Location: Broken Arrow Animal Shel Misc Concrete & (.5CY) M	ter 4121 East Omaha - Rep isc Conc. for min usage.	lace Concrete Side	walk, Curb &	Conc. Pavemen	t, See attach	ed Drawing; (1CY)
Plan Sheets or Additional Document	ts Attached:	□ No	☑ Oth	er:	Details	Sheets
	W	ork Order Quant	ites			
Item# (Spec) Item		Units	Price	Quant		Total Amount
24 SP-22 Miscellaneous Conc	rete	CY	\$ 40	0.00 1.5	\$	600.00
				Tota	al Cost: \$	600.00
This Work Order in the sum of:	\$ 600.00	has been reviewed	l by all partie	and is recommo	ended for app	roval by:
Director of Division Submitting Wo	rk Order:	Pirh C	La	Zink		3-10-17
Contractor Performing Work Order:	.11	Yehr !	Signature Signature	for it		2 /13/17 Date
Construction Division Manager:	Timothy S Rob	oins, PE		Alex	-	3/10/17
Director of Engineering & Construc		PE.	DOM:	MULL		03/13/17
Assistant City Manager - Operations		*	Signature Signature	D.51	web	03 - 20 - 17 Date

PC Concrete Contract 2016-2017
Work Order WO-030 Description
Location: Broken Arrow Animal shelter
4121 E. Omaha St.







PC Concrete Street Repairs 2016-2017 Contract Bid No. 16.126

Engineering and Construction Department

485 N. Poplar, Broken Arrow, OK. 74012 Fax: 918-259-8453 - Office: 918-259-7000

Request for PC Contract Work Order

Contractor Requested for Work:				Request Date:	3-1.17	
Department Requesting Work:	Buildi	no mais	nttnonui	Requesting Party:	Roger 1	Edwards
Funding Account Number:	044-3	3004- 421	-4007	Funding Note:		
Work Priority Status:	Urgent 0-7 days	Normal 7-30 days	□ Low 30+ days	Other:		
			Work Being Req			
	nformation requir	red to perform suc	h activites. A plan sho		I sketches or details.	For additional tasks,
Task #1		7.5				
Task Location: Anim				OMAHA		
		OF Buil				
Task Description: GBOUT						
				mulling		
Task Comments: C/ nc/48	12 lauk	CATLE	Semice	INC.		
Task #2 /or	al Ale	~ =	21 Sy	=7 .78	cy us	se ley
Task Location:			,		•	lisc Conc
Task Comments:	. 0	5 01	Con man	1.0 - 0		110
Took Comments:	,	J Cy	Lat MINE	usage		
Task #3						23
						7
Task Location:						
Task Description:						
Task Comments:						
Task #4				BANKA ALIO TO SERVINO CONTRACTOR OF THE SERV		
Task Location:						
**************************************	N. P. Allander St. V. St. St. All St. Leaving	(India)/4(19)/1/11/11/19/19/19/19/19/19/19/19/19/19/1				Berginst Commission of the State of the Stat
Task Description:					Aparticular and a second	
Task Comments:						
				Construction Department above, and administer the		order following the
Submitted by Requesting Departments Represent Received by	itative:	RUG-ER F	dnessis	Programme Chr.	-, 4	3-1-17
Construction Division Manager:	_	Timothy S Robi	ns, PE.	Signature	1	3/10/17
Contract Administrator Assigned:	_	Jue	V.	Signature		AMILE

PC Conrete Repairs 2016-2017 Bid No. 16.126

Work Order Quantites (For Contract Administrator Use Only)

	Т	T	Work Order Quantites (For Contract Administrator Use Only)		
Item Used (X)	Item#	(Spec)	Item	Units	Agreed Upon Quantities
	1.	SP-9	Remove and Replace PC Concrete Street Section (10 SY+)	SY	
	2	SP-10	Remove and Replace PC Concrete Barrier Curb and Gutter	LF	
	3	SP-10	Remove and Replace PC Concrete Mountable Curb and Gutter	LF	
	4	SP-11	Remove and Replace PC Concrete Sidewalk	SY	
	5	SP-12	Remove and Replace Driveway (High-Early Strength)	SY	
	6	SP-13	Remove and Replace Handicap Ramp (Type "A") with ADA Tactile Warning System	EA	
	7	SP-14	Remove and Replace Handicap Ramp (Type "B") with ADA Tactile Warning System	EA	
	8	SP-14	Remove and Replace Precast Concrete Inlet Hoods	EA	
	9	SP-15	Sawing Pavement (10" or Less)	LF	
	10	SP-16	Formed Barrier Curb and Gutter (50 ft or Less in Length)	LF	
	11	SP-16	Formed Mountable Curb and Gutter (50 ft or Less in Length)	LF	
	12	SP-16	Formed Barrier Curb and Gutter (More than 50 ft in Length)	LF	
	13	SP-16	Formed Mountable Curb and Gutter (More than 50 ft in Length)	LF	
	14	SP-16	Slip-formed Barrier Curb and Gutter (1,000 LF or more)	LF	
	15	SP-16	Slip-formed Mountable Curb and Gutter (1,000 LF or more)	LF	
0	16	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (less than 200 SF)	SF	***************************************
0	17	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (more than 200 SF)	SF	The Control of the State of St
	18	SP-18	Formed Concrete Sidewalk (less than 200ft in Length) In Place	SY	
	19	SP-18	Formed Concrete Sidewalk (more than 200ft in Length) In Place	SY	
	20	SP-19	Install Handicap Ramp (Type "A") with ADA Tactile Warning	EA	
	21	SP-19	Install Handicap Ramp (Type "B") with ADA Tactile Warning	EA	
	22	SP-20	Flowable Fill Installed	CY	
	23	SP-21	Patterned Concrete Sidewalks (Colored)	SY	
×	24	SP-22	Miscellaneous Concrete	CY	1.5
	25	SP-23	Adjust Valve Box to Grade (including Concrete Collars Less than 4")	EA	
	26	SP-24	Adjust Manholes to Grade (including Concrete Collars Less than 4")	EA	
	27	SP-25	Adjust Inlets to Grade	EA	
	28	SP-26	Miscellaneous Reinforcing Steel	LB	
	29	SP-27	Solid Slab Sod	SY	
	30	SP-28	15" Corrugated Polyethylene Drainage Conduit, In Place	LF	
	31	SP-29	18" Corrugated Polyethylene Drainage Conduit, in Place	LF	
	32	SP-30	15" Steel Drainage Conduit End Section, In Place	EA	
	33	SP-31	18" Steel Drainage Conduit End Section, in Place	EA	
	34	SP-32	Subgrade Method B	SY	
	35	SP-33	Separator Fabric	SY	
	36	SP-34	Aggregate Base Type A	CY	

7	im	R.	Signature Name		
nowle		f Quantitie	dministrator	Contractor	
0	36	SP-34	Aggregate Base Type A	СҮ	
	35	SP-33	Separator Fabric	SY	
	34	SP-32	Subgrade Method B	SY	
	33	SP-31	18" Steel Drainage Conduit End Section, in Place	EA	
	32	SP-30	15" Steel Drainage Conduit End Section, In Place	EA	
	31	SP-29	18" Corrugated Polyethylene Drainage Conduit, in Place	LF	***************************************
			■ T T T T T T T T T T T T T T T T T T T	LF	