


## PC Concrete Street Repairs 2016-2017 Contract Bid No. 16.126

## **Engineering and Construction Department**

485 N. Poplar, Broken Arrow, OK. 74012 Fax: 918-259-8453 - Office: 918-259-7000

	Contr	act Work O		#	31	
Contractor Assigned to Work Order:	Cherokee Pride Constr	ruction Inc		Levision: Contact:		le a una
Department Requesting Work Order	Streets and Storm					
				ng Party:		
Funding Account Number:	030-5300-431-7	70.17	Fundi	ng Note:	ST1415	i
Work Priority Status: Urge	ent 🗸 Normal	☐ Low	Other:			
		Scope of Work				
The following scope of work consisting and agreed upon by the						been reviewed
Total Number of Days Agreed Upon for C				on Date:		
Task and Location: Install Handicap Ramp Type "B' 1) - 809 S. Lions Ave; 1252 W. J. 901 S. Lions Ave.; 913 S. Lions Remove and Replace PC Concretions installation of ADA Ramps note.	ackson St; 1101 W. Jac ons Ave. te Sidewalk & Remove	ekson St.; 1100 W. I	Knoxville St.; 110	01 W. Knoxville	St.; 1252 W. K	Inoxville St.;
Plan Sheets or Additional Documents Att	ached:  Yes	□ No	☑ Other:	Plan S	Sheets with Loca	ations
	W	oul: Oudou Ououtit				***************************************
Item# (Spec) Item	***	ork Order Quantit Units	Price	Quantity	T	Total Amount
7 SP-14 Remove and Replace Han with ADA Tactile Warnin		EA S	\$ 720.00	9	\$	6,480.00
4 SP-11 Remove and Replace PC 0		SY	\$ 55.00	44	\$	2,420.00
2 SP-10 Remove and Replace PC of and Gutter	Concrete Barrier Curb	LF S	\$ 24.00	46	\$	1,104.00
					\$	
					\$	141
				Total Cos	st: \$	10,004.00
This Work Order in the sum of: \$	10,004.00	has been reviewed b	by all parties and	is recommended	d for aprroval by	γ:
Director of Division Submitting Work Or	rder:	Uran	Signature		4/	7/17
Contractor Performing Work Order:	Hula K	yola )	Signature Signature	lett	4/4	Oate  // / / Oate
Construction Division Manager:	Timothy S Robi	ins, PE	Signature		4/4	1/17 Date
Director of Engineering & Construction:	Alex Mills, I	PE.	Signature	THE	- 4/ <sub>r</sub>	2/17 Date
Assistant City Manager - Operations:	Kenneth D Schv	vab, PE	Met D. Signature	Schurl	r 4.	-10-17 Date
* Note: Contractor formal wa	mobilized of order.	f of Regn	est form	prior to	recievis	2)





S Ironwood Ave

- Install Type "B" ADA Ramps.

Install sidewalk and curb and gutter as required to make ramp ADA acceptable.

809 S. Lions Ave - NW Crn 1252 W. Jackson St - SW Crn 1101 W. Jackson St. - NE Crn 1100 W. Knoxville St. - SE Crn 1101 W. Knoxville St. - NE Crn 1252 W. Knoxville St. SW Crn 901 S. Lions Ave. - NW Crn 913 S. Lions Ave. - SW Crn

## PC Conrete Repairs 2016-2017 Bid No. 16.126

Work Order Quantites (For Contract Administrator Use Only)

Item Used	1		TOTAL Quartities (for contract Administrator use only)	5555-55 P	Agreed Upon
(X)	Item#	(Spec) SP-9	Remove and Replace PC Concrete Street Section (10 SY+)	Units SY	Quantities
	2	SP-10		774 TO 100 TO 10	416
		-	Remove and Replace PC Concrete Barrier Curb and Gutter	LF	460
	3	SP-10	Remove and Replace PC Concrete Mountable Curb and Gutter	LF	(
	4	SP-11	Remove and Replace PC Concrete Sidewalk	SY	49
	5	SP-12	Remove and Replace Driveway (High-Early Strength)	SY	
	6	SP-13	Remove and Replace Handicap Ramp (Type "A") with ADA Tactile Warning System	EA	
	7	SP-14	Remove and Replace Handicap Ramp (Type "B") with ADA Tactile Warning System	EA	9
	8	SP-14	Remove and Replace Precast Concrete Inlet Hoods	EA	
	9	SP-15	Sawing Pavement (10" or Less)	LF	
	10	SP-16	Formed Barrier Curb and Gutter (50 ft or Less in Length)	LF	
	11	SP-16	Formed Mountable Curb and Gutter (50 ft or Less in Length)	LF	
	12	SP-16	Formed Barrier Curb and Gutter (More than 50 ft in Length)	LF	
	13	SP-16	Formed Mountable Curb and Gutter (More than 50 ft in Length)	LF	
	14	SP-16	Slip-formed Barrier Curb and Gutter (1,000 LF or more)	LF	
	15	SP-16	Slip-formed Mountable Curb and Gutter (1,000 LF or more)	LF	
	16	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (less than 200 SF)	SF	
	17	SP-17	Furnish and Install Segmental Retaining Wall 4ft high or less (more than 200 SF)	SF	
	18	SP-18	Formed Concrete Sidewalk (less than 200ft in Length) In Place	SY	
	19	SP-18	Formed Concrete Sidewalk (more than 200ft in Length) In Place	SY	
	20	SP-19	Install Handicap Ramp (Type "A") with ADA Tactile Warning	EA	
	21	SP-19	Install Handicap Ramp (Type "B") with ADA Tactile Warning	EA	
	22	SP-20	Flowable Fill Installed	CY	
	23	SP-21	Patterned Concrete Sidewalks (Colored)	SY	
	24	SP-22	Miscellaneous Concrete	CY	
	25	SP-23	Adjust Valve Box to Grade (including Concrete Collars Less than 4")	EA	
	26	SP-24	Adjust Manholes to Grade (including Concrete Collars Less than 4")	EA	
	27	SP-25	Adjust Inlets to Grade	EA	
	28	SP-26	Miscellaneous Reinforcing Steel	LB	
	29	SP-27	Solid Slab Sod	SY	<del> </del>
	30	SP-28	15" Corrugated Polyethylene Drainage Conduit, In Place	LF	
	31	SP-29	18" Corrugated Polyethylene Drainage Conduit, in Place	LF	
	32	SP-30	15" Steel Drainage Conduit End Section, In Place	EA	-
	33	SP-31	18" Steel Drainage Conduit End Section, in Place	EA	<del> </del>
	34	SP-32	Subgrade Method B	*****	
	35	SP-33		SY	
		+	Separator Fabric	SY	-
	36	SP-34	Aggregate Base Type A	CY	

□ 35	SP-33	Separator Fabric		SY	
□ 36	SP-34	Aggregate Base Type A		CY	
cknowledgment of	Quantities  IATA  Contract Ad	to choraministrator  When 3/14/17	Contractor		
Name		Signature	Name	Signature	Date
Name		Signature 31/17	Name	Signature	