

## City of Broken Arrow

#### **Fact Sheet**

File #: 17-2729, Version: 1

# Broken Arrow Planning Commission 10-12-2017

To: Chairman and Commission Members From: Development Services Department

Title:

Public hearing, consideration, and possible action regarding PUD 266 (Planned Unit Development) and BAZ 1986 (rezoning), Centennial Crossing, 19.64 acres, A-1 to PUD 266/RM, east of N.

Elm Avenue, one-quarter mile south of Omaha Street

**Background:** 

**Applicant:** Alan Betchan, AAB Engineering, LLC

Owner: Brown and Perkins, LLC

**Developer:** NA

**Engineer:** AAB Engineering, LLC

**Location:** East of N. Elm Avenue, one-quarter mile south of Omaha Street

**Size of Tract** 19.64 acres

Number of Lots: 1 Present Zoning: A-1

**Proposed Zoning:** PUD 266/RM

Comp Plan: Level 2 to Level 3 (BACP 146)

Planned Unit Development (PUD) 266 and BAZ 1986 involve a 19.64-acre undeveloped tract located east of N. Elm Avenue, one-quarter mile south of Omaha Street. Applicant is requesting that the zoning on the unplatted property be changed from A-1 to PUD 266/RM (Multi-family Residential).

On September 15, 2015, the City Council approved BACP 146 to change the Comprehensive Plan designation on the property from Level 2 to Level 3, subject to the property being platted and a PUD being submitted that was similar in context to the draft PUD submitted with BACP 146.

PUD 266 is similar in context to the draft PUD submitted with BACP 146. A summary of the differences between the draft PUD, PUD 266, and what the Zoning Ordinance requires is provided below.

Category	Zoning Ordinance	Draft PUD submitted	PUD 266
		with BACP 146	

File #: 17-2729, Version: 1

Permitted Uses	As allowed in the RM District	Limited to multifamily dwellings and customary accessory uses	Limited to multifamily dwellings and customary accessory uses
Maximum Number of Dwelling Units	389 (19.64 x 43,560 ÷ 2,200 = 388.9)	300 units in Phase I 20 units in Phase II Total 320 units	285 units in Development Area A 35 units in Development Area B Total 320 units
Minimum Livability Open Space per unit	1,200 square feet	1,200 square feet	1,200 square feet
Maximum Building Height	No restriction	45 feet, buildings limited to 3 stories in height, except for building that are located within 100 feet of the north, east, and west boundaries ae limited to two stories. In Phase II, building limited to two stories.	Development Area A - 3 stories, except buildings located within 100 feet of the north, east, and west boundary limited to 2 stories. Development Area B - 3 stories, except buildings located within 100 feet of the east boundary limited to 2 stories.
Minimum building setbacks	35 feet unpaved, 75 feet with parking	North property line - 40 feet West property line - 50 feet East property line - 60 feet South property line - 25 feet Internal property lines - 0 feet	Development Area A North property line - 35 feet West property line - 50 feet East property line - 35 feet South property line - 25 feet Internal property lines - 25 feet Development Area B North property line - 25 feet West property line - 35 feet with no parking, 75 feet with parking East property line - 25 feet South property line - 25 feet

File #: 17-2729, Version: 1

Maximum building length	160 feet	200 feet	Development Area A 200 feet Development Area B 160 feet
Minimum distance between buildings	20 feet	20 feet	20 feet
Minimum off-street parking	2 per unit	1.5 per one bedroom and 2 per two bedroom unit	1.5 per one bedroom and 2 per two bedroom unit
Maximum building coverage	50%	50%	30%

#### File #: 17-2729, Version: 1

Building design requirements

At least 60% of the exterior of the building, excluding doors and windows, shall be constructed of but not limited to masonry, concrete panels, Exterior Insulated Finished In addition, 20% of the and associated street facing façade shall be constructed of natural brick or masonry rock.

Exterior building walls Development Area A within 150' of north and west boundary shall have a minimum masonry finish of either brick and/or stone of not less than 65% excluding windows and doors at Systems, and/or stucco. perimeter facing walls sidewalls. All other exterior building walls shall have a minimum masonry finish of either brick and/or stone of not less than 25% excluding windows and doors.

Exterior walls within 150' of the north or west boundary of the Development Area shall have a minimum masonry finish of not less than 65% of brick or masonry rock of perimeter facing walls. All other walls shall be constructed of not less than 25% of brick or masonry rock, excluding windows and doors. Development Area B Exterior walls within 100' of the west boundary or 50' of the north boundary of the Development Area shall have a minimum masonry finish of not less than 65% of brick or masonry rock for perimeter facing walls. All other walls shall be constructed of not less than 25% of brick or masonry rock, excluding windows or

doors.

File #: 17-2729, Version: 1

Street design and	Curb cuts on the same	Access points shall	With the existing raised
access	side of an arterial street	meet the requirements	median, the
	are to be spaced at least	of the Zoning	requirement to have
	250 feet apart,	Ordinance.	access points on the
	centerline to centerline.		same side of the street
			be spaced 250 feet
			apart, centerline to
			centerline, will not be
			required.
Sidewalks	5-foot wide sidewalk	Public sidewalks to be	Sidewalks to be
	required along arterial	constructed on both	constructed per the
	streets, 4-foot wide	sides of the boulevard	Subdivision
	required along other	street by the developer.	Regulations. In
	streets.		addition, a sidewalk
			will be constructed by
			the developer along the
			side of the proposed
			road extension where
			the extension directly
			abuts the Broken
			Arrow Public School
			property. Sidewalk
			will be constructed at
			the same time as the
			road extension along
			the north property line.

File #: 17-2729, Version: 1

Landscaping	35-foot wide landscape	Per the Zoning	Per the Zoning
	buffer required around	Ordinance, except that	Ordinance, except that
	the perimeter of the	only one 3-inch caliper	along the south
	property. Tree	tree required per	boundary of
	requirements consist of	dwelling unit. In	Development Area A
	one tree per 50 feet of	addition, 7.5 three	and north and east
	street frontage, two	gallon and 5 one gallon	boundary of
	trees per unit, and one	shrubs required per	Development Area B,
	tree per 10 parking	dwelling unit.	the width of the
	spaces. In addition,	Landscape edge	landscape edge is
	five shrubs shall be	required to be 50 feet	reduced from 35 feet to
	provided per dwelling	along west boundary,	25 feet. In addition,
	unit.	35 feet along north	the landscape islands in
		boundary, and 25 feet	the parking lot can be
		along remaining	replaced with
		boundaries. In	walkways that connect
		addition, the landscape	to breezeways.
		islands in the parking	
		lot can be replaced	
		with walkways that	
		connect to breezeways.	

### SURROUNDING LAND USES/ZONING/COMPREHENSIVE PLAN

The surrounding properties contain the following uses, along with the following development guide and zoning designations:

Location	Development Guide	Zoning	Land Use
North	Level 4 (BACP 96) and Public/Semi Public	A-1	Centennial Middle School/Country Lane Elementary School campus and undeveloped
East	Level 2	A-1	Undeveloped, Country Lane Estates addition further to the east.
South	Level 3	PUD 216/RM and A-1	Crown Village apartments and undeveloped
West	Level 2	A-1	Undeveloped

According to the FEMA maps, none of the property associated with PUD 266/BAZ 1986 is located within a

#### File #: 17-2729, Version: 1

100-year floodplain area. According to the design statement for PUD 266, a detention facility will be constructed at the northeast corner of the property and extend onto the Broken Arrow school property. The detention facility will be designed to accommodate the needs of the Broken Arrow school property, the proposed multifamily developments, and the future single family residential tracts.

**Attachments:** Case map for PUD 266/BAZ 1986

Aerial photo

Case map for BACP 96

PUD 266 design statement and site plan Draft design submitted with BACP 146

#### **Recommendation:**

BACP 146, a request to change the Comprehensive Plan designation from Level 2 to Level 3 on the same property as that associated with PUD 266 and BAZ 1986, was approved by the City Council on September 15, 2015, subject to the property being platted, and a PUD being submitted that was similar in context to the draft PUD submitted with BACP 146. The RM zoning being requested with BAZ 1986 is considered to be in conformance with the Comprehensive Plan in Level 3. The design statement submitted with PUD 266 is similar in context to the draft PUD submitted with BACP 146. Therefore, based on the Comprehensive Plan, the location of the property, and the surrounding land uses, Staff recommends that PUD 266 and BAZ 1986 be approved, subject to the property being platted.

**Reviewed by: Larry Curtis** 

Approved by: Michael Skates

BDM