Chase Bank- 1651 N. 9th Street Planned Unit Development PUD-282

Prepared For: **The City of Broken Arrow Planning Commission** Broken Arrow, Oklahoma




2080 North Highway 360 Suite 240 Grand Prairie, Texas 75050-1493

JULY 2018

TABLE OF CONTENTS

I.	Vicinity Map3
II.	Development Concept4
III.	Development Standards5
IV.	Dimensional and Density Standards6
V.	Development Scheduling7
VI.	Exhibits8
	Outline Development Plan
	Topography
	Existing Utilities
	Landscape Plan



I. <u>DEVELOPMENT CONCEPT</u>

The project is proposed to be a single story building (approx. 3,558 sq. ft.) on 1.35 acres of land. The site currently is undeveloped and platted. Based on the zoning ordinance, the proposed development would require 12 parking spaces. However based on the existing traffic at other Bank locations and projected needs for this site, 40 parking spaces are preferred as part of this development. In order to request the additional parking, a PUD permit is being requested. The site plan provided as part of this PUD shows the orientation of the building to the streets, existing utilities, topography and the proposed signage for the development. Additionally, based on the fact that this site faces three streets, we are requesting total of two ground signs (Pylon, maximum of 20 feet in height), which is one more sign than is permitted in Section 5.7.D.13.b of the zoning ordinance.

The project site and the adjacent residential district are separated by El Reno Street rightof-way. Currently, El Reno Street is undeveloped/unpaved, and there is an existing screening wall on the south side of the residential development. El Reno Street consists of multiple easements preventing construction of a screening wall. Therefore, we are proposing a waiver to Section 5.2.E.2.c which requires the installation and maintenance of a fence by a nonresidential district development located next to a residential district.

In addition, it is requested that access to El Reno Street be granted, because currently there is an El Reno Street right-of-way no-access agreement in place. This request would allow the development to construct an access drive leading to South Lynn Lane which will help minimize the increase in traffic To East Hillside Drive. As well as the proposed drive the development proposes to install and maintain the landscape area in the existing El Reno Street right-of-way.

Approval of this PUD will provide the public with easier access to the site. It will also minimize traffic increase to East Hillside Drive. The additional parking requested will allow for the necessary parking for Bank operations. This will also help institute congestion and patrons on the adjacent streets and in the neighborhood.

II. <u>DEVELOPMENT STANDARDS</u>

FRONTAGE	REQUIRED	PROVIDED
South Lynn Lane	100'	178'
East Hillside Drive	100'	254'
North 10 th Street	100'	254'

a. Minimum Lot Frontage Requirements

b. Sign Details

On-site signage will be installed per the requirements and limitations specified in the PUD based on Section 5.7.D.13.b and Section 5.7.C.6.d of the Zoning Ordinance (see exhibits A-D)

Section 5.7.D.13.b of the Zoning Ordinance limits the number of ground signs to one ground sign, however we are requesting to have two pylon ground signs. The pylon signs will be constructed with a masonry base complimenting the surrounding proposed building, at a maximum height of 20 feet (Exhibit A) and will be landscaped around the base.

Wall signs will be constructed per the required maximum dimensions described in Section 5.7.C.6.d of the Zoning Ordinance (Exhibit B).

Additional signage is exemplified as Exhibit C and D.

c. Building Elevations

See Exhibit A for elevations.

d. Parking

Section 5.4.D Table 5.4.1 in the Zoning Ordinance states that there must be a minimum of 1 parking space per 300 square feet of building, plus stacking spaces per Section 5.4.E. for a financial institution with a drive thru. We have provided a total of 40 spaces in order to accommodate for the minimum number of spaces desired (see Outline Development Plan).

e. Minimum Setback Requirements

FRONTAGE	REQUIRED	PROVIDED
South Lynn Lane	50'	80'
East Hillside Drive	50'	80'
North 10 th Street	50'	120'
El Reno Street	50'	60'

III. DIMENSIONAL AND DENSITY REQUIREMENTS


a. Lot Dimensions and Height Requirements

	REQUIRED	PROVIDED
Building Coverage %	None	6.0%
Maximum Height (ft)	None	28' (Exhibit B)


IV. <u>DEVELOPMENT SCHEDULING</u>

This site does not require phasing. The construction period is typically an approximation of 6 months upon approval of the PUD, site permit, and building permit.





8 | Page








EXHIBIT C

Chase Bank PUD-282




11 | Page




\\SERVER-PC\SERVER\2018 CDC PROJECTS\CDC18079 - LYNN LN AND HILLSIDE DRIVE\OTHER FILES\PUD\PLANS AND EXHIBITS\SITE PLAN CDC18079-PUD.DWG


	ZONING TABLE	
	REQUIRED:	PROVIDED:
MINIMUM LOT FRONTAGE (EAST):	100'	254'
MINIMUM LOT FRONTAGE (SOUTH):	100'	254'
MINIMUM LOT FRONTAGE (WEST):	100'	178'
EAST FRONTAGE SETBACK:	50'	125'
SOUTH FRONTAGE SETBACK:	50'	84'
WEST FRONTAGE SETBACK:	50'	80'
NORTH FRONTAGE SETBACK:	50'	62'



\\SERVER-PC\SERVER\2018 CDC PROJECTS\CDC18079 - LYNN LN AND HILLSIDE DRIVE\OTHER FILES\PUD\PLANS AND EXHIBITS\TOPGRAPHIC SITE PLAN -CDC18079.DWG



\\SERVER-PC\SERVER\2018 CDC PROJECTS\CDC18079 - LYNN LN AND HILLSIDE DRIVE\OTHER FILES\PUD\PLANS AND EXHIBITS\EXISTING UTILITIES CDC18079.DWG



E CALL: TEXAS ONE CALL ● 811 AT LEAST 48 HRS PRIOR TO CONSTRUCTION.

of Al

C: \USERS\DOOR\DESKTOP\LBASEBROKENARROW.DWG

		<u>CITY OF BROKEN ARROW</u> LANDSCAPE REQUIREMENTS					
	SITE AREA	= 59,595 S.F.					
		E EDGE MDE, ONE (1) TREE PER 50 L.F., 21' MIN. CAL. ABUT LANDSCAPE EDGE, ONE (1) TREE PER 50 L.F.			070		
		. 10) SHRUBS 3 GAL .) EVERY 50 L.F. NE RD .: 178 L.F.			Suite	5050	
	REQUIRED	CAPE EDGE W/ DRIVE IO' LANDSC	APE EDGE	esign	v ,		
	(4) TREES (36) SHR	, 2" CAL, (4) TREES,	3" CAL.	les	, 360 ,	exas	
	E., HILLSIDE REQUIRED	DR.: 200 L.F. PROVIDED				e, Texas	036
	IO' LANDS (IO) TREE	CAPE EDGE 10' LANDSC 5, 3'' CAL, (10) TREES REET: 170 L.F.		Cumulus	Firm #14810	airi	1 235
		CAPE EDGE W/DRIVE IO'LANDSC			Firm #14	Grand	ç
	(3) TREES (34) SHRI	135 (48) SHRÚ		Ū	Fir	5 U	Ч
	NE CORNE REQUIRED	PROVIDED					
	(I) TREES						
	REQUIRED	PPERTY LINE: 306 L.F. PROVIDED CAPE EDGE IO' LANDSC					
	(0) IKEE:	, 2 CAL, (U) [KEE2]	, 311 CAL, - LANDSCAPE EDGE IS IN UTILITY EASEMENT				
		ARKING LOT LARGE CANOPY TREE WITHIN 50' OF ALL PARKING	SPACES,				-
	2, <i>O</i> NE (1) LARGE CANOPY TREE PER 15 SPACES,) LARGE CANOPY TREE IN EACH ISLAND (EXCEPTION		AGE)			
	PARKING SI REQUIRED	PACES: 42 PROVIDED					
	(3) TREES 36'' HT, SC						
		PLANT MATERIAL LIS	<u>1</u>				
KEY	QUANTITY	TREES DESCRIPTION	SIZE				
CE	4	ULMUS CRASSIFOLIA CEDAR ELM	3" CAL., MIN. 3' SPREAD, MIN. 10 FT. HT.				
СО	6	QUERCUS MUELENBURGII CHINKAPIN OAK	3" CAL., MIN. 3'			ARROW	
LO	3	QUERCUS VIRGINIANA	SPREAD, MIN. 10 FT. HT. 3" CAL., MIN. 4'	7	STREET	R O	
RO	5	LIVE OAK QUERCUS SHUMARDII	SPREAD, MIN. 10 FT. HT. 3" CAL., MIN. 4'	PLAN	ST	AR	< -
		RED OAK ORNAMENTAL TREES	SPREAD, MIN. 10 FT. HT.				
KEY CM	QUANTITY 5	DESCRIPTION LAGERSTROEMIA INDICA 'PINK VELO	, - ,	Ы	9TH	BROKEN	
FH		CRAPE MYRTLE ILEX X ATTENUATA 'FOSTERI'	CANES 20 GAL., 4' HT.,	NDSCAPE		R O	
		FOSTER HOLLY CERCIS CANADENSIS 'OKLAHOMA'	3' SPREAD 30 GAL., 8' HT.,	DS	VORTH		
RB		REDBUD VITEX AGNUS-CASTUS 'SHOAL CREEK	3' SPREAD (' 30 GAL., 8' HT.,	AN	Z	Ы	
VAC	6	SHOAL CREEK VITEX ILEX VOMITORIA 'FEMALE'	3' SPREAD 20 GAL., 4' HT.,	ٽ_	51		
YH	3	YAUPON HOLLY SHRUBS	3' SPREAD, MULTI-TRK		16	ˈ _□	
KEY	QUANTITY		SIZE P' 5 GAL., MIN. 20" HT.,				ľ
AZ	6	AZALEA AUTUMN TWIST BERBERIS THUNBERGII 'GOLDEN ROO	24" O.C.				
GR	150	GOLDEN ROCKET BARBERRY	24" O.C.				
СВ	111	ARONIA MELANOCARPA 'UCONNAM CHOKEBERRY	24" O.C.				
DYH	20	ILEX VOMITORIA 'NANA' DF. YAUPON HOLLY	5 GAL., MIN. 15" HT., 24" O.C.				
RY	14	HESPERALOE PARVIFOLIA RED YUCCA	3 GAL., MIN. 15" HT., 36" O.C.				
SG	35	SALVIA GREGGII 'PINK PREFERENCE' AUTUMN SAGE	5 GAL., MIN. 15" HT., 30" O.C.				
YF	5	YUCCA FILAMENTOSA 'COLOR GUAR COLOR GUARD YUCCA	5 GAL., MIN. 15" HT.				
AN	3	YUCCA FILAMENTOSA 'ADAMS NEED ADAMS NEEDLE YUCCA	36" O.C.				
OFH	69	OSMANTHUS HETEROPHYLLUS 'GOS FALSE HOLLY	HIKI' 5 GAL., MIN. 24" HT., 36" O.C.		Ū		
ТВ	73	BERBERIS THUNBERGII 'BAILJULIA' TOSCANA BARBERRY	5 GAL., MIN. 24" HT., 36" O.C.				
KEY	QUANTITY	GROUND COVER DESCRIPTION	SIZE		U		
	870	EUONYMUS FORTUNEI 'COLORATUS PURPLE WINTERCREEPER	' 4" POT, FULL PLANT 10" O.C.				
EC		ORNAMENTAL GRASSES DESCRIPTION	SIZE				
	ΟΠΦΝΤΙΤΛ						
KEY	QUANTITY 59	MUHLENBERGIA CAPILLARIS 'REGAL	-	11			
	59	AUTUMN BLUSH MUHLY MISCANTHUS SINENSIS 'ADAGIO'	16" O.C. 3 GAL., FULL PLANT				
KEY ABM	59	AUTUMN BLUSH MUHLY MISCANTHUS SINENSIS 'ADAGIO' ADAGIO GRASS BOUTELOUA GRACILIS 'BLONDE AME	16" O.C. 3 GAL., FULL PLANT 24" O.C. BITION' 3 GAL., FULL PLANT				
KEY ABM AG	59 64	AUTUMN BLUSH MUHLY MISCANTHUS SINENSIS 'ADAGIO' ADAGIO GRASS	16" O.C. 3 GAL., FULL PLANT 24" O.C.		PLOT [06/28		

J. CAMILLE LA FOY LANDSCAPE ARCHITECTURE CONSULTING 101C NORTH GREENVILLE AVENUE, #242 ALLEN, TEXAS 75002 214-502-4036

SHEET NUMBER

L1.01

EXHIBIT Η