

COOPERATIVE PURCHASING PROGRAM

Houston-Galveston Area Council of Governments 3555 Timmons, Suite 120, Houston, TX 77027 Phone: 800-926-0234 Fax: 713-993-4548

www.hgacbuy.org

Invitation To Submit Competitive:	⊠ Bids		PROPOSALS
Invitation No.: AM10-18		ISSUE DATE:	May 2, 2018
CATEGORY: Ambulances, EMS & Other Special Service	e Vehicles		

PURPOSE OF THIS INVITATION

The Cooperative Purchasing Program (HGACBuy) of the Houston-Galveston Area Council of Governments is soliciting offerings for the furnishing of products/services as described herein. These products/services may be purchased by any of more than 7,000 member local governments, districts, agencies in 49 states across the nation.

Responses must be submitted in an original and one (1) copy, and shall be subject to the terms, conditions, requirements and specifications detailed in the documents comprising this Invitation. Responses are scheduled to be opened publicly at **H-GAC** offices on the date indicated. For Bid Invitations, responses will be available for public review until 4:00 p.m. CT that day, and on subsequent days by appointment only. Any Responses submitted later than 1:00 p.m. on the due date will be returned unopened to the bidder/proposer.

PROCUREMENT SCHEDULE & DETAILS

DRAFT SPECIFICATION / INVITATION:	March 7, 2018				
PRE-BID/PROPOSAL CONFERENCE:	April 12, 2018 @ 9:00 a.m. CT; Conference Room A				
FINAL SPECIFICATION / INVITATION:	May 2, 2018				
BID/PROPOSAL RESPONSES DUE:	June 7, 2018 @ 1:00 p.m. CT; H-GAC Clock				
PUBLIC RESPONSE OPENING:	June 7, 2018 @ 2:00 p.m. CT; H-GAC Clock				
RECOMMENDATIONS TO BOARD:	August 21, 2018				
CONTRACT START DATE & TERM:	October 1, 2018 thru September 30, 2020				
The documents comprising this Invitation are avail	able via web download at: https://www.hgacbuy.org/bids/				
For assistance regarding this Invitation, please contact:					
Name: Bill Burton Phone: 8	32-681-2514 E-mail: wburton@h-gac.com				

CONTENTS OF THIS INVITATION

SECTION A - General Terms & Conditions

SECTION B - Product/Service Specific Requirements & Specifications (Final)

SECTION C - **HGACBuy** *FORMS* (Final)

SECTION D - Pro-Forma (Sample) Contract

This procurement conforms to government requirements for Competitive Procurement.

LABELING OF SEALED RESPONSE PACKAGE

IMPORTANT:

You must affix an identifying label to the outside of your Sealed Response Package to ensure proper identification and log-in at HGACBuy offices on receipt. HGACBuy is not responsible for any response that might be lost or misdirected due to improper or unclear labeling. Your label should look as follows and should be affixed conspicuously to the package.

H-GAC Cooperative Purchasing

Sealed Bid/Proposal No. <u>AM10-18</u> **DO NOT OPEN IN MAIL ROOM**

Responses by E-mail or FAX will not be acceptable. Hard copies, as described herein, plus appropriate electronic media are required.

NOTICE REGARDING NATIONWIDE SALES POTENTIAL

HGACBuy is conducting this procurement with the objective of establishing one or more blanket type contracts for use by our Members. Because our Members are located not only in Texas, but throughout the country, we strongly urge you to participate in the process at the corporate level. If you do not sell direct, your dealer network may still service customers while you handle the administrative functions of providing quotes, accepting purchase orders, and collecting payments. If this is not feasible, we will work with you to subsequently assign your contract to your dealers as necessary to service customers.

Whatever approach you choose to take, there is <u>considerable potential sales value</u> because HGACBuy is being used not only in the State of Texas, but NATIONWIDE. This means that HGACBuy contractors will have a special advantage available to them in promoting sales to government agencies throughout the country... the ability to sell products without the need for the buyer to duplicate the competitive bidding process and expend the associated staff time and taxpayer dollars. We believe an HGACBuy contract would enhance your competitive position in the government marketplace, and are eager to work with you to promote the best interests of our participating local governments and qualifying non-profit organizations.

We look forward to your participation in our process. Please contact the **HGACBuy** staff member listed on the cover of this Invitation for additional information.



SECTION A

GENERAL TERMS & CONDITIONS FOR BIDS AND PROPOSALS

Invitation No. AM10-18

DESCRIPTION: Ambulances, EMS & Other Special Service Vehicles

TABLE OF CONTENTS

1.	INTRODUCTION	2
2.	DEFINITIONS, ABBREVIATIONS & ACRONYMS	2
3.	NON-BINDING ORAL COMMENTS	4
4.	STRUCTURE OF RESPONSE	4
5.	BASIC REQUIREMENTS & CONDITIONS	4
6.	OFFEROR'S AUTHORIZED SIGNATORY	5
7.	SURETY FOR INSURANCE	5
8.	CONFIDENTIAL / PROPRIETARY MATERIALS	6
9.	REFERENCES	6
10.	INSURANCE	6
11.	OFFEROR CERTIFICATIONS	6
12.	HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION	7
13.	NON-RESIDENT RECIPROCAL SALES ACT	7
14.	TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING	8
15.	INTENT AND SCOPE OF SPECIFICATIONS	8
16.	REQUIREMENTS APPLICABLE TO PHYSICAL GOODS	8
17.	PRODUCT CODES	8
18.	SPECIFIC DESCRIPTIVE REFERENCES	
19.	MANUALS	9
20.	STANDARD FEATURES & OPTIONS	9
21.	WARRANTIES, SALES & SERVICE	10
22.	H-GAC ORDER PROCESSING CHARGE	10
23.	PRE-PAYMENTS AND DISCOUNTS	
24.	INSPECTION / TESTING	
25.	PRODUCT DELIVERY	11
26.	OFFERED PRODUCT ITEM VARIANCES	
27.	REQUIREMENTS FOR SUBMISSION OF A RESPONSE	
28.	CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS	
29.	INCONSISTENT INFORMATION	
30.	REJECTION OF RESPONSES	-
31.	WITHDRAWAL OR MODIFICATION OF RESPONSES	14
32.	RESPONSE EVALUATION	
33.	ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD	
34.	AWARD OF CONTRACT	
35.	PRO-FORMA CONTRACT	
36.	CONTRACT TERM	
37.	PERFORMANCE & PAYMENT BOND	15

38.	CHANGE ORDERS	
39.	DUPLICATION OF TERMS OR STATEMENTS	15
40.	PUBLICITY	
41.	TAXES	15
42.	DRUG FREE WORKPLACE	
43.	PRODUCT NOTICES & MAILINGS	
44.	HANDLING OF ORDERS & PAYMENTS	15
45.	PRICE CHANGES	
46.	CONTRACT ITEM CHANGES	17
47.	FORCE MAJEURE	
48.	PERFORMANCE UNDER CONTRACT	17
49.	IMPLEMENTATION OF INTERNET BASED E-COMMERCE	
50.	CONTRACTOR ORIENTATION/TRAINING	
51.	LEGAL & CONTRACTUAL REMEDIES	
52.	NATIONWIDE SALES OPPORTUNITIES	19

1. INTRODUCTION

The Houston-Galveston Area Council (**H-GAC**) is a "Government-to-Government" procurement service for States, State Agencies, Local Governments, Districts, Authorities, and qualifying Not-for-Profit Corporations (**End Users**). End Users become **Members** of the **H-GAC** Cooperative Purchasing Program (**HGACBuy**) by executing an Interlocal Contract, which is free of cost and evergreen unless cancelled. **HGACBuy**, acting on behalf of **Members**, is soliciting competitive offerings for the furnishing of products and/or services, as described elsewhere, which MAY be purchased by **Members** during the contract term. **Members** using the Program issue purchase orders directly to **HGACBuy** contractors.

2. DEFINITIONS, ABBREVIATIONS & ACRONYMS

The following definitions, abbreviations and acronyms may be found in these specifications, and shall be interpreted herein as specified below.

Definitions and Abbreviations:

Acceptance. Acceptance takes place when the **End User** agrees with the **Contractor** that the terms and conditions of the contract have been met and verified. Acceptance is not the same as Receipt, and can only occur after intact shipping, inspection by **End User**, and any onsite testing that has been stipulated as part of the order

Aggregate/Single Occurrence. The term "aggregate" in insurance terms is the sum of all claims against a specific policy for a specific loss incident. The term "single occurrence" differentiates between multiple claims and single claims against a specific policy. The inherent value of a policy's aggregate value is less important to an **End User** than is the value of a single claim as stated under "single occurrence."

Approved. Acceptable to the "authority having jurisdiction."

ARO. "After Receipt of Order". Used in conjunction with a defined time period (usually days or weeks) to establish the delivery or lead time pursuant to any individual purchase transaction. In the case of orders for bodies which will be mounted on a customer furnished cab/chassis, the term ARO shall be construed to mean "After Receipt Of Cab/Chassis".

Authority Having Jurisdiction. The authority shall be either **H-GAC** or the relevant **End User** based on the requirements as stated in each specification item. Unless specifically stated, the authority shall be **H-GAC**.

Bidder. Any entity that submits a competitive bid to this Invitation. (See also "Offeror")

Change Order. Request by an **End User** for a change in the composition of an already submitted purchase order, for example to change quantity ordered, add or delete items, etc.

Contract. Specifically, a contract between **H-GAC** and a successful **Offeror** which is executed based on an award made pursuant this Invitation.

Revised: 01/26/15 Page 2 of 19

Contract Pricing Worksheet. The standard **H-GAC** form to by used by **Contractor** in preparing a quotation to an End User, upon which End User's purchase order will be based. **Contractor** may use another quotation form provided it contains required information, and only if approved by **H-GAC**.

Contractor. The contracted business entity responsible for fulfilling a contract executed pursuant to this Invitation.

Dealer/Distributor. A duly authorized and/or franchised business entity which sells and services a manufacturer's product in a specified marketing area.

Defect. A discontinuity in a part or a failure to function that interferes with the service or reliability for which the part was intended.

Electronic Media. As used herein, means computer based media such as 100mb Zip Disk, CDRom, e-mail, e-mail attachment, file downloaded from the web, etc.

End User. (See "Participant" and "Member")

Listed. Equipment or materials included in a list published by an organization, acceptable to the "Authority Having Jurisdiction" and concerned with product evaluation, that conducts periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or materials meet appropriate standards or has been tested and found suitable for use in a specified manner. NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

Manufacturer. The person or persons, company firm, corporation, partnership, or other organization responsible for taking raw materials or components and making a finished product.

May. A term indicating a permissive use or an acceptable alternative to a specified requirement.

Member. An authorized Participant in the Program. (See "Participant" and "End User")

Motor Vehicle. The meaning of this term shall be based on the legal definition ascribed to it by the laws and/or regulations of the state in which any specific sale made pursuant to a Contract takes place.

Must. A term indicating a mandatory requirement.

Offer or Offering. Any product or service offered in reply to this Invitation.

Offeror. Any entity that submits a competitive bid or proposal in response to this Invitation. Bidder or Proposer.

Participant. Generally, any qualifying governmental or non-profit entity which has executed an Interlocal Contract for cooperative purchasing services with **H-GAC.**

Product Liability Insurance. Failure of Components and/or assembled equipment resulting in personal injury, disability or death and/or property damage is covered under the product liability insurance provisions.

Product or **Product Item.** Any of the specific goods, materials, equipment or service(s) specified in this Invitation. This term encompasses the base line item itself, and any and all accessories, options, modifications, ancillary services, assembly, testing, etc. that may be included in the delivered Product.

Proposer. Any entity that submits a competitive proposal in response to this Invitation. (See also "Offeror")

Purchaser. The **End User** having responsibility for the specification, requisition, ordering and acceptance of the Product or Service. (See also "**End User**")

Purchasing Authority. The agency that has sole responsibility and authority for negotiating, placing and, if necessary, modifying any solicitation, purchase order, or other award issued by a governing body [H-GAC].

Quotation. See "Contract Pricing Worksheet".

Receipt. Receipt takes place when a Product or Service is delivered to an **End User** and a document is executed that establishes that the Product is now in the possession of the **End User** or that the Service has been completed. Receipt DOES NOT connote or imply Acceptance.

Response. All or part of any offering submitted in response to this Invitation.

Shall. A term indicating a mandatory requirement or action.

Should. A term indicating a recommended or advised response to a specified requirement.

Vendor. A manufacturer's representative or dealer authorized to make sales and supply parts and service.

Acronyms:

ANSI = American National Standards Institute

 $\mathbf{ASTM} = \underline{\mathbf{A}}$ merican $\underline{\mathbf{S}}$ ociety for $\underline{\mathbf{T}}$ esting and $\underline{\mathbf{M}}$ aterials

 $ASME = \underline{A}$ merican \underline{S} ociety of \underline{M} echanical \underline{E} ngineers

CFR = U.S. Code of Federal Regulations

DOJ = U.S. Department Of Justice

DOT = U.S. **D**epartment **O**f **T**ransportation

Revised: 01/26/15 Page 3 of 19

EPA = U.S. Environmental Protection Agency

FAA = **F**ederal **A**viation **A**dministration

 $FMVSS = U.S. \underline{F}ederal \underline{M}otor \underline{V}ehicle \underline{S}afety \underline{S}tandards$

 \mathbf{H} - $\mathbf{G}\mathbf{A}\mathbf{C} = \mathbf{\underline{H}}$ ouston- $\mathbf{\underline{G}}$ alveston $\mathbf{\underline{A}}$ rea $\mathbf{\underline{C}}$ ouncil of Governments

IEEE = **I**nstitute of **E**lectrical and **E**lectronics **E**ngineers

 $\mathbf{MVD} = \mathbf{\underline{M}}$ otor $\mathbf{\underline{V}}$ ehicle $\mathbf{\underline{D}}$ ivision of Texas Department of Transportation

NFPA = $\underline{\mathbf{N}}$ ational $\underline{\mathbf{F}}$ ire $\underline{\mathbf{P}}$ rotection $\underline{\mathbf{A}}$ ssociation

NHTSA = $\underline{\mathbf{N}}$ ational $\underline{\mathbf{H}}$ ighway $\underline{\mathbf{T}}$ raffic $\underline{\mathbf{S}}$ afety $\underline{\mathbf{A}}$ dministration

NIOSH = National Institute For Occupational Safety And Health

NIST = $\underline{\mathbf{N}}$ ational $\underline{\mathbf{I}}$ nstitute of $\underline{\mathbf{S}}$ tandards and $\underline{\mathbf{T}}$ echnology

 $NTEA = \underline{N}$ ational \underline{T} ruck \underline{E} quipment \underline{A} ssociation

 $\mathbf{OSHA} = U.S. \ \underline{\mathbf{O}}$ ccupational $\underline{\mathbf{S}}$ afety and $\underline{\mathbf{H}}$ ealth $\underline{\mathbf{A}}$ dministration

 $\mathbf{RRC} = \mathbf{R}$ ailroad \mathbf{C} ommission of Texas

 $SAE = \underline{S}$ ociety of \underline{A} utomotive \underline{E} ngineers

TBPC = $\underline{\mathbf{T}}$ exas $\underline{\mathbf{B}}$ uilding and $\underline{\mathbf{P}}$ rocurement $\underline{\mathbf{C}}$ ommission (formerly GSC)

 $TxDOT = \underline{T}exas \underline{D}epartment \underline{O}f \underline{T}ransportation$

 $UL = \underline{U}$ nderwriter's \underline{L} aboratories Inc.

 $VTCS = \underline{V}ernon's \underline{T}exas \underline{C}ivil \underline{S}tatutes$

3. NON-BINDING ORAL COMMENTS

No <u>oral</u> comment, utterance or response made by any employee, member, or agent of **H-GAC** or any Member of the Cooperative Purchasing Program shall be considered factual or binding with regard to this Invitation, or any contract awarded as a result of this Invitation. Valid and binding terms, conditions, provisions, changes or clarifications, or requests thereof, shall ONLY be communicated written form.

4. STRUCTURE OF RESPONSE

Depending on the Product or Service, market structures and sales practices can differ substantially. For example, dealers may sell into any market or may be restricted to certain territories, manufacturers may sell direct or may be limited by law to selling thru independent dealerships, etc. **H-GAC**'s objective is to ensure that **End Users**, no matter where located, can buy contracted products/services and receive quality and timely service and support, while at the same time allowing for the most appropriate and effective response to this Invitation. Therefore, responses to this Invitation will be accepted in conformance with the following scenarios and requirements:

A. Single Respondent Acting Alone Or As "Lead" For A Group:

Offeror shall complete and sign a **Form A** and, if contracted, shall be solely responsible for all contractual requirements including administration, processing of purchase orders and handling of payments for transactions which may involve other dealers who actually deliver the products or services.

B. Multiple Respondents Acting Jointly:

A single Response shall be submitted, and each party to the Response shall complete and sign a separate **Form** A to be included in the single Response. If the Response is successful each party shall sign a separate contract with **H-GAC** and shall be responsible for compliance with all terms and conditions. Only those which have executed a written contract with **H-GAC** may process purchase orders and payments.

In any event, Offeror may be a party to one, and only one, response.

5. BASIC REQUIREMENTS & CONDITIONS

- a. The final requirements and specifications contained herein may be different, perhaps materially, from those in the "Invitation To Attend Pre-Bid / Pre-Proposal Conference", if any. It is **Offeror**'s sole responsibility to thoroughly examine and review all documentation associated with this Invitation, including any Addendums, and to insure that any response submitted complies in every respect with all requirements.
- b. Any Addendum to this Invitation which may be required prior to the Response due date will be delivered to those prospective Offerors of record who have previously obtained a copy of this Invitation from **H-GAC**. Prospective Offerors shall be responsible for obtaining all documents relating to submission of a Response.
- c. **Offeror** shall thoroughly examine any drawings, specifications, schedules, instructions and any other documents, supplied as a part of this Invitation, and is solely responsible for understanding and compliance.

Revised: 01/26/15 Page 4 of 19

- d. **H-GAC** shall not be liable for **Offeror's** incomplete documentation, or for any costs associated with preparation and submission of any Response hereto. Additionally, all components of any Response become the property of **H-GAC**, and shall be considered to be in the public domain.
- e. **Offeror** shall make all investigations necessary to become thoroughly informed regarding any plan and/or infrastructure that may be required to support delivery of any Product or Service covered by this Invitation. No plea of ignorance by **Offeror** stemming from failure to investigate conditions that may now or hereafter exist, shall be accepted as a basis for varying **H-GAC's** requirements, or **Offeror's/Contractor's** obligations or entitlements.
- f. Requests for changes to the requirements or specifications herein must be in writing (e-mail, fax, letter) and must be received by **H-GAC** no later than fifteen (15) calendar days prior to the Response Due Date. **H-GAC** will review such requests, but may or may not make changes at its sole discretion. Changes, if any, will only be made by written Addendum sent to addressees of record. In any event, it is **Offeror's** sole responsibility to insure that any and all Addendums which may have been issued have been received and addressed.
- g. By submission of a response, **Offeror** expressly understands and agrees that all terms and conditions herein will be part of any subsequent contract that is executed pursuant to this Invitation.
- h. **Offeror** is advised that all **H-GAC** contracts are subject to the legal requirements established in any applicable Local, State or Federal statute.
- i. **Offeror/Contractor** must be in compliance with all licensing, permitting, registration and other applicable legal or regulatory requirements imposed by any governmental authority having jurisdiction. It is **Offeror/Contractor's** responsibility to insure that this requirement is met, and to supply to **H-GAC** upon request, copies of any license, permit or other documentation bearing on such compliance.
- j. Unless otherwise established elsewhere in this Invitation, NO minimum purchase quantities or spending levels are provided or guaranteed by **H-GAC** or any **End User**.
- k. This Invitation is not meant to restrict competition, but rather is intended to allow for a wide range of responses.
- 1. Responses which are 'qualified' with conditional clauses or alterations of or exceptions to any of the terms and conditions in this Invitation may be deemed non-compliant at **H-GAC**'s sole discretion.
- m. The term 'Offeror', or derivative thereof, shall become synonymous with 'Contractor' for any successful Offeror recommended for a contract pursuant to this Invitation.
- n. **H-GAC** reserves the right to:
 - Reject any and all offers received in response to this Invitation.
 - Reject any part of an offer received in response to this Invitation.
 - Determine the correct price and/or terminology in the event of any discrepancies in any response.
 - Accept a response from, and enter into agreement with, other than the lowest price **Offeror**.
 - Accept responses and award contracts to as many or as few Offerors as H-GAC may select.
 - Amend, waive, modify, or withdraw (in part or in whole) this Invitation, or any requirements herein.
 - Hold discussions with **Offerors**, although award may be made without discussion.
 - Request an Offeror to give a presentation of the Response at a time and place scheduled by H-GAC.
 - Exercise any of these rights at any time without liability to any **Offeror**.
- o. **H-GAC** reserves the right to determine that conditions exist which prevent the public opening of responses on the date and at the time advertised, and to reschedule the public opening for a future date and time. Responses received by **H-GAC** by the original deadline will be secured unopened until the rescheduled opening date and time, and those having timely submitted such responses will be notified.

6. OFFEROR'S AUTHORIZED SIGNATORY

The signatory shall be authorized to sign and contractually bind **Offeror**, and shall sign any and all Response documentation requiring a signature.

7. SURETY FOR INSURANCE

Contractor shall be responsible for using a surety company properly licensed by any and all states in which Contractor will do business with Participants. The surety company shall not expose itself to any loss on any one risk in an amount exceeding ten percent (10%) of its surplus to policy holders, provided any risk or portion of any risk shall have been reinsured, and such reinsurance shall be deducted in determining the limitation of risk applicable to **H-GAC**'s insurance requirements.

Revised: 01/26/15 Page 5 of 19

8. CONFIDENTIAL / PROPRIETARY MATERIALS

All documentation submitted as part of **Offeror's** response to this Invitation will be considered to be in the public domain and may be made available to Members and others, after contract award, upon properly submitted request. If **Offeror** submits documents marked "confidential" or "proprietary", the Response may be deemed non-compliant.

9. REFERENCES

- a. **Offeror** shall list the names of at least five government agencies within the continental United States which have purchased from **Offeror** products or services similar to those covered by this Invitation, within the last two years. **H-GAC** reserves the right to determine if such products or services are appropriately similar.
- b. **Offeror** may provide reference information in whatever format desired, but each should include the following specific information:
 - Agency name
 - Contact person name
 - Address
 - Phone & Fax numbers
 - Description of product(s) or service(s) and date sold
- c. Other information, including criticism however learned, may be used by **H-GAC** in evaluation of responses.

10. INSURANCE

 Unless otherwise stipulated in Section B, Offeror/Contractor must have the following insurance and coverage minimums:

General liability insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit.

Product liability insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B – Product Specific of this Invitation.

Property Damage or Destruction insurance is required for coverage of **End User** owned equipment while in **Contractor**'s possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as part of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.

- b. Insurance coverage shall be in effect for the length of any contract made pursuant to this Invitation, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Offeror/Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Offeror/Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

11. OFFEROR CERTIFICATIONS

Offeror, by submission of a Response hereto, makes the following certifications under penalty of perjury and possible contract termination if any of these certifications are found to be false.

Non-Collusive Response

a. The prices in the Response have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other **Offeror** or potential competitor.

Revised: 01/26/15 Page 6 of 19

- b. The prices which have been quoted in the Response (unless otherwise required by law), have not been knowingly disclosed by **Offeror** and will not be knowingly disclosed by **Offeror** prior to the public response opening, either directly or indirectly, to any other **Offeror** or competitor.
- c. No attempt has been made or will be made by **Offeror** to induce any other person, partnership or corporation to submit or not to submit a response for the purpose of restricting competition.

Non-Biased Specifications

This Invitation contains no requirements considered to be unduly biased in favor of **Offeror** or any other **Offeror**s that may be competing for this procurement.

No Financial Interest or Other Conflict

- a. No **H-GAC** officer, employee, Board of Directors member or member of any **H-GAC** board or commission, nor family member of any such person, has a financial interest, direct or indirect, in **Offeror** or in any contract **Offeror** might enter into with **H-GAC**.
- b. No economic or employment opportunity, gift, loan, gratuity, special discount, trip, favor or service has been, or will be, offered or given to any officer, employee, Board of Directors member, or member of any **H-GAC** board or commission, nor to any family member of any such person.

Debarment and Suspension Status

- a. **Offeror** is not currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any government agency, nor is **Offeror** an agent of any person or entity that is currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transaction by any government agency.
- b. **Offeror** has not within a three year period preceding this Invitation been convicted of or had a civil suit judgement renedered against **Offeror** for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property.
- c. **Offeror** is not presently indicted for or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses enumerated above.
- d. Offeror has not, within a three year period preceding this Invitation, had any government (federal, state, or local) transactions terminated for cause or default.

Insurance Coverages

Offeror has and will maintain insurance coverage in accordance with the requirements of this Invitation.

Licensing & Permits

Offeror(s) has (have) all licenses and/or permits, required by any and all governmental entities having jurisdiction, to legally sell the products/services offered.

12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION

- a. To satisfy Texas' statutory requirements [Government Code, Chapter 2161, Subchapter D], **H-GAC** requires all **Offeror**s to supply information in any bid/proposal response listing (1) the total number of subcontracts and (2) the total number of HUB contracts applicable to the Products or Services offered in the response. Local governments often require this information for their own reporting requirements prior to placing orders through the **H-GAC** Cooperative Purchasing Program.
- b. **Offeror** must complete **Form B** and include subcontracts with HUB's that provide any materials or services related to sales that may be made thru **H-GAC**'s Cooperative Purchasing Program.

13. NON-RESIDENT RECIPROCAL SALES ACT

As required by Texas Civil Statutes in the award of contracts, an offeror which is not a Texas resident business must determine if its state of residence prohibits award of government contracts to Texas resident offerors without penalty. If **Offeror's** resident state DOES penalize Texas offerors, **Offeror** must provide this information along with a copy of its applicable resident state's statute in the Response.

Revised: 01/26/15 Page 7 of 19

14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING

Sales of motor vehicles in the State of Texas are subject to the Texas Motor Vehicle Commission Code. If this Invitation includes any motor vehicle to be sold in the State of Texas, **Offeror** certifies by submission of a response hereto that all required Texas Motor Vehicle Commission licenses are in place and current, and that copies of all such licenses <u>have been submitted with the Response</u>. Further, it shall be **Contractor**'s responsibility to keep current all required Texas Motor Vehicle Commission licensing during the term of the contract, and to furnish license copies at any time on request by **H-GAC**. If **Contractor** does not maintain current licensing, **H-GAC** reserves the right to immediately terminate the contract.

NOTE: In accordance with the Texas Motor Vehicle Commission Code, contracts for motor vehicles to be sold within the state of Texas may be made **ONLY** with properly licensed Texas Motor Vehicle Dealers. Therefore, to be considered for a contract covering Texas End Users, the Response must include a **Form A** from a licensed Texas Motor Vehicle Dealer

15. INTENT AND SCOPE OF SPECIFICATIONS

- a. The intent of the specifications herein is to provide **Offeror** with sufficient information concerning the Products/Services to be contracted such that **Offeror** can prepare and submit an acceptable Response.
- b. The specifications may be detailed or general in nature with regard to any particular Product/Service. Where not otherwise specified, details of construction, materials, or the way in which services will be provided, are left to the discretion of the **Offeror**, provided only that any offering shall conform, as a minimum, to best Industry standards and practices and to what is currently being sold in the marketplace.
- c. Responses shall be considered only from **Offerors** that have established good reputations in their markets, and who furnish satisfactory evidence of ability to supply the Products/Services specified herein.
- d. **Offeror** shall show proof of ability to provide to **End User**s prompt and competent service, including parts if applicable, for all Products/Services covered by this Invitation, by proper completion of a Service Organization Document as described elsewhere herein.

16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS

In the case of physical goods (e.g. equipment, material, supplies, as opposed to services), all Products offered must, unless otherwise stipulated in Section B:

- a. Be new, unused, and not refurbished.
- b. Not be a prototype insofar as the general design, operation and performance. This requirement is NOT meant to preclude **Offeror** from offering new models or configurations which incorporate improvements in a current design or add functionality, but which in such new model or configuration may be new to the marketplace.
- c. Include any and all accessories which may or may not be specifically mentioned herein, but which are normally furnished or which are necessary to make a delivered Product ready for its intended use. Such accessories shall be assembled, installed and adjusted such that the Product is ready for continuous operation at time of delivery.
- d. Have assemblies, sub-assemblies and component parts that are standard and interchangeable throughout the entire quantity of a particular Product as may be purchased simultaneously by any individual **End User**.
- a. Be designed and constructed using current industry accepted engineering and safety practices, and materials.
- b. Be available for inspection at any time prior to or after procurement.

17. PRODUCT CODES

Unless otherwise addressed in Section B of this Invitation, the following requirements shall apply:

- a. Each Product/Service offered shall be uniquely identified using an **H-GAC** Product Code, which shall be determined as described in Section B of this Invitation. **Offeror** shall offer <u>ONLY ONE</u> Product for any particular Product Code. For example, **Offeror** may wish to submit a bid for Product Code ABC and may have another offering that also meets the requirements for ABC. **Offeror** <u>MAY NOT</u> submit two offerings for ABC. The alternate offering that also meets the requirements for ABC must be offered as an option "upgrade/downgrade" to ABC on **Form E**.
- b. Pricing for optional upgrades or downgrades to base bid items should be quoted as an "adder" or "deduct" amount as appropriate, to be applied to the offered price of the base Product Item listed on **Form D**.
- c. Base bid items and their associated HGACBuy Product Codes are included in the Section B and/or on Form D.

Revised: 01/26/15 Page 8 of 19

d. Selection of Product Codes for which to submit an offer is at **Offeror**'s sole discretion.

18. SPECIFIC DESCRIPTIVE REFERENCES

Except for Base Product Items listed on Form **D**, any reference to a specific catalog, data sheet, form, brochure, model name or number, etc. used herein to describe an item such as an option or accessory is only descriptive and is not to be considered restrictive unless otherwise noted. Such references are normally used only to indicate a type, general description, level of quality and/or required performance standards.

19. MANUALS

Unless otherwise specified or superceded herein, each Product delivered under an **H-GAC** contract, and if applicable any options thereto, shall be supplied with at least one (1) copy of a safety and operating manual. The cost of any such manuals must be included in the base price for any Product Item offered hereunder. If more detailed and technically orientated parts and maintenance manuals are available for a Product or option, at a cost, they shall be offered as options on the *FORM* designated herein for such options, or elsewhere in the Response as may be directed herein.

20. STANDARD FEATURES & OPTIONS

The following requirements are applicable primarily to physical goods.

Standard Features

- a. The stated minimum requirements for all Products listed herein include what H-GAC considers to be "standard" features. Even though such features might normally be offered as options rather than as standard, they are nonetheless considered to be standard in this Invitation, and must be included in the base price for any Product offered. Such features SHOULD NOT be offered as options except as deducts for their omission from the base Product.
- b. If it is unclear in the Response that an **H-GAC** standard feature is included in the base price, it will be assumed that such is the case. If awarded a contract **Offeror** will be expected to sell the Product with all **H-GAC** specified standard features included in the base price.
- c. Any feature or accessory normally offered by manufacturer as "standard" shall be considered a standard feature and shall be included in the base price of any offering, even though not specifically listed as a requirement in H-GAC's specifications. Such features SHOULD NOT be offered as options except as deducts for their omission from the base Product.

Options - General

- a. Options are considered to be any features or accessories, other than **H-GAC**'s and Manufacturer's "standard" features or accessories.
- b. Options should be offered on the *FORMS* designated for quoting options. Each option should be listed and described on a separate line, and should include any Manufacturer's/Dealer's code number. If no Manufacturer's/Dealer's code number exists, **Offeror** should create one.
- c. Prices for all offered options shall be assumed to include any installation or mounting required to make it a fully functional component of the Product, unless otherwise stated in **Offeror's** response.

Required Options

- a. Product specifications in this Invitation may include **H-GAC** "Required Options". If so, **Offeror** must quote a price for <u>ALL</u> such options, and, if there is an **H-GAC** Option Code provided in this Invitation for such options, it <u>MUST</u> be used as part of the description.
- b. For any specific "Required Option", **Offeror** may quote an equivalent so long as its design and performance are as good as, or better than, the specified option item. Responses which do not include pricing for Required Options <u>may be considered non-compliant</u>.

Other Options

a. "Suggested" or "Other" options may be listed for any particular Product in this Invitation, and **Offeror** is encouraged to quote pricing for such options. The extent of offered options in any response may be taken into consideration as part of the award criteria, at **H-GAC**'s sole discretion.

Revised: 01/26/15 Page 9 of 19

b. **Offeror** is encouraged to include options for non-equipment items that may be applicable to a sale, such as: Extended Warranties, Maintenance Agreements, Buy-back or Trade-In Agreements, Out-of-state Delivery Charges, Quantity or Special Discounts, Extended Training Classes, etc.

Published & Unpublished Options

- a. H-GAC Cooperative Purchasing Program (Program) contracts are awarded through a public competitive bid or proposal (RFP) process. Further to that process, Program policy considers an 'option' listed and priced in a bid or RFP Response: (1) To be a "**Published Option**"; (2) To be part of any awarded contract; and (3) To be available for purchase by Program members separately and independently from associated base line items. However, since Published Options may have not been subjected to the same scrutiny as the associated base line items, it cannot be concluded they were directly competed. Therefore, pursuant to Local Government Code 252.021(a), purchase of a published option costing more than \$50,000 shall not be allowed. Furthermore, **H-GAC** reserves the right at its sole discretion to disallow purchase of any Published Option through the Program if deemed contrary to the intent of the law.
- b. Any option that has not been listed and priced in the Response is considered to be an "**Unpublished Option**". Unpublished Options may be sold, but only in connection with the sale of a base Product Item, and only insofar as the total cost of all Unpublished Options remains below twenty five percent (25%) of the total summed cost of the base Product(s) plus any Published Options.
- c. No Published or Unpublished Option may be sold which essentially converts a Product such that it competes with a Product Item awarded to another contractor.

21. WARRANTIES, SALES & SERVICE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Offeror must be a properly franchised dealer authorized to sell and service, including warranty service, all products offered and sold in response to the bid invitation or under any **H-GAC** contract.
- b. **Offeror** shall provide detailed <u>Parts and Labor Warranty</u> information with the Response. If **Offeror** submits a warranty with the Response which does not meet the minimum requirements herein, **Offeror** agrees by submission of a Response that such warranty shall be considered to be amended to meet those minimums.
- c. Warranties shall be manufacturer's standard and shall be inclusive of any other warranty requirements which may be stipulated elsewhere herein.
- d. Any warranties offered by a dealer shall be in addition to the manufacturer's standard warranty, and shall not be a substitute for such. **Offeror**'s base price for any Product shall be inclusive of the standard warranty.
- e. Complete warranty information will be supplied to **End User** with each Product sold.
- a. Warranties need not apply to normal maintenance service or adjustments, or to any product reasonably shown to have been repaired or altered in any way so as to affect its stability, or to any product which has been subject to misuse, negligence, or accident.
- f. **Offeror/Contractor** is encouraged to offer extended warranties as an option.
- g. Neither **H-GAC** nor **End User** assume any warranty or liability on **Contractor**'s behalf unless made or assumed in writing, initiated by **Contractor**, and agreed to in writing by **H-GAC** or the **End User** respectively.
- h. **Contractor** shall be responsible for the execution and effectiveness of <u>all</u> product warranty, and shall be the sole source for solution to problems arising from warranty claims. **Contractor** agrees to respond directly to correct warranty claims and to ensure reconciliation of warranty claims that have been assigned to a third party.

22. H-GAC ORDER PROCESSING CHARGE

H-GAC will levy an Order Processing Charge on **Contractor** for each sale done thru the **H-GAC** contract, <u>with the exception of orders for motor vehicles</u>. Any bid pricing submitted will be considered to include the Charge. The amount of the applicable charge shall be per the most current **H-GAC** schedule. For motor vehicle orders, the Processing Charge shall be levied on and paid by the **End User**.

23. PRE-PAYMENTS AND DISCOUNTS

- a. Progress, pre-payment and special discounts of any kind may be offered and detailed in the Response. Such discounts shall be clearly explained, but shall not be a determining factor in awarding contracts except in the case of tie offerings.
- b. Quantity discounts applicable to similar Products sold to one or more **End User** Departments may be offered. Determination as to product similarity shall rest solely with **Contractor**.
- c. For specific purchases, any proposed quantity, pre-payment or special discounts shall be clearly shown on the Contract Pricing Worksheet.

Revised: 01/26/15 Page 10 of 19

24. INSPECTION / TESTING

All Products sold pursuant to this Invitation shall be subject to inspection/testing by or at the direction of **H-GAC** and/or the ordering **End User**, either at the delivery destination or the place of manufacture. In the event a Product fails to meet or exceed all requirements of this Invitation, and unless otherwise agreed in advance, the cost of any inspection and/or testing, shall be borne by the **Contractor**.

25. PRODUCT DELIVERY

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Title to goods, and responsibility and liability for loss and/or damage in shipping pass to **End User** at the delivery destination after receipt and acceptance have taken place. Cost of shipping/delivery shall be paid by **End User** unless otherwise agreed to by **Contractor**. If **Contractor** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination, Freight Prepaid". If **End User** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination Freight Collect".
- b. The details for the application and calculation of shipping and delivery charges must be stated in the Response on **Form E**. Any freight, shipping or delivery charged to **End User** will be prepaid and added to the invoice, and will be clearly shown an any Contract Pricing Worksheet or other quote presented to the **End User**.
- c. The estimated delivery time after receipt of order (ARO), inclusive of Saturdays, Sundays and holidays, for all Products offered must be stated in the Response. Actual delivery for any particular order must be confirmed with **End User** at time of order placement, and must be stated clearly on the Contract Pricing Worksheet.
- d. Contractor shall be responsible for delivery and Acceptance according to the requirements of the Contract and the Purchase Order.
- e. Contractor shall advise **End User** prior to making any shipment/delivery, and shall make such shipment/delivery in accordance with **End User**'s requirements, providing only that such arrangements do not contravene any requirement of the **H-GAC** contract unless agreed to by **Contractor**.
- f. The execution of all required tests, certifications and/or licensing, and costs thereof, shall be the responsibility of **Contractor**. Upon request by **End User** or **H-GAC**, **Contractor** shall provide any documentation or certification related to such tests, certifications or licensing.

26. OFFERED PRODUCT ITEM VARIANCES

Any variance in the specifications or performance of Products offered pursuant to this Invitation shall be acceptable to **H-GAC** only insofar as it MEETS or EXCEEDS the specifications and requirements of this Invitation.

27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Responses shall be submitted in two complete printed sets including an Original and one (1) Copy in separate """>""" hard side" three-ring binders. The outer spine of each binder shall be labeled showing this Invitation No., Offeror Name, and either "Original" or "Copy", as applicable. The Original printed response will be considered to be the binding Response in case of any conflicts between printed copies and electronic copies. Except for required forms, H-GAC Invitation documents should not be included in the Response.
- b. The Original and the Copy shall be submitted complete, except that the Electronic Media should be submitted only with the Copy.
- c. All required **H-GAC** *FORMS* and documents shall be properly completed, without exception or **Offeror's** Response may be deemed non-compliant. **Offeror** may not modify the format of any **H-GAC** *FORM* in any way. **Offeror** may photocopy or print blank *FORMS* as needed. Information submitted on the printed copies of the *FORMS* may not be handwritten except for signatures and initials. It is **Offeror's** responsibility to insure that printed *FORMS* are clear and legible. <u>Handwritten and illegible entries may be rejected</u>. **Offeror's** printed, stamped or typed name shall appear on every *FORM* submitted in the Response.
- d. The entire response submission shall also be submitted on electronic media, including all required H-GAC FORMS. Offeror is strongly advised to make and work with copies of the original electronic FORMS. The originals can then be used to make additional electronic or printed copies of the blank FORMS. Signatures are not required on the electronic FORMS.
- e. The Response shall include ample written evidence, in the form of technical specifications, cut/tear sheets, brochures, pictures, drawings, etc., to demonstrate that all specifications herein have been met and/or exceeded.

Revised: 01/26/15 Page 11 of 19

- f. The Response shall include, in any format desired, an overview of the <u>Service Organization</u> which will support Products sold under any **H-GAC** contract. <u>The overview must include facility locations, phone numbers and Service Manager names, as well as the following:</u>
 - The procedure to be used by an **End User** requiring repairs.
 - Typical turn-around time on repairs.
 - Service Department days and hours of operation.
 - Number of qualified / factory trained service personnel normally on hand.
 - Description of the parts inventory on hand.
 - Training services, facilities and personnel available.
- g. Responses shall be enclosed in a sealed package(s) addressed to the Houston-Galveston Area Council, Cooperative Purchasing. The following information shall be stated on the exterior of the package(s):
 - Name and address of **Offeror**.
 - Date and hour of public response opening.
 - Bid/Proposal Invitation number.
 - The statement: "SEALED BID/PROPOSAL, DO NOT OPEN IN MAIL ROOM".

H-GAC shall not be responsible for any Response not properly labeled.

- h. Submission of a COMPLETE Response by telegraphic or electronic transmission is not acceptable. However, Responses may be modified by telegraphic or electronic notice if such notice is received prior to the deadline for submission.
- i. Samples, when required, shall be submitted within the time specified and at no expense to **H-GAC**. If not destroyed or consumed during testing, samples will be returned upon request at **Offeror**'s expense.
- j. Offeror shall provide firm contract pricing for all Products and Options being offered.
- k. If applicable, responses shall include copies of all current licensing which may be required by the Texas Motor Vehicle Division for execution of sales pursuant to any contract with **H-GAC**.
- l. Due to the complexity of responses and to aid in evaluation, the Response should contain <u>ALL</u> required information in tabbed sections as detailed below. <u>Omission of any required FORM or information will be sufficient grounds for **H-GAC** to consider your response to be non-compliant.</u>

m. First Section:

- Form(s) A Offeror Identification & Signatory: Identifies the offering party(ies), and should be completed by each party to the Response. If awarded, a contract will be executed with each.
- Form B Historically Underutilized Business Enterprises: Used to collect information about disadvantaged and minority suppliers and subcontractors, and to commit Offeror to working with Participants toward their program goals.
- Form C Response Checklist: Certification, and also an aid, to insure that all required information has been included in your Response.
- References, formatted as described elsewhere herein.
- <u>Service Organization Document</u>, formatted as described elsewhere herein.

Second Section:

- Form D Offered Items Pricing: For Bids, contains the list of the Product Items covered by this Invitation. Select the items offered and fill in the price for each. (For RFPs, follow the instructions in Section B as this Form may or may not be used.)
- Form E Published Options: Used to <u>list and price</u> all offered options. List, each on a separate line, all upgrades, downgrades, optional equipment, features, accessories and services which you desire to sell thru the **H-GAC** contract, if awarded. Published catalogs/price sheets may be listed, along with the discount structure that will apply. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
- Form W-9 Request for Taxpayer Identification Number and Certification: Should be completed by each party to the response.

Third Section:

• Technical Specifications, Product Brochures, Tear Sheets, Cut Sheets, Strippers, etc. which clearly list and show all the standard features and capabilities of each Product Item offered on **Form D**.

Revised: 01/26/15 Page 12 of 19

• Warranty Documentation, as described elsewhere herein, for all items offered.

Fourth Section:

- Copies of any applicable Texas MVD Licenses.
- Electronic Media, containing the complete response including all required *FORMS*, stored in a pouch or an envelope such that it will not fall out of the binder. (Required in 'Copy' only, not in 'Original'.)
- Form CIQ Conflict Of Interest Questionnaire: Chapter 176 of the Texas Local Government Code requires vendors and consultants contracting or seeking to contract with H-GAC to file a Conflict of Interest Questionnaire (CIQ) if they have an employment or other business relationship with an H-GAC officer or an officer's close family member. The required questionnaire is located at the Texas Ethics Commission website: http://www.ethics.state.tx.us/whatsnew/conflict_forms.htm. It is Bidder's responsibility to download the form and furnish a completed copy with the Response, if it is applicable.
- n. By submittal of Response, Offeror certifies to the best of its knowledge that all information is true and correct.

28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS

- a. If Offeror is in doubt as to the meaning of any item in this Invitation, a written request for clarification may be submitted to H-GAC up to fifteen (15) calendar days prior to the deadline for response submission. H-GAC shall not be responsible for late delivery. Requests may be transmitted by FAX or e-mail to the assigned Specification Specialist, and should clearly reference this Invitation number and the specific page and paragraph in question. If there are multiple questions, they should be stated separately and numbered.
- b. Any interpretation of Invitation documents, if made, will be by written Addendum duly issued. A copy of such Addendum will be mailed or delivered to each person officially on record as having been sent a copy of this Invitation. **H-GAC** will not be responsible for any other explanation or interpretation of the Invitation documents made or given prior to the award of the contract.
- c. Any objections to the Invitation documents must be filed in writing with **H-GAC** on or before fifteen (15) calendar days prior to the deadline for submission of responses.
- d. Prospective offerors are advised that, after a draft specification has been issued, the Pre-Bid/Proposal Conference is the primary forum through which comments and suggestions may be offered for consideration by H-GAC prior to issuance of the final invitation and specifications.
- e. All best efforts have been made to insure that the product/service descriptions and associated specification information in Sections B & C are correct, and adequate time has been given to prospective Offerors to point out mistakes. However, if an error remains and is caught by Offeror before the scheduled bid/proposal opening, Offeror shall make note of the required correction in the Response, and shall also notify **H-GAC** prior to the opening of responses.

29. INCONSISTENT INFORMATION

H-GAC review of responses supplied on **H-GAC** *FORMS* is a significant part of the evaluation process. **Offeror** shall state clearly all information required on the *FORMS*. **Offeror**'s information supplied on the *FORMS* shall take precedence in the event any standard "boilerplate" type language included in **Offeror**'s response is inconsistent with the information supplied by **Offeror** on the **H-GAC** *FORMS*. In all cases, information on **H-GAC**'s printed *FORMS* supplied as part of **Offeror**'s response shall take precedence over information supplied on electronic media.

30. REJECTION OF RESPONSES

- a. **H-GAC** may reject a response if:
 - Offeror misstates or conceals any material fact in the Response, or if,
 - Offeror does not strictly conform to law or the requirements of this Invitation.
- b. **H-GAC** may reject any and all responses, and may reject any part of a response.
- c. **H-GAC, at it's sole discretion,** may also waive any formalities or irregularities in any response, or ask for corrected information except for pricing.

Revised: 01/26/15 Page 13 of 19

31. WITHDRAWAL OR MODIFICATION OF RESPONSES

Once received by **H-GAC**, responses may be modified or withdrawn <u>prior</u> to the submission deadline only if the request to do so is in writing submitted by **Offeror's** authorized representative. Responses and requests for modification received <u>after</u> the submission deadline will not be accepted. Requests for response withdrawal received <u>after</u> the submission deadline will be accepted if the request to do so is in writing submitted by **Offeror's** authorized representative.

32. RESPONSE EVALUATION

For Bid Responses:

- a. Section B will state whether the contract will be awarded to the lowest responsible bidder or to the bidder who provides goods or services at the best value for **H-GAC** and its participants.
- b. If the contract will be awarded based on best value, Section B will state any relevant criteria which **H-GAC** will consider.
- c. For each offered Product Item, **H-GAC** may use the offered price, prices for Required Options, and the prices of selected common Published Options to determine the lowest responsible offer.
- d. Failure of **Offeror** to submit pricing for **frequently purchased** options and any **H-GAC** required options may cause response to be considered non-compliant at **H-GAC**'s sole discretion.

For Proposal Responses:

- e. **H-GAC** will evaluate proposals as detailed in Section B.
- f. By submission of a Response Offeror indicates acceptance of the evaluation technique, and recognizes and accepts that **H-GAC** may at it's sole discretion make subjective judgments during the evaluation process.

33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD

In the event of conflict between this document and any references or documents cited herein, this document shall take precedence prior to contract award.

34. AWARD OF CONTRACT

- a. **H-GAC** reserves the right to accept or reject any Product Item or option offered. Additionally, all options included in Offeror's response and accepted by **H-GAC** are understood to be included in any contract.
- b. **H-GAC** shall award contract(s) for line items or groups of line items, at its sole discretion.
- c. With authority granted by the H-GAC Board of Directors, a written contract shall be presented to the successful Offeror(s) and shall be subject to acceptance by the successful Offeror(s) within thirty (45) calendar days after presentation by H-GAC. If a contract is not executed within thirty (45) calendar days, H-GAC may rescind the contract offer and award a contract to the next Offeror in order of rank as determined by H-GAC.
- d. Delivery time and prompt payment discounts, including time allowed for payment, may be considered in tie-breaking of offers which are judged by **H-GAC** to be equal in all other criteria.
- e. The contract shall include the following documents in the stated order of precedence:
 - 1st The contract document signed by **H-GAC** and **Offeror**.
 - **2nd** This Invitation and all specifications referenced herein.
 - **3rd Offeror**'s response to this Invitation.

35. PRO-FORMA CONTRACT

This Invitation includes a Pro-Forma (sample) Contract which successful offerors will be expected to sign. The actual final contract will be the same or nearly the same as the Pro-Forma. <u>NOTE: Successful Offerors MAY NOT</u> process any purchase orders until the contract documents have been executed and returned to **H-GAC**.

36. CONTRACT TERM

The contract shall be in effect throughout the period stated elsewhere in the contract documents, and thereafter until such time as any outstanding orders against the contract have been fulfilled. The contract may be extended if deemed by **H-GAC** to be in the best interests of the Program, and subject to mutual agreement of the parties.

Revised: 01/26/15 Page 14 of 19

37. PERFORMANCE & PAYMENT BOND

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, **Contractor** must be prepared to offer a PPB to cover any specific order if so requested by **End User**. **Contractor** shall quote a price to **End User** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **End User**'s purchase order.

38. CHANGE ORDERS

End Users shall have the right to make additions by addenda for the purpose of clarification or inclusion of additional specifications, qualifications, conditions, etc. Any such addenda shall be made in writing and agreed upon by **Contractor** and the **End User** agency prior to issuance of any Change Order. A copy of any such Change Order shall be furnished by **Contractor** to **H-GAC**.

39. DUPLICATION OF TERMS OR STATEMENTS

Where statements or terms are duplicated or are extremely similar, **H-GAC** and the **End User** reserve the right to use the statement or term most favorable to **H-GAC** and/or the **End User**.

40. PUBLICITY

H-GAC encourages contractors to "market" the Program, and can provide some information and artwork to be used in published promotional materials. However, any publicity or published material released by **Contractor** referencing the contract, whether in the form of a press release, brochure, photographic coverage, or verbal announcement, shall be issued only with prior review and approval by **H-GAC**.

41. TAXES

HGAC and **End User** participants are either units of government or qualified non-profit agencies, and are generally exempt from Federal and State sales, excise or use taxes. **Offeror** shall not include any such taxes in the Response. Further, it shall be the responsibility of **Contractor** to determine the applicability of any taxes to a particular order and act accordingly. Exemption certificates will be provided upon request.

42. DRUG FREE WORKPLACE

Contractor shall provide notice to its employees and sub-contractors, as required under the Drug-Free Workplace Act of 1988. A copy of **Contractor's** Drug-Free Workplace policy shall, on request, be furnished to any **End User**.

43. PRODUCT NOTICES & MAILINGS

H-GAC is <u>NOT</u> the owner of Products sold pursuant to this Invitation, but acts only in the capacity of purchasing agent. In that regard, **Contractor** accepts sole responsibility for insuring that notices and mailings, such as Safety Alerts, Safety Recall Notices and Customer Surveys, are sent directly to the **End User** of record.

44. HANDLING OF ORDERS & PAYMENTS

In general, orders and payments will be handled as described below. More specific instructions and information regarding handling of purchase orders and the Order Processing Charge may be provided after contract award. Established procedures may be changed at any time by **H-GAC** as may be dictated by efficient business practice. The particulars of any sale, e.g. specific products, pricing, delivery, warranty, etc., will be in strict accordance with the terms and conditions of this Invitation and the specific contract awarded to **Contractor**. Beyond that:

- a. For any particular procurement to be made under the provisions of an **H-GAC** contract, **End User** and **Contractor** will discuss requirements and agree as to what will be provided.
- b. **Contractor** will prepare a Contract Pricing Worksheet and provide it to **End User**. The Worksheet will list everything being purchased including the base bid item(s), all published and unpublished options and the delivery date. All pricing shall be per the current contract.
- c. End User will send a purchase document to Contractor, which Contractor will send H-GAC together with the Contract Pricing Worksheet. NOTE: Contractor agrees not to offer, agree to or accept from End User any terms or conditions that conflict with or contravene those in Contractor's H-GAC contract, except for pricing discounts.

Revised: 01/26/15 Page 15 of 19

- d. **H-GAC** will prepare an "Order Confirmation" and send it to **End User** and to **Contractor**. The Order Confirmation verifies that **Contractor** has a valid **H-GAC** contract and that the order is in compliance with the requirements of the **H-GAC** Cooperative Purchasing Program. **Contractor** will not ship any goods before receipt of both **End User**'s purchase document and **H-GAC**'s Order Confirmation.
- e. On notification that **Contractor** has received an order, **H-GAC** will invoice **Contractor** for the applicable Order Processing Charge. **NOTE:** The Order Processing Charge is charged to **Contractor**, **EXCEPT** in the case of motor vehicles. For all sales of motor vehicles the Order Processing Charge is levied on the **End User**, collected by **Contractor**, and remitted to **H-GAC** by Contractor.
- f. Contractor will deliver products/services ordered, and will invoice End User for products/services accepted by End User. (See other Sub-Section herein dealing with Product Delivery.) Contractor will not invoice before shipment has been made.
- g. **End User** will pay **Contractor** for those products and/or services ordered which have been received and accepted. Under no circumstances shall any check be made payable to a representative or agent. Should a representative or agent submit an invoice to **End User** for any cost related to a purchase order issued to **Contractor** for products/services covered by an **H-GAC** contract, such invoice shall be forwarded to **Contractor** and **Contractor** will take action to correct the error.
- h. Upon delivery of any product/service by **Contractor** and acceptance by **End User**, **Contractor** shall remit to **H-GAC** the full amount of the applicable Order Processing Charge in accordance with the payment terms established in the **H-GAC** contract. Note, the Order Processing Charge is due whether or not **Contractor** has ever received an invoice from **H-GAC**. Sales executed based on the particulars of **Contractor**'s **H-GAC** contract, without payment of the Order Processing Charge, may constitute fraud.

45. PRICE CHANGES

- a. Any permanent increase or decrease in offered pricing for a base contract item or published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered to be price changes.
- b. Except in the case of contracted published catalogs and price sheets, prices for Base Bid Items and Published Options are expected to be held firm for a minimum of 90 days from the date an awarded Offeror signs the H-GAC contract. Thereafter, changes will be considered if accompanied by justifying documentation satisfactory to H-GAC. For published catalogs and price sheets which are on an H-GAC contract, requests to amend the contract to reflect any new published catalog or price sheet may be submitted whenever the manufacturer publishes the new document. Any such request must include the new catalog or price sheet.
- c. If **Contractor** routinely offers discounted contract pricing, **H-GAC** may request **Contractor** to accept amended contract pricing equivalent to the routinely discounted pricing.
- d. No price change will be allowed unless it has been reviewed and approved by **H-GAC** in writing. **Contractor** must have received **H-GAC's** written approval of any change prior to charging the new price or using it in any quotation prepared for an End User.
- e. Price change requests must be submitted to **H-GAC** in writing and must be received by **H-GAC** at least thirty (30) calendar days prior to the requested effective date of the change, and must state the time period for which the requested pricing will remain firm.
- f. Price change requests shall include **H-GAC Forms D** and **E**, or whatever documentation was used to submit pricing in the original Response hereto, showing all affected items with current contract price, requested price, and percentage change shown clearly for each. This documentation should be submitted in MSExcel format to facilitate analysis and updating of the website.
- g. Price change requests <u>MUST</u> be supported with substantive documentation (e.g. manufacturer's price increase notices, copies of invoices from suppliers, etc.) showing that <u>Contractor's actual costs</u> have increased. The Producer Price Index (PPI) may be used as partial justification, subject to approval by <u>H-GAC</u>, but no price increase based solely on an increase in the PPI will be allowed.
- h. All Products shall, at time of sale, be equipped as may be required under any then current applicable local, state, and federal government requirements. If, during the course of any contract, changes are made to such government requirements which cause a manufacturer's costs of production to increase, **Contractor** may increase Product pricing to the extent of **Contractor's** actual cost increase. The increase must be substantiated with support documentation acceptable to **H-GAC** prior to taking effect. Modifications to a Product required to comply with such requirements which become effective <u>after</u> the date of any sale shall be the responsibility of the **End-User**.

Revised: 01/26/15 Page 16 of 19

- i. In cases involving contract extensions exceeding sixty-one (61) days beyond the stated expiration date of the contract, **Contractor** may request a price change based on the same conditions as stated above. However the thirty (30) day prior notice is waived and **H-GAC** will consider the request immediately on receipt.
- j. H-GAC reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.

46. CONTRACT ITEM CHANGES

- a. If a manufacturer discontinues a contracted item, that item will automatically be considered to be deleted from the contract with no penalty to Contractor. However, **H-GAC** may at it's sole discretion elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- b. If a manufacturer makes any change in a contracted item which does not affect the contract price, Contractor shall advise **H-GAC** of the details. If the 'new' item is equal to or better than the originally contracted item, the 'new' item shall be approved as a replacement. Otherwise **H-GAC** may allow or reject the change, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion. If the change is rejected there will be no penalty to Contractor.
- c. If a manufacturer makes any kind of change in a contracted item which affects the contract price, Contractor shall advise **H-GAC** of the details. **H-GAC** may allow or reject the change at its sole discretion. If the change is rejected there will be no penalty to Contractor. However, **H-GAC** may elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- d. In the case of specifically identified catalogs or price sheets which have been contracted as base bid items or as published options, routine published changes to products and pricing shall be automatically incorporated into the contract. However, **Contractor** must still provide thirty (30) calendar days written notice and an explanation of the changes to products and pricing. **H-GAC** will respond with written approval.

47. FORCE MAJEURE

If either party shall be wholly or partially prevented from the performance of any contractual obligation or duty by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident., order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of Force Majeure shall rest solely with **H-GAC**..

48. PERFORMANCE UNDER CONTRACT

H-GAC is committed to insuring that **Contractor** provides effective and efficient service to all Participants in the Cooperative Purchasing Program, and expects that certain Performance Conditions must be met. Failure to meet these conditions may result in contract termination. In that regard, **Contractor shall:**

- a. Appoint a dedicated representative to be the contact person and focal point for all matters relating to End User quotations and orders. The representative shall have: A <u>toll free phone number with voice mail</u>; A <u>fax number</u>; A working <u>e-mail address</u>; and A <u>postal address</u>.
- b. Insure that the representative timely monitors all communication modes listed above, and <u>promptly responds to communications</u> from **End Users** and **H-GAC** in any of these modes. Phone calls will be promptly returned, in any event not later than the next business day. Acceptable failure will be due only to Force Majeure.
- c. Maintain <u>sufficient qualified staff</u> to promptly process all communications from **H-GAC** or **End Users**, and to efficiently, effectively and accurately service all requirements of the contract.
- d. As may be requested by **H-GAC**, replace any staff members who are not providing the service and expertise deemed necessary by **H-GAC** for acceptable support of **End Users**.
- e. Properly prepare and provide to **End User** a Contract Pricing Worksheet, or a quotation in other format as approved by **H-GAC**, for each and every order that is to be executed.
- f. Furnish, on request of **H-GAC**, reasonable data, forms and graphic material to be used in brochures or other print media, or on **H-GAC**'s website.
- g. Allow access to **H-GAC** authorized personnel for inspection of operating facilities, and auditing of purchase orders during the contract period, and for a period extending thru the completion of any outstanding orders. Site inspection may be arranged not less than ten (10) calendar days prior, shall include the names of all participants, and shall be at no expense to **Contractor**.

Revised: 01/26/15 Page 17 of 19

h. Reporting Requirements:

- **Contractor** agrees to submit written quarterly reports to **H-GAC** detailing all transactions during the previous three month period. Such reports shall include, but are not limited to the following:
- End User name
- Product/Service purchased, including Product Code if applicable
- End User Purchase Order Number
- Purchase Order Date
- Product/Service dollar amount
- **HGACBuy** Order Processing Charge amount
- Reports must be provided to **H-GAC** in MSExcel or other acceptable electronic format, and are due by the 30th day of the month following the applicable quarter being reported.
- i. Should **Contractor** default in providing Products or Services as required by this Invitation and the contract, recourse may be exercised thru cancellation of the contract and other legal remedies as may be appropriate.

49. IMPLEMENTATION OF INTERNET BASED E-COMMERCE

H-GAC Cooperative Purchasing has adopted E-Commerce as part of its business model and maintains an internet website at www.HGACBuy.org. At any point in time, various information and process functions may be implemented and made operational thru the website, including but not limited to items such as:

Information Items

- Contract information
- Procurement schedules
- Response requirements & specifications

Functions

- End User product inquiries
- Product configuration and price quotes
- Purchase Orders and Confirmations

- Product and option item catalog listings
- End User & Contractor information
- Shipping/Delivery notices
- Invoice generation
- Payment remittances, etc.

All **H-GAC Contractors**, as a condition of contract, will be required to work with **H-GAC** and it's E-Commerce provider(s) to maximize use of E-Commerce within the context of **H-GAC** Cooperative Purchasing business. **Offeror** is encouraged to refer to **H-GAC**'s Cooperative Purchasing web site where additional information can be found. If you have any questions, please contact **H-GAC** for assistance.

50. CONTRACTOR ORIENTATION/TRAINING

H-GAC believes that **Contractor's** familiarity with the operational policies and requirements of the Cooperative Purchasing Program is a key factor in achieving **End User** satisfaction. In that regard, the Contact Person listed on **Form A**, or an alternate, shall be required to participate in an **H-GAC** vendor orientation/training as soon as possible after contract award. In addition, any other of Contractor's staff who will be involved in any way with the HGACBuy Program should participate in orientation. The orientation may be presented as a teleconference or webinar, or may be held in **H-GAC**'s offices as may be determined by **H-GAC** and Contractor to be the most efficient and effective form of delivery.

51. LEGAL & CONTRACTUAL REMEDIES

RESOLUTION OF PROTESTED SOLICITATIONS AND AWARDS

Procedure

Any actual or prospective **Offeror** or **Contractor** who is aggrieved in connection with a purchase transaction may file a grievance. The grievance may be filed at any phase of the procurement. In order for an above mentioned party to enter the grievance process, a written complaint must be sent to the Office Services Manger of **H-GAC** by certified mail which identifies the following:

- 1. Name, mailing address and business phone number of the complainant.
- 2. Appropriate identification of the procurement being questioned.
- 3. A precise statement of reasons for the protest.
- 4. Supporting exhibits evidence or documents to substantiate any claims.

The grievance must be based on an alleged violation of **H-GAC**'s Procurement Procedures, a violation of State or Federal law (if applicable), or a violation of applicable grant or contract agreements to which **H-GAC** is a

Revised: 01/26/15 Page 18 of 19

party. Failure to receive a procurement award from **H-GAC** in and of itself does not constitute valid grievance. Upon receipt of grievance, the Office Services Manager will initiate the informal resolution process.

Expedited Resolution

The Procurement Officer or Departmental Manager responsible for the solicitation shall contact the complainant and all interested parties and attempt to resolve the allegations informally within ten (10) working days from date of complaint. If the allegations are successfully resolved by mutual agreement, documentation will be forwarded to the Office Service Manager of the resolution with specifics on each point addressed in the original complaint.

If the Procurement Officer or Departmental Manager is not successful in resolving the allegations, the complaint along with the comments will be forwarded to the Office Service Manager immediately. The Office Service Manager will review all documentation. All interested parties will be given written notice of the date, time, and place of the hearing and an opportunity to present evidence. A written decision will be issued within five (5) working days after the hearing along with notice of appeal rights.

Appeals

The complainant may appeal the Office Service Manager's decision by submitting a written appeal, within five (5) working days, to the Executive Director of **H-GAC**. The Executive Director, upon receipt of a written notice of appeal, shall contact the complainant and schedule a hearing within ten (10) working days. The Executive Director of **H-GAC** has the option of appointing a Hearing Officer to preside over the hearing. If appointed, the Hearing Officer shall conduct a hearing and forward a summary and recommended resolution to the Executive Director.

The decision reached by the Executive Director or his designee shall be final and conclusive. This decision will be forwarded to the complainant in writing within thirty (30) working days.

The **Contractor** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a Court of competent jurisdiction.

RESOLUTION OF CONTRACT DISPUTES

Upon breach or default, **H-GAC** shall give the **Contractor** written notice of default. If the default is not remedied, within a reasonable specified time from date of notification, to the satisfaction and approval of **H-GAC**, default will be declared.

Upon breach of contract or default, **H-GAC** may exercise any and all of its rights afforded by law, including but not limited to those referenced in the General Contract Provisions.

SOLICITATIONS OR AWARDS IN VIOLATION OF THE LAW

Contracts awarded in violation of the competitive process or otherwise in violation of the law are voidable by **H-GAC**.

52. NATIONWIDE SALES OPPORTUNITIES

HGACBuy provides purchasing services to local governments qualifying non-profits throughout the nation, and desires to make established contracts available to them wherever and whenever practicable. Therefore, once a contract is awarded, **Contractor** is expected to expand the scope of its marketing effort to include sales to **End Users** in all areas of the United States, and/or to assign any **H-GAC** contract to another contractor(s) as deemed appropriate by **H-GAC** in the interest of its End Users.

- **Contractor** may sell through **HGACBuy** anywhere subject to compliance with applicable laws and regulations. If the market structure in which **Contractor** operates requires a contract assignment for any particular sale, **H-GAC** will expect **Contractor** to assign the contract to a Manufacturer or to another Dealer(s). Such assignment must be approved by **H-GAC**.
- **Contractor**'s differential costs (e.g. transportation & delivery charges) and allowances (e.g. manufacturer's sales incentives) related to any sale may be charged to buyer.

End of Section A GENERAL TERMS & CONDITIONS

Revised: 01/26/15 Page 19 of 19

SECTION B - PRODUCT SPECIFIC REQUIREMENTS For AMBULANCES, EMS & OTHER SPECIAL SERVICE VEHICLES

Table Of Contents

1.	PURPOSE & SCOPE	1
2.	COMMITMENT	
3.	EQUIPMENT CATEGORIES & PRODUCT CODES	
4.	GENERAL REQUIREMENTS	2
5.	ABBREVIATIONS, ACRONYMS & DEFINITIONS	3
6.	SAFETY INSPECTION AND LICENSES	3
7.	EQUIPMENT MANUFACTURER'S SUPPORT	3
8.	FACTORY TESTING	3
9.	WARRANTY PERIOD	4
10.	DELIVERY DOCUMENTATION	4
11.	ELECTRICAL AND MECHANICAL REQUIREMENTS & FEATURES	4
12.	TRADE IN CREDIT	5
13.	STANDARDS ON BLOOD BORNE DISEASES	5
	KKK-A-1822F – FEDERAL AMBULANCE SPECIFICATIONS	
15.	MINIMUM CAB/CHASSIS SPECIFICATIONS FOR AMBULANCES	6
16.	OPTIONS AND ACCESSORIES FOR AMBULANCES	6
17.	REMOUNT SERVICES ONLY	7
18.	REMOUNT ON CONTRACTOR SUPPLIED CHASSIS	7
19.	REFURBISHED SERVICES	7
20.	OPTIONS & ACCESSORIES FOR VEHICLES OTHER THAN AMBULANCES	7
21.	REQUIREMENTS FOR EQUIPMENT OTHER THAN AMBULANCES	7
22.	COMPETITIVE PRICING	8
23.	RESCUE UNITS	8
24	RESCUE/FIRE/EMS VESSELS	8
25.	EVALUATONS AND AWARDS	8

1. PURPOSE & SCOPE

Members of **H-GAC**'s Cooperative Purchasing Program periodically have need of a variety of Ambulances, EMS and Other Specialty Vehicles, and may choose to buy them thru the Program. This Invitation and the specifications included and referenced herein are meant to establish minimum design and performance standards for such equipment, which shall be offered to members thru term contract(s).

2. COMMITMENT

Offeror is required to make some basic commitments to insure the overall success of this program. By submission of a response, offeror commits to the following:

- Corporate/Sales Commitment A commitment that HGACBuy has the support of senior management
 and that HGACBuy will be the primary government contracting vehicle when offering services/products
 awarded from this solicitation to eligible end users nationwide. A further commitment to aggressively
 market the program, both independently as well in partnership with HGACBuy.
- **HUB Participation** It is **H-GAC's** goal to have Historically Underutilized Business Enterprise (HUB) participation in providing services under a contract. IF **Offeror(s)** intends to employ subcontractors in providing services/products related to this solicitation, **Offeror(s)** shall make and demonstrate a good faith effort to include HUB participation under a contract. **Offeror(s)** good faith effort shall include, but is not limited to the following affirmative steps (ref. 2CFR 200.321):

- 1) Placing qualified small and minority businesses and women's business enterprises on solicitation list;
- 2) Assuring that small and minority businesses and women's business enterprises are solicited whenever they are potential sources;
- 3) Dividing total requirements, when economically feasible, into smaller task or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
- 4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
- 5) Using the services and assistance as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce;

NOTE: The term HUB as used in this solicitation is understood to encompass all programs/business enterprises such as Small Disadvantaged Business (SDB), Disadvantage Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Women Owned Business Enterprise (WBE) and Disabled Veteran Business Enterprise (DVBE).

3. EQUIPMENT CATEGORIES & PRODUCT CODES

The basic equipment categories included in this Invitation are listed below. Specific base bid items and associated **H-GAC** Product Codes are listed on **Form D**.

Equipment Categories (1st Character of Product Code)

- A. Ambulance
- B. Light/Medium Rescue Vehicle
- C. Other Specialty Vehicle or Equipment
- D. EMS Vehicle Conversions
- E. Remounts

4. GENERAL REQUIREMENTS

- This Invitation is designed to obtain bids that will:
 - A) Provide component prices for Emergency Medical Service Equipment and Units, and
 - **B**) Provide a pricing structure or formula for services associated with the design, development, delivery, and installation of the equipment.
 - At the direction of each End User Agency, Contractor shall develop individual, unit specific recommendations using the contractual component price list and service formulas.
 - Contractor shall honor purchase orders for supply of new units and installation of Products on existing units, but will not be obligated to supply items such as stretchers, disposable medical supplies and oxygen tanks.
- First Section of Bid Place the completed Forms A, B, C, H, W-9, CIQ, Form 1295 and Form HB 89
- Form A's

An originally signed Form A from the all entities who are party to this submission and who should be offered a contract if this submission is successful. These entities should include the Ambulance Manufacturer and / or Converter and the Franchised Texas Dealer. Form A's will be accepted from those dealers outside Texas who have current or past sales through the program (Note: All other sales outside Texas should be coordinated through the manufacturer when possible). In those cases where sales must go through a dealer due to franchise agreements, Form A's will be accepted from those out-of-state dealers. For those only bidding conversions (i.e. mobile command, light rescues), Form A's from in-state commercial chassis dealers for the underlying chassis make being quoted must be provided in order to sell in Texas.

• Spec/Quote Sheet

Bidder shall supply a spec/quote sheet for each product code bid on $Form\ D$ (including remounts). These sheets should call out the <u>H-GAC Product Code</u> and detail what features are included in the price quoted on $Form\ D$.

Note: The spec/quote sheet supplied in the solicitation for complete units should provide vehicle model year/date and/or the price level information. This information is needed in order to process price change request on vehicles bid on Form D.

Fees

For all complete vehicles (Ambulances, EMS and Special Service) excluding remounts, there will be a flat fee of \$1,000.00 assessed per purchase order. There will be a flat fee of \$600.00 assessed per purchase order for remounts.

Note: For all non-vehicle products (boats, trailers etc.) there will be a fee of 1.5% of the total Purchase Order amount (Published Items) per purchase order. Offerors are responsible for taking this into account in determining bid pricing.

5. ABBREVIATIONS, ACRONYMS & DEFINITIONS

In addition to abbreviations, acronyms and definitions defined elsewhere herein, the following may also be found in these specifications:

AMD = Ambulance Manufacturers Division of the National Truck Equipment Association

Gallons. United States gallons.

PTO. Power takeoff.

Aluminum Constructed Body – patient module with all aluminum construction **including** structural components, cabinets, floors (no wood products used in construction).

General Constructed Body – patient module with aluminum structural components and other marine or exterior grade construction materials.

Chassis Powered – ambulance module powered by chassis electrical system.

Generator Powered – ambulance module including module mounted warning equipment and scene lights powered by on-board generator.

6. SAFETY INSPECTION AND LICENSES

A. Safety Inspection

Any vehicle bid to **H-GAC** shall include in the bid price, the cost of providing whatever Safety Inspection is required in the state of purchase, including documentation and windshield sticker.

B. State Licenses

Offeror must have all licensing required by any state in which business is conducted under an **H-GAC** Contract, and in particular the State of Texas, Department of Transportation, Motor Vehicle Division Code, if applicable. **Offeror must provide, in any response hereto, a copy of its current Texas MVD Motor Vehicle Dealers License and any other licenses (Converter, Trailer ect.) that may be required to sell their bid items in Texas. Further, Contractor must provide licensing documentation for other states to H-GAC** whenever requested.

7. EQUIPMENT MANUFACTURER'S SUPPORT

- A. The Contractor shall be prepared to offer replacement parts and/or service at prevailing rates **Equipment** and Units shall maintain replacement parts and service for all equipment. An ample stock of individual components shall be carried for a minimum of seven (7) years after dates of acceptance by End Users of Emergency Medical Service Equipment and Units.
- **B.** If any component becomes obsolete or unavailable, the Contractor shall be responsible for providing a device which will functionally replace the component if replacement parts are ordered. Ultimately, the Contractor shall, if required, replace the item with equipment of current manufacture which will provide the same functions.
- C. Offeror shall certify by submission of this bid the capability to supply replacement parts (for ambulance coversions) as may be required for a period of at least seven (7) years after Emergency Medical Service Equipment and Units have been accepted by End User Agencies.

8. FACTORY TESTING

Emergency Medical Service Equipment and Units shall undergo extensive factory testing prior to shipment to End Users. Testing shall encompass all phases of **Emergency Medical Service Equipment and Units** equipment

from board or modular component level, to fully assembled status. Houston-Galveston Area Council shall be furnished documentation on request.

Note: End User Agency shall be responsible for travel and expenses related to factory inspections. Offeror may provide this travel as an option to End User Agency where permitted.

9. WARRANTY PERIOD

The warranty period for all equipment and accessories shall be, at a minimum, at least as per the standard warranty period normally offered by the manufacturer. This shall supercede any requirement related to warranty period stated in Section A.

- **A.** The patient compartment, all modifications to the OEM chassis by Offeror on the accepted unit, equipment and parts shall be guaranteed for a minimum period of ONE (1) years against defects in design, materials, and workmanship. The warranty period shall begin upon final acceptance of the equipment. This warranty shall cover parts and labor expenses.
- B. On type I & III emergency medical service MODULE the warranty period shall be fifteen (15) years.
- **C.** This warranty shall be upgraded to its original status each time the module is remounted by Contractor or a Contractor authorized remount facility, not to exceed five (5) years above the original warranty.
- **D.** Warranty of all system equipment shall be the sole responsibility of the Contractor under contract, but may be performed by their certified, designated agent.
- E. In the event any component part of equipment or materials furnished under these specifications, or it's subsequent contract(s), becomes defective by reason of material or workmanship during said period, and the end user agency immediately notifies Contractor of such defect, Contractor shall at no expense to the End User agency or H-GAC, repair or replace equipment or component with new equipment or component.
- **F.** Contractor shall furnish copies of warranties for all installed or otherwise provided equipment upon delivery of vehicle(s) to end user agencies. "On site" service shall be furnished for minor repairs and electrical problems by the contractor, but may be performed by their certified, designated agent emergency medical service units.

10. <u>DELIVERY DOCUMENTATION</u>

A. User's Manual

At least one (1) user or operators manual shall be furnished with each delivered piece of equipment. Manuals shall provide basic operational description of all equipment and other pertinent operational details. Manuals shall be concise, simple, and shall include pictures showing various operator controls.

B. Installation / Service Manual & Schematics

The Installation/Service Manual shall describe proper **Emergency Medical Service Equipment and Units** installation procedures. The manual shall include those details which are unique to the unit. The Installation/Service Manual shall also include a maintenance section with board overlays, schematic diagrams, and theories of operation. Explanation of diagnostic display interpretations shall also be included. All drawings shall be accurate, to a scale sufficiently large to show all pertinent features of unit/system items and method of connection, detailing components. Two each to be provided with each EMS unit delivered.

C. Equipment Documentation

Contractor shall deliver to End User Agency a complete set of manuals, warranties, warranty registration, instructions, etc. associated with any equipment installed or provided with the supplied Emergency Medical Service Equipment and Unit(s). This includes documentation for items such as sirens, lighting, siren speakers, oxygen devices, stretchers and cab-chassis.

11. ELECTRICAL AND MECHANICAL REQUIREMENTS & FEATURES

A. Ergonomic Design

Operator control functions, switches, buttons, and displays shall be designed to aid and enhance operator capabilities by minimizing efforts required to control equipment. Each function shall be labeled in a manner which minimizes operator error. Each major equipment function shall have an individual switch and associated indicator.

B. Electrical Features

- 1. Electronic circuitry employed throughout the Emergency Medical Service Equipment and Units may utilize integrated, solid state circuitry, and may utilize Very Large Scale Integration. The only exception allowed shall be relays for external interfaces and switches. Switches shall be rated for a minimum of one million (1,000,000) operations. On printed circuit boards, all active devices shall have designations screened onto the circuit board at each device location. All optional and auxiliary circuit output connections shall be screened onto the board for easy reference.
- **2.** All **Emergency Medical Service Equipment and Units** electrical components should be of plug-in modular design. The plating material on circuit board edges, where plug-in contact is made, shall provide maximum reliability. All Copper traces on circuit boards shall be covered with protective materials which provide both isolation and non-conductivity.

C. Equipment Interchange Ability

For ease of service and reduction of spare parts, all components and similar equipment shall be interchangeable excepting minor adjustments, where applicable. The exchange of equipment by personnel of the End User Agency shall in no way constitute a violation of the warranty if performed according to basic steps listed in User's Manual or Installation/Service Manual. **Emergency Medical Service Equipment and Units** shall have all essential, standard maintenance areas located to provide ease of access.

D. Standard Electrical Feature Expansion

Field enhancement and expansion of standard electrical features shall be accomplished by modification or addition of required components to control the added features.

E. General Installation Requirements

- 1. The installation procedures for all equipment shall be accomplished in a complete and professional manner.
- 2. To conform with manufacturers' warranties, all equipment installed under this agreement having a manufacturer's warranty shall be installed by, or under the direction of, the manufacturer or his certified agent. All such manufacturers' warranties shall be forwarded to the End User Agency.
- 3. All work involving manufactured goods or products shall be performed in accordance with manufacturer's recommendations. Any and all items of work referred to by the specifications, unless specified to the contrary in writing, shall be the responsibility of the Contractor and shall be included in submitted bid.
- **4.** Installations shall include all related costs to interface equipment to the **Emergency Medical Service Equipment and Units** sources. Contractor shall be responsible for freight, handling, unpacking, placement, cabling, and final configuration of all proposed equipment; and all of these costs shall be identified in the bid.
- 5. Contractor shall be responsible for maintaining safe, clean work area, removing associated debris as needed.

F. Installation / Assembly Acceptance

Each **Emergency Medical Service Equipment and Unit** installation/assembly shall be completed and thereafter accepted in written form by the End User Agency, with copy forwarded to the **H-GAC** for final acceptance.

12. TRADE IN CREDIT

Contractor may offer reduction in price through credit for trade-in of End User Agency equipment at market value negotiated between Contractor and End User Agency. However, Trade-In credit shall be used to reduce End User cost only after applicable totals are tabulated.

13. STANDARDS ON BLOOD BORNE DISEASES

All **Emergency Medical Service Equipment and Units** sold thru the Program executed shall be compliant with Occupational Safety and Health Administration BLOOD BORNE pathogen standards, National Fire Protection Association, Inc standards, and Center for Disease Control recommendations.

Emergency Medical Service Units shall be designed to expedite the removal of blood and other body fluids, provide isolated disposal areas for needle sharps and infected material, and eliminate use of materials in the manufacturing of units which provides a growth media for BLOOD BORNE pathogens.

14. KKK-A-1822F – FEDERAL AMBULANCE SPECIFICATIONS

All Ambulance equipment offered and sold hereunder must meet Federal Ambulance Specification KKK-A-1822F, and all modifications and enhancements to that specification as detailed in this Invitation. A copy of the Federal Ambulance Specifications may be downloaded at no cost from the internet at:

FSS.GSA.GOV/VEHICLES/BUYING. (http://www.ntea.com/Downloads/AMD_KKK-A-1822F.pdf).

Note: Class 2 (four wheel driven - 4X4), Configuration A for all Types (as referenced in KKK A-1822F) can be included in the manufacturing options (**Form E**). All units are to be bid with **ALS Configuration** compliance. Offerors may offer a CREDIT on **Form E** for End User Agency choice of a **BLS Configuration** as an option as well.

15. MINIMUM CAB/CHASSIS SPECIFICATIONS FOR AMBULANCES

Offered commercial cab-chasses shall meet all specification herein, including the following:

- All cab/chassis shall be current model Ford, Dodge, Chevrolet, GMC, International, Freightliner or other compliant cab & chassis, with 47A ambulance prep-package, where applicable, to be included in the base unit price.
- Chassis OEM engine suitable for proposed units intended use with automatic transmission and drive train, with spin-on oil filter, dry paper element type air filter, minimum one-half inch clearance between fan blades and radiator, and radiator with heavy duty coolant recovery system.
- Multi-speed automatic w/auxiliary transmission cooler
- Power steering
- Brakes, dual hydraulic power, rear anti-lock braking system on type I, II, and III.
- Dual parking brake, cable actuated operated on type I, II, and III
- Factory air conditioning with engine driven compressor and environmentally safe freon, heavy duty cooling package and heavy-duty radiator
- OEM tinted glass
- Dual wheels, if applicable wide track rear axle
- Unless specified by the end user, on Type I or III Modular Ambulance and Type II Van, single rear axle shall be
 the minimum specifications or according to payload requirements as indicated in the NFPA 1917 specification.
- Rear axle ratio suitable for intended use
- Heavy duty front springs with front stabilizer bar
- Heavy duty gas shock absorbers front and rear
- Heavy duty rear springs designed for intended use
- Radial tires with highway tread
- Spare tire and wheel as above
- Chrome front bumper
- OEM Exterior mirrors suitable for intended use
- Dual heavy-duty batteries providing cold cranking amperage suitable for intended use
- Mud flaps in compliance with Texas state law.
- Factory dual horns, electric
- Windshield wipers, with intermittent feature
- Factory installed fuel tanks
- Unless specified by the end user, paint should be Ford Polar White or approved equal
- Aero or equal halogen headlights w/impact-resistant lenses.

Electrical generating system

At minimum the ambulance shall be equipped with an OEM standard DC power from either a single or dual OEM alternator. Another brand of alternator may be substituted, provided the manufacturer of the alternator has a local service center and the alternator has been certified by a certified testing authority that the generating system meets the requirements of NFPA 1917. Increase to the capacity of the electrical system shall grow in accordance to the demand in the final electrical design of the system and the electrical load thereto. Exception to this requirement is an emergency medical service unit with an auxiliary generator set with electronic ignition, then the OEM cab-chassis 100 ampere or greater alternator is acceptable.

16. OPTIONS AND ACCESSORIES FOR AMBULANCES

Bidder shall provide a thorough listing of options on **Form E** for the categories listed below. Bidder may list/price these options individually or provide a catalog specifying the pricing/discount structure. All catalogs must be identified (name, effective date, year) on **Form E**. If catalog is submitted, bidder shall provide a copy of this

catalog w/bid. The catalog/retail price book bid shall be the one in effect at the time of bid submittal. In any event, manufacturers' descriptions, part numbers, and pricing must be provided. Pricing must include installation on the vehicle when part of original vehicle order. Where one of these options is standard equipment, buyer may choose to take a credit in lieu of the required option, provided omission of the item does not make the unit non-compliant with **NFPA**, **QVM** and/or any other applicable certifications. This list is not meant to be restrictive or all inclusive. Offeror is expected to provide a complete listing of options/accessories with the response.

Required Option (To be bid on Form E) – (SAE J3027) – Ambulance Litter Integrity, Retention and Patient Restraint must be provided where the states or end users request it. The Cot Fastener Assembly shall be bid as an option by the contractor (Form E).

Note: Bidder is encouraged to list chassis credits (where applicable) on **Form E**.

Option and Accessory Categories

- Emergency Lighting & Light Bars
- Audible Warning Devices
- Bumpers, Guards & Trim
- Cab/chassis Options & Accessories
- Electrical Options & Accessories
- Operator Control Panel Options & Accessories
- Patient Module Exterior/Construction Options & Accessories
- Patient Module Interior Options & Accessories
- Patient Module Window Options
- Patient Transport/Restraint Options & Accessories

Note: All priced options (Form E) may be offered for separate purchase to End Users. Individual purchase orders for these options cannot exceed \$50,000.00 (H-GACBuy Fee -1.5%)

17. REMOUNT SERVICES ONLY

Remount Services have been added to **Form D** as a base bid line item. Bid pricing for this service shall include the cost of removing an existing body and reinstalling it on a different chassis, <u>only</u>. This service would apply where the chassis was supplied by the end user.

Note: Remounting Services are to be performed by an authorized dealer/remounter. Any specific certifications or warranties that may be requested by an end user regarding remounts is the end users responsibility and shall be negotiated between the end user and the supplier/contractor when services are quoted.

18. REMOUNT ON CONTRACTOR SUPPLIED CHASSIS

Remounts on Contractor Supplied Chassis have been added to Form D as a base bid line item. Bid pricing for this line item shall include the cost of the chassis plus the removal and reinstallation of the body, only.

Note: Remounting Services are to be performed by an authorized dealer/remounter. Any specific certifications or warranties that may be requested by an end user regarding remounts is the end users responsibility and shall be negotiated between the end user and the supplier/contractor when services are quoted.

19. REFURBISHED SERVICES

Refurbishing parts/services are to be bid as published options on **Form E.** These published options are available for purchase by members separately and independently from associated base line items. The cost cannot exceed \$50,000.00. If quoting refurbishing services where the price exceeds \$50,000.00, it must be tied to a base bid line item (Remounts) listed on **Form D**.

20. OPTIONS & ACCESSORIES FOR VEHICLES OTHER THAN AMBULANCES

Offeror shall quote a wide variety of upgrades and accessories to insure that End Users may be able to configure any purchased vehicle to meet their requirements.

21. REQUIREMENTS FOR EQUIPMENT OTHER THAN AMBULANCES

Equipment other than ambulances shall be built to standard published OEM specifications for the specific equipment offered, and must meet the requirements of any applicable federal (FMVSS), state (TxDOT) or local law or

regulation. All emergency vehicles, chassis, modular body equipment, devices, accessories, and electronic equipment delivered under this contract shall carry the manufacturers' standard warranty for a minimum of 1 year against defects in materials, workmanship and performance.

22. <u>COMPETITIVE PRICING</u>

By submission of a response, **Offeror** certifies that offered pricing is as good as or better than pricing offered to local government customers individually or thru any other program under normal circumstances. If such is not the case, **Offeror** shall explain how offered pricing differs from "best" pricing, and by how much.

23. RESCUE UNITS

Units not having firefighting capabilities (water tanks or pressurized foam tanks) shall be in accordance with the latest revision of NFPA 1901. The rescue vehicle, chassis rescue body, equipment, rescue accessories and electronic equipment to be delivered under this contract shall be standard commercial products, tested and certified to meet this specification. The vehicle shall comply with all Federal Motor Vehicle Safety Standards (FMVSS) and United States regulations applicable or specified for the year of manufacturer.

24. RESCUE/FIRE/EMS VESSELS

Boats outfitted for fire suppression, on-water rescue, scuba diver deployment, patrol & surveillance duties. These vessels meet the applicable standards and guidelines as provided by the following: US Coast Guard, ABS (American Bureau of Shipping), NFPA and ABYC (American Boat & Yacht Council).

25. EVALUATIONS AND AWARDS

Bids will be evaluated by H-GAC Staff in compliance with stated requirements. Contracts will be awarded to the "lowest responsive responsible Bidder(s) providing best value" for each base line item offered. A minimum threshold score of **70 points** will be required before a contract may be offered.

PRICING – An analysis of Bidder's submitted bid price will be conducted for each base line item using **Form D** and **Form E.** Bidders with the lowest total price for each line item will receive a **maximum score of 70 points**, the next lowest, **69**, et cetera.

PAST PERFORMANCE – An evaluation will be conducted of the Bidder's previous contract performance as an HGACBuy contractor based on the performance measured listed below. **Maximum score is 25 points**.

PERFORMANCE MEASURES

Timely response to request for information and/or request for quotes/pricing (Sec A, 48b)

Accurate preparation of Contract Pricing Worksheet(s) (Sec A 48e)

Timely delivery of product or services (as quoted at time of order placement) (Sec A, 25c)

Quality of products/service (Sec A, 25d, 44f)

Timely and accurate submission of Contractor's Activity Report (Sec A, 48h)

Timely payment of order processing charge (Sec A, 44g, 44h)

NOTE: For **Joint Bids**, each Form A submitted in the Bidders response will be scored per the above criteria and an overall average will be taken of all Form A's submitted to determine the Performance score for each submission.

MARKETING PLAN (Form H) – Bidder shall provide a written narrative explaining in some detail activities that will be undertaken to actively market and promote an H-GAC contract to local government and non-profit End Users. Plan may include items such as types of media to be used, frequency of outreach campaigns or designated staff resources assigned to such tasks. **Maximum score is 5 points.**

Specifications prepared by Houston-Galveston Area Council Cooperative Purchasing Program

This is the end of the Section B



SECTION C - H-GAC FORMS

(Rev 12/02/09)

For Use In Responding To Competitive Bid And Proposal Invitations

Invitation No.: AM10-18

Title: Ambulances, EMS & Other Special Service Vehicles

This Section contains the following **H-GAC** FORMS.

FORM	DESCRIPTION
Form A:	Offeror Identification and Authorized Signatory
Form B:	Historically Underutilized Business Enterprises
Form C:	Response Checklist
Form D:	Offered Items Pricing
Form E:	Published Options
Form-H	Marketing Plan
Form W-9	Request for Taxpayer Identification Number and Certification
Form CIQ	Conflict of Interest Questionnaire
Form 1295	Certificate of Interested Parties
HB 89	Prohibition on Contracts with Companies Boycotting Israel

These *FORMS* are hereby made available in electronic format. They should be copied to Offeror's computer for completion and/or printout as required. The *FORMS* <u>may not</u> be changed or altered in any way, except as may be specified on the *FORM*.

ALL completed *FORMS* must also be submitted electronically on electronic media (DVD, CDRom, flash/thumb drive), excepting of course for signatures. The printed "Original" of the response will be considered as the official copy in case of any discrepancy between the electronic version and the printed Original.

FORM A - OFFERO (DO NOT hand		ormation must be typed in.)	Invitation No.: AM10-18
Invitation Title:	Ambulances, EMS & O	ther Special Service Vehicles	
Offeror Company:			
•		(Legal name of business which will appear on contra	act, if awarded)
Offeror Status:	☐ Manufacturer	☐ Dealer/Distributor	☐ Other
Response Type(1):	Single Offeror A Alone Or As Lea		
Contract Signatory(2):		Title:	
Mailing Address(3):			
•	Street/PO Box	City	State & Zip
Physical Address:			
	Street	City	State & Zip
Phone:		Fax:	
Email Address:			
Federal Tax ID No.:		Web Page URL:	
(1) If Joint Offerin (2) Person who w	ill sign final contract doc	nit a signed Form A. A contract will be officuments if an award is made. nents would be sent for signature.	fered to each.
(1) If Joint Offerin (2) Person who w	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made.	fered to each.
(1) If Joint Offerin (2) Person who w	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made. nents would be sent for signature.	fered to each.
(1) If Joint Offerin (2) Person who wi (3) Address to wh	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made. ments would be sent for signature. Member Contact Information	fered to each.
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address:	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made. ments would be sent for signature. Member Contact Information	
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address:	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made. ments would be sent for signature. Member Contact Information Title:	fered to each. State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address:	ill sign final contract docum	nit a signed Form A. A contract will be officuments if an award is made. ments would be sent for signature. Member Contact Information Title:	
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address:	ill sign final contract documich final contract docum	nit a signed Form A. A contract will be officuments if an award is made. nents would be sent for signature. Member Contact Information Title:	State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address:	ill sign final contract documich final contract docum	nit a signed Form A. A contract will be officuments if an award is made. In the sent for signature. Member Contact Information Title: City City	State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address:	ill sign final contract docum ich final contract docum Street/PO Box	nit a signed Form A. A contract will be officuments if an award is made. In the sent for signature. Member Contact Information Title: City City	State & Zip State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En	Street/PO Box Street Odd Users will contact for	nit a signed Form A. A contract will be officuments if an award is made. Identify a signature. Member Contact Information Title: City Fax:	State & Zip State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En	Street/PO Box Street Odd Users will contact for v, on behalf of Offeror:	nit a signed Form A. A contract will be officuments if an award is made. Identify a signature. Member Contact Information Title: City Fax:	State & Zip State & Zip
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En The Signatory belov - Acknowledges havi	Street/PO Box Street Od Users will contact for on behalf of Offeror: ng thoroughly reviewed	nit a signed Form A. A contract will be officuments if an award is made. Identify a signature. Member Contact Information Title: City Fax: Product information and to get pricing question the Invitation;	State & Zip State & Zip otes.
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En The Signatory below - Acknowledges havi - Attests to having the	Street/PO Box Street Multiple of Offeror: The process of the pr	cuments if an award is made. In the inents would be sent for signature. Member Contact Information Title: City Fax: Product information and to get pricing question the Invitation; esponse and commit Offeror to honor all response and com	State & Zip State & Zip otes.
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En The Signatory below - Acknowledges havi - Attests to having the - Makes, under penal	Street/PO Box Street M. on behalf of Offeror: Ing thoroughly reviewed e authority to sign this rety of perjury, all required	nit a signed Form A. A contract will be officuments if an award is made. Identify a signature. Member Contact Information Title: City Fax: Product information and to get pricing question the Invitation;	State & Zip State & Zip otes.
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En The Signatory below - Acknowledges havi - Attests to having the - Makes, under penal - Certifies that all info	Street/PO Box Street M. on behalf of Offeror: Ing thoroughly reviewed e authority to sign this rety of perjury, all required ormation provided in this	City City Fax: product information and to get pricing questions as detailed in General Response is true and correct.	State & Zip State & Zip otes. equirements; eral Terms;
(1) If Joint Offerin (2) Person who wi (3) Address to wh Contact Person(4): Mailing Address: Physical Address: Toll Free Phone: Email Address: (4) Person who En The Signatory below - Acknowledges havi - Attests to having the - Makes, under penal - Certifies that all info	Street/PO Box Street M. on behalf of Offeror: Ing thoroughly reviewed e authority to sign this rety of perjury, all required	City City Fax: product information and to get pricing questions as detailed in General Response is true and correct.	State & Zip State & Zip otes.

Title: Ambulances, EMS & Other Special Service Vehicles Offeror: Most, if not all, of the Members of HGACBuy are subject to various requirements relative to purchasing goods and services from Historically Underutilized Business Enterprises (HUBs)(See Note 1). These requirements are promulgated by federal and state governmental authorities, and include measureable criteria such as 'percentage of total dollars spent directed to HUBs', 'number of HUB contractors used', 'HUB subcontractors employed by primary contractors', etc. These requirements are generally formalized in goal oriented programs. HGACBuy is comitted to promoting full and equal business opportunities for HUB contractors, and to assisting Cooperative Purchasing Program (COOP) Members in meeting mandated HUB goals. In that regard, Contractor shall make a good faith effort to use the services of Certified/Listed (See Note 2) HUBs whenever possible. As part of a good faith effort, Contractor agrees to work with and assist HGACBuy Members in meeting HUB targets and goals, as may be required by any rules, processes or programs they might have in place. Such assistance may include such things as compliance with reporting requirements, provision of documentation, consideration of 'Certified/Listed' subcontractors, provision of documented evidence that an active participatory role for a HUB entity was considered in a procurement transaction, etc. Note 1: There are many designations other than "HUB" used across the country within various jurisdictions. Examples include terms such as Disadvantaged Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Woman Owned Business Enterprise (WBE), Small Disadvantaged Business (SDB), Small, Woman or Minority-owned Business (SWAM), etc. Regardless of the formal designation, the overall objective of the relavant programs is basically the same, i.e. to insure that disadvantaged and underutilized members of the business community receive a fair share of public spending. The term HUB as used herein shall be understood to encompass all such programs/business enterprises, no matter what terminology is used by the Member. Note 2: The terms "Certified" and "Listed" as used in conjunction with HUB programs relate to the process of HUB qualification review. Jurisdictions usually require that companies claiming HUB status be reviewed and confirmed as meeting certain minimum requirements to claim that status, and that the review and confirmation process be carried out by certain designated entities. They are then "Certified" or "Listed" by having their name included on an official listing published by the Certifying or Listing Authority. Accepted and Agreed By: Title: Date: **HUB Status Of Offeror** Offeror is not a HUB. Offeror is a HUB, as detailed below. Designation(s): ☐ MBE ☐ WBE ☐ Other ☐ HUB ☐ DBE Certifying/Listing Authority(s): **Subcontracts** On a separate sheet, list any subcontractors that would be employed in providing products or services related to this procurement. Include subcontractor name, designation (HUB, DBE, etc.) and certifying/listing authority. Subcontractor List attached. No Subcontractors will be used.

Procurement No.: AM10-18

FORM B - HISTORICALLY UNDERUTILIZED BUSINESS ENTERPRISES

FC	RM C - RESPONSE CHECKLIST	Procurement No.:	AM10-18
	Title: Ambulances, EMS & Other Special Service Vehicles		
	Offeror:		
cert	FORM is provided to help insure that all required Response elements have as being available upon request. Responses that do not comply with compliant. Offeror's signatory must review each item below, and certify by	all requirements may be o	onsidered
This	Response Includes:		Init.
1	An "Original" hard copy of the <u>COMPLETE</u> submission, including all copy, each in a separate hard-sided 3-ring binder.	required FORMS, plus one	
2	A copy of the COMPLETE submission, including all required <i>FORMS</i> , DVD, flash drive).	in electronic format (CD,	
3	An originally signed Form A from all entities who are party to this submoffered a contract if this submission is successful.	nission and who should be	
4	The required list of References .		
5	Details of " Service Organization' , including locations, hours, personnel are (Applies to hard goods only.)	nd parts/service availability.	
6	Complete Warranty Documentation for all Products offered.		
7	The manufacturer's latest Specification Documents detailing star characteristics, etc., for all products offered.	dard features, operating	
8	Forms A, B, C, D, E (EXCEL FORMAT) 1295, W-9, CIQ, HB89		
9	If the Non-Resident Reciprocal Bid Act applies, a copy of your state statute status of Texas bidders/proposers in your home state. If not applicable, indic		
10	If offer includes motor vehicles to be sold in Texas, copies of all current Texas Motor Vehicle Commission.	licenses as required by the	

FORM D - OFFERED ITEMS PRICING

INSTRUCTIONS: Fill in unshaded areas. Complete one line for each product code. Add lines as needed. Shaded columns for H-GAC use only.

Offeror Name										
Name: Contract	Manufacturer	Vendor	Product Code	Description	Price	Discount Percentage	Unit of Measure	Restrictions	Keywords	CatalogLink
				A. American Emergency Ve	hicles	1	3,200,022			
A. Ambulance										
AM10-18	American Emergency Vehicles		AM18AA01	TYPE I, FORD F350 TRAUMAHAWK DR92						
AM10-18	American Emergency Vehicles		AM18AA02	TYPE I, FORD F350 TRAUMAHAWK 148"						
AM10-18	American Emergency Vehicles		AM18AA03	TYPE I, FORD F450 TRAUMAHAWK 172"						
AM10-18	American Emergency Vehicles		AM18AA04	TYPE I, FORD F550 TRAUMAHAWK 172"						
AM10-18	American Emergency Vehicles		AM18AA05	TYPE I, DODGE RAM 4500 TRAUMAHAWK						
AM10-18	American Emergency Vehicles		AM18AA06	TYPE I, DODGE RAM 5500 TRAUMAHAWK						
AM10-18	American Emergency Vehicles		AM18AA07	TYPE II SPRINTER FLEXVAN T-VERSE 02						
AM10-18	American Emergency Vehicles		AM18AA08	TYPE II SPRINTER T-VERSE 02						
AM10-18	American Emergency Vehicles		AM18AA09	TYPE II SPRINTER 4X4 FLEXVAN REAR HORIZONTAL 02						
AM10-18	American Emergency Vehicles		AM18AA10	TYPE II SPRINTER 4X4 REAR HORIZONTAL 02						
AM10-18	American Emergency Vehicles		AM18AA11	TYPE II SPRINTER VERTICAL 02						
AM10-18	American Emergency Vehicles		AM18AA12	TYPE II TRANSIT SILVER MED ROOF (GAS)						
AM10-18	American Emergency Vehicles		AM18AA13	TYPE II TRANSIT SILVER MED ROOF (DIESEL)						
AM10-18	American Emergency Vehicles		AM18AA14	TYPE II TRANSIT MED ROOF PLATINUM (GAS)						
AM10-18	American Emergency Vehicles		AM18AA15	TYPE II TRANSIT MED ROOF PLATINUM (DIESEL)						
AM10-18	American Emergency Vehicles		AM18AA16	TYPE II TRANSIT HIGH ROOF FLEX (GAS)						

American Emergency Vehicles	AM18AA17	TYPE II TRANSIT HIGH ROOF FLEX (DIESEL)					
American Emergency Vehicles	AM18AA18	TYPE II TRANSIT HIGH ROOF PLATINUM (GAS)					
American Emergency Vehicles	AM18AA19	TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL)					
American Emergency Vehicles	AM18AA20	TYPE II TRANSIT MED ROOF GOLD (GAS)					
American Emergency Vehicles	AM18AA21	TYPE II TRANSIT MED ROOF GOLD (DIESEL)					
American Emergency Vehicles	AM18AA22	TYPE II TRANSIT HIGH ROOF GOLD (GAS)					
American Emergency Vehicles	AM18AA23	TYPE II TRANSIT HIGH ROOF GOLD (DIESEL)					
American Emergency Vehicles	AM18AA24	TYPE III, SPRINTER DR86					
American Emergency Vehicles	AM18AA25	TYPE III, FORD E350 (GAS) TRAUMAHAWK DR92					
American Emergency Vehicles	AM18AA26	TYPE III, FORD E350 (GAS) TRAUMAHAWK 148"					
American Emergency Vehicles	AM18AA27	TYPE III, FORD E450 (GAS) TRAUMAHAWK 164"					
American Emergency Vehicles	AM18AA28	TYPE III, FORD E450 (GAS) TRAUMAHAWK Z-5 164"					
See Section B, p. 8 Items	17-18 for specifics regarding "Ren	nount" pricing)					
American Emergency Vehicles	AM18AE01	GM G3500 (GAS) TYPE III BASE AMBULANCE REMOUNT					
American Emergency Vehicles	AM18AE02	GM G4500 (GAS) TYPE III BASE AMBULANCE REMOUNT					
American Emergency Vehicles	1 AM18AE03	FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT					
American Emergency Vehicles	AM18AE04	FORD E450 GAS TYPE III BASE AMBULANCE REMOUNT					
American Emergency Vehicles	AM18AE05	FORD F350 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT					
American Emergency Vehicles	AM18AE06	FORD F450 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT					
American Emergency Vehicles	AM18AE07	FORD F550 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT					
	Vehicles American Emergency Vehicles	Vehicles American Emergency Vehicles	AMISAA17 I TYPE II TRANSIT HIGH ROOF FLEX (DIESEL) American Emergency Vehicles AMISAA18 TYPE II TRANSIT HIGH ROOF PLATINUM (GAS) TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL) AMISAA20 TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL) AMISAA21 TYPE II TRANSIT MED ROOF GOLD (GAS) American Emergency Vehicles AMISAA22 TYPE II TRANSIT MED ROOF GOLD (DIESEL) AMISAA23 TYPE II TRANSIT MED ROOF GOLD (DIESEL) AMISAA24 TYPE II TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA25 TYPE II TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA26 TYPE III, SPRINTER DR86 AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK DR92 AMISAA26 TYPE III, FORD E350 (GAS) TRAUMAHAWK AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK L88 TYPE III, FORD E350 (GAS) TRAUMAHAWK L89 TYPE III, FORD E350 (GAS) TRAUMAHAWK L89 TYPE III, FORD E350 (GAS) TRAUMAHAWK L89 TYPE III FORD E350 (GAS) TRAUMAHAWK L80 TYPE III FORD E350 (GAS) TRAUMAHAWK L80 TYPE III FORD E350 (GAS) TRAUMAHAWK L80 TYPE III FORD E350 (GAS) TYPE III BASE AMBULANCE REMOUNT TAMERICAN Emergency TAMISAE01 TAMISAE03 TORD E350 GAS TYPE III BASE AMBULANCE REMOUNT TAMISAE04 TORD E350 GAS TYPE III BASE AMBULANCE REMOUNT TAMISAE05 TORD E350 AVA DIESEL TYPE I BASE AMBULANCE REMOUNT TAMISAE07 TORD E350 AVA DIESEL TYPE I BASE AMBULANCE REMOUNT TAMISAE07 TORD E350 AVA DIESEL TYPE I BASE TAMISAE07 TORD E350 AVA DIESEL TYPE I BASE	AMISAA17 TYPE II TRANSIT HIGH ROOF PLATINUM (GAS) AMISAA18 (GAS) AMISAA18 (GAS) AMISAA19 (TYPE II TRANSIT HIGH ROOF PLATINUM (GAS) AMISAA20 TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL) AMISAA21 TYPE II TRANSIT MED ROOF GOLD (GAS) AMISAA22 TYPE II TRANSIT MED ROOF GOLD (GAS) AMISAA22 TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMISAA23 TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMISAA24 TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMISAA25 TYPE II TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA26 TYPE II, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA29 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA26 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMISAA29 TYPE III, FORD E350 (GAS) TYPE III BASE AMBULANCE (ABDUUNT) AMISAE01 CAN GASSON (GAS) TYPE III BASE AMBULANCE (ABDUUNT) AMISAE02 CAN GASSON (GAS) TYPE III BASE AMBULANCE (ABDUUNT) AMISAE03 CAN GASSON (TAS) AMISAE04 CAN GASSON (TAS) AMISAE05 CAN GASSON TYPE III BASE AMBULANCE (ABDUUNT) AMISAE06 CAN GASSON TYPE III BASE AMBULANCE (ABDUUNT) AMISAE07 CAN GASSON TYPE III BASE AMBULANCE (ABDUUNT) AMISAE08 CAN GASSON TYPE III BASE AMBULANCE (ABDUUNT) AMISAE09 CAN GASSON TYPE III BASE AMBULANCE (ABDUUNT) AMISA	AMISAA1 TYPE II TRANSIT HIGH ROOF PLATINUM (CAS) AMISAA19 TYPE II TRANSIT HIGH ROOF PLATINUM (CAS) AMISAA20 TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL) AMISAA21 TYPE II TRANSIT HIGH ROOF PLATINUM (DIESEL) AMISAA22 TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMISAA23 TYPE III TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA24 TYPE III TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA25 TYPE III TRANSIT HIGH ROOF GOLD (DIESEL) AMISAA26 TYPE III, SPRINTER DRS6 AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA26 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA27 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA28 TYPE III, FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA28 TYPE III FORD E350 (GAS) TRAUMAHAWK (AS) AMERICAN Emergency AMISAA29 TYPE III FORD E350 (GAS) TRAUMAHAWK (AS) AMISAE01 GM G3500 (GAS) TYPE III BASE AMBULANCE REMOUNT AMISAE03 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE04 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE05 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE06 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE07 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT AMISAE08 FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT	AMISAAI 179E II TRANSIT HIGH ROOF PLATINUM (CAS) AMISAAI 179E II TRANSIT HIGH ROOF PLATINUM (CAS) AMISAAI 179E II TRANSIT HIGH ROOF PLATINUM (CIESEL) AMISAAI 179E II TRANSIT HIGH ROOF PLATINUM (CIESEL) AMISAAI 179E II TRANSIT MED ROOF GOLD (GAS) AMISAAI 179E II TRANSIT MED ROOF GOLD (GAS) AMISAAI 179E II TRANSIT MED ROOF GOLD (DESEL) AMISAAI 179E II TRANSIT MED ROOF GOLD (DESEL) AMISAAI 179E II TRANSIT HIGH ROOF GOLD (DESEL) AMISAAI 179E III FORD E350 (GAS) TRAUMAHAWK AMISAAI 179E III, FORD E350 (GAS) TRAUMAHAWK AMISAEI 179E III BASE AMBULANCE AMISAEI 179E III BASE AMBULANCE AMISAEI 170E E350 (GAS) TYPE III BASE AMBULANCE AMISAEI 170E E350 (GAS) TY	Vehicles AMISAALS TYPE II TRANSIT HIGH ROOF PLATINUM (GAS) American Emergency AMISAALS TYPE II TRANSIT HIGH ROOF PLATINUM (DUSHL) AMISAALS TYPE II TRANSIT HIGH ROOF PLATINUM (DUSHL) AMISAALS TYPE II TRANSIT HIGH ROOF PLATINUM (DUSHL) AMISAALS TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMIRICAN Emergency (Webicles AMISAALS TYPE II TRANSIT HIGH ROOF GOLD (GAS) AMIRICAN Emergency (Webicles AMISAALS TYPE II TRANSIT HIGH ROOF GOLD (DESEL) AMISAALS TYPE II TRANSIT HIGH ROOF GOLD (DESEL) AMISAALS TYPE III FORD ESSO (GAS) TRAUMAHAWK AMORICAN Emergency AMISAALS TYPE III FORD ESSO (GAS) TRAUMAHAWK AMORICAN Emergency AMISAALS TYPE III FORD ESSO (GAS) TRAUMAHAWK AMORICAN Emergency AMISAALS TYPE III FORD ESSO (GAS) TRAUMAHAWK Z-S AMISAACS TYPE III BASE AMBULANCE AMISAACS TYPE

AM10-18	American Emergency Vehicles	AM18AE08	DODGE RAM 4500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT			
AM10-18	American Emergency Vehicles	AM18AE09	DODGE RAM 5500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT			
		1	B. Braun	•	•	•
A. Ambulance	2					
AM10-18	Braun	AM18BA01	Express Plus Type I: Ford F-350 4x2 / 169" Wheelbase / 72" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA02	Express Plus Type I: Ford F-450 4x2 / 169" Wheelbase / 72" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA03	Express Plus Type I: Ford F-450 4x4 / 169" Wheelbase / 72" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA04	Express Plus Type I: Dodge Ram R-4500 4x2 / 168.5" Wheelbase / 72" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA05	Express Plus Type I: Dodge Ram R-4500 4x4 / 168.5" Wheelbase / 72" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA06	Express Type III: Ford E-350 4x2 / 138" Wheelbase / 68" Headroom / 144"L Full Seam Welded Module - Sliding Side Door / Gas			
AM10-18	Braun	AM18BA07	Express Type III: Chevy G-3500 4x2 / 139" Wheelbase / 68" Headroom / 144"L Full Seam Welded Module - Sliding Side Door / Gas			
AM10-18	Braun	AM18BA08	Signature Series Type I: Ford F-350 4x2 / 169" Wheelbase / 68" Headroom / 150" L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA09	Signature Series Type I: Ford F-350 4x4 / 169" Wheelbase / 68" Headroom / 150" L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA10	Signature Series Type III: Ford E-350 4x2 / 138" Wheelbase / 68" Headroom / 150" L Full Seam Welded Module - Sliding Door / Gas			
AM10-18	Braun	AM18BA11	Signature Series Type III: Chevy G-3500 4x2 / 139" Wheelbase / 68" Headroom / 150"L Full Seam Welded Module - Sliding Side Door / Gas			
AM10-18	Braun	AM18BA12	Liberty Type I: Ford F-450 4x2 / 169" Wheelbase / 72" Headroom / 156" L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA13	Liberty Type I: Ford F-450 4x4 / 169" Wheelbase / 72" Headroom / 156" L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA14	Liberty Type I: Dodge Ram R-4500 4x2 / 168.5" Wheelbase / 72" Headroom / 156" L Full Seam Welded Module - Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA15	Liberty Type I: Dodge Ram R-4500 4x4 / 168.5" Wheelbase / 72" Headroom / 156" L Full Seam Welded Module / Sliding Side Door / Diesel			
AM10-18	Braun	AM18BA16	Chief XL Type I: Ford F-450 4x2 / 193" Wheelbase / 72" Headroom / 169"L Full Seam Welded Module - Sliding Side Door / Diesel			

	1				
AM10-18	Braun		Chief XL Type I: Ford F-450 4x4 / 193" Wheelbase / 72" Headroom / 169"L Full Seam Welded Module -		
ANIIU-10	Бгаші	AMIODAI7	Sliding Side Door / Diesel		
			Chief XL Type I: Ford F-550 4x2 / 193" Wheelbase /		
AM10-18	Braun	AM18BA18	72" Headroom / 169"L Full Seam Welded Module -		
			Sliding Side Door / Diesel		
			Chief XL Type I: Ford F-550 4x4 / 193" Wheelbase /		
AM10-18	Braun	AM18BA19	72" Headroom / 169"L Full Seam Welded Module -		
			Sliding Side Door / Diesel		
			Chief XL Type I: Dodge Ram R-4500 4x2 / 192.5"		
AM10-18	Braun	AM18BA20	Wheelbase / 72" Headroom / 169" L Full Seam		
			Welded Module - Sliding Side Door / Diesel		
			Chief XL Type I: Dodge Ram R-5500 4x2 / 192.5"		
AM10-18	Braun	AM18BA21	Wheelbase / 72" Headroom / 169" L Full Seam		
			Welded Module - Sliding Side Door / Diesel		
13440 46	n.	135400 : 22	Chief XL Type I: Dodge Ram R-5500 4x4 / 192.5"		
AM10-18	Braun	AM18BA22	Wheelbase / 72" Headroom / 169" L Full Seam		
			Welded Module - Sliding Side Door / Diesel		
			Chief XL Type III: Ford E-450 4x2 / 158"		
AM10-18	Braun	AM18BA23	Wheelbase / 72" Headroom / 169"L Full Seam		
		+	Welded Module - Sliding Side Door / Gas Chief XL Type III: Chevy G-4500 / 159" Wheelbase /		
AM10-18	Braun	AM18BA24	72" Headroom / 169" L Full Seam Welded Module -		
71,1110 10	Diam	11/11/05/12-1	Sliding Side Door / Gas		
			Super Chief Type I: Ford F-650 4x2 / 182"		
AM10-18	Braun	AM18BA25	Wheelbase / 73" Headroom / 170" Full Seam Welded		
			Module - Sliding Side Door / Diesel		
			Super Chief Type I: International MV607 4x2 / 175"		
AM10-18	Braun	AM18BA26	Wheelbase / 73" Headroom / 170" L Full Seam		
			Welded Module - Sliding Side Door / Diesel		
			Super Chief Type I: Freightliner M2 4x2 / 174"		
AM10-18	Braun	AM18BA27	Wheelbase / 73" Headroom / 170" L Full Seam		
			Welded Module - Sliding Side Door / Diesel		
E. Remounts ((See Section B, p. 8 Iten	ns 17-18 for specifics regarding "Ren	<u> </u>		
AM10-18	Braun	AM18BE01	Remount on Chassis Value Package - Chief/Chief XL		
			Ford E450 Gas Chassis Type III		
AM10-18	Braun	AM18BE02	Remount on Chassis Value Package - Chief/Chief XL		
1210 10		7111105502	Ford F450 Diesel Chassis Type I		
			Remount on Chassis Value Package Chiaf/Chiaf VI		
AM10-18	Braun	AM18BE03	Remount on Chassis Value Package - Chief/Chief XL Chevy G4500 Gas Chassis Type III		
			7		
AM10-18	Braun	AM18BE04	Remount on Chassis Select Package - Chief/Chief XL		
		+	Ford E450 Gas Chassis Type III		
AM10-18	Braun	AMISBEUS	Remount on Chassis Select Package - Chief/Chief		
			XL Ford F450 Diesel Chassis Type I		
			Remount on Chassis Select Package - Chief/Chief		
AM10-18	Braun		XL Chevy G4500 Gas Chassis Type III		
		 	J 31		
AM10-18	Braun	AM18BE07	Remount on Chassis Prestige Package - Chief/Chief XL Ford E450 Gas Chassis Type III		
			**		
AM10-18	Braun	AM18BE08	Remount on Chassis Prestige Package - Chief/Chief		
			XL Ford F450 Diesel Chassis Type I		
•					

						<u> </u>	
AM10-18	Braun	AM18BE09	Remount on Chassis Prestige Package - Chief/Chief XL Chevy G4500 Gas Chassis Type III				
AM10-18	Braun	AM18BE10	Remount on Chassis Value Package - Express Module Ford E350 Gas Chassis Type III				
AM10-18	Braun	AM18BE11	Remount on Chassis Value Package - Express Module Ford F350 Diesel Chassis Type I				
AM10-18	Braun	AM18BE12	Remount on Chassis Value Package - Express Module Chevy G3500 Gas Chassis Type III				
AM10-18	Braun	AM18BE13	Remount on Chassis Select Package - Express Module Ford E350 Gas Chassis Type III				
AM10-18	Braun	AM18BE14	Remount on Chassis Select Package - Express Module Ford F350 Diesel Chassis Type I				
AM10-18	Braun	AM18BE15	Remount on Chassis Select Package - Express Module Chevy G3500 Gas Chassis Type III				
AM10-18	Braun	AM18BE16	Remount on Chassis Prestige Package - Express Module Ford E350 Gas Chassis Type III				
AM10-18	Braun	AM18BE17	Remount on Chassis Prestige Package - Express Module Ford F350 Diesel Chassis Type I				
AM10-18	Braun	AM18BE18	Remount on Chassis Prestige Package - Express Module Chevy G3500 Gas Chassis Type III				
AM10-18	Braun	AM18BE19	Remount on Chassis Value Package - Raider Module Ford E450 Gas Chassis Type III				
AM10-18	Braun	AM18BE20	Remount on Chassis Value Package - Raider Module Ford F450 Diesel Chassis Type I				
AM10-18	Braun	AM18BE21	Remount on Chassis Value Package - Raider Module Chevy G3500 Gas Chassis Type III				
AM10-18	Braun	AM18BE22	Remount on Chassis Select Package -Raider Module Ford E350 Gas Chassis Type III				
AM10-18	Braun	AM18BE23	Remount on Chassis Select Package - Raider Module Ford F450 Diesel Chassis Type I				
AM10-18	Braun	AM18BE24	Remount on Chassis Select Package - Raider Module Chevy G3500 Gas Chassis Type III				
AM10-18	Braun	AM18BE25	Remount on Chassis Prestige Package - Raider Module Ford E350 Gas Chassis Type III				
AM10-18	Braun	AM18BE26	Remount on Chassis Prestige Package - Raider Module Ford F450 Diesel Chassis Type I				
AM10-18	Braun	AM18BE27	Remount on Chassis Prestige Package - Raider Module Chevy G3500 Gas Chassis Type III				
			C. Braun Northwest				
A. Ambulance			North Star - Type 1 - Ford F350 4x4 - Diesel Engine -				
AM10-18	Braun Northwest	AM18CA01	147"L x 94"W x 72" HR North Star - Type 1 - RAM 3500 4x4 - Diesel Engine -				
AM10-18	Braun Northwest	AM18CA02	147"L x 94"W x 72" HR				
AM10-18	Braun Northwest		North Star - Type 1 - GMC K3500 4x4 - Diesel Engine - 147"L x 94"W x 72" HR				
AM10-18	Braun Northwest	AM18CA04	North Star - Type 1 - Ford F450 4x4 - Diesel Engine - 147"L x 94"W x 72" HR				
AM10-18	Braun Northwest	AM18CA05	North Star - Type 1 - Ford F450 4x4 - Diesel Engine - 167"L x 94"W x 72" HR				
AM10-18	Braun Northwest	AM18CA06	North Star - Type 1 - RAM 4500 4x4 - Diesel Engine - 167"L x 94"W x 72" HR				
AM10-18	Braun Northwest	AM18CA07	North Star - Type 1 - Medium Duty - Ford F650 4x2 - Diesel Engine - 167"L x 96"W x 72" HR				
	-	•	· · · · · · · · · · · · · · · · · · ·	•	-		

AM10-18	Braun Northwest	AM18CA08	North Star - Type 1 Medium Duty - International - Diesel Engine - 167"L x 96"W x 72" HR		
AM10-18	Braun Northwest	AM18CA09	North Star - Type 1 Medium Duty - Freightliner - Diesel Engine - 167"L x 96"W x 72" HR		
AM10-18	Braun Northwest	AM18CA10	North Star - Type 2 - MB Sprinter Van		
AM10-18	Braun Northwest	AM18CA11	North Star - Type 2 - Promaster Van		
AM10-18	Braun Northwest		North Star - Type 2 - Ford Transit		
AM10-18	Braun Northwest	AM18CA13	North Star - Type 3 - Ford E350 - Gas Engine - 147"L x 94"W x 72" HR		
AM10-18	Braun Northwest	AM18CA14	North Star - Type 3 - GMC G3500 - Gas Engine - 147"L x 94"W x 72" HR		
AM10-18	Braun Northwest	AM18CA15	North Star - Type 3 - Ford E450 - Gas Engine - 167"L x 94"W x 72" HR		
AM10-18	Braun Northwest	AM18CA16	North Star - Type 3 - GMC G4500 - Gas Engine - 167"L x 94"W x 72" HR		
B. Light/Med	ium Rescue Vehicle				
AM10-18	Braun Northwest	AM18CB01	North Star - Fire Rescue - Ford F550 4x4 Crew Cab - Diesel Engine - 116"L x 94"W		
AM10-18	Braun Northwest	AM18CB02	North Star - Fire Rescue - Ford F550 4x4 Regular Cab - Diesel Engine - 116"L x 94"W		
AM10-18	Braun Northwest	AM18CB03	North Star - Fire Rescue - RAM 5500 4x4 Crew Cab - Diesel Engine - 116"L x 94"W		
AM10-18	Braun Northwest	AM18CB04	North Star - Fire Rescue - RAM 5500 4x4 Regular Cab - Diesel Engine - 116"L x 94"W		
AM10-18	Braun Northwest	AM18CB05	North Star - Fire Rescue - Ford F550 4x4 Crew Cab - Diesel Engine - 147"L x 94"W		
AM10-18	Braun Northwest	AM18CB06	North Star - Fire Rescue - Ford F550 4x4 Regular Cab - Diesel Engine - 147"L x 94"W		
AM10-18	Braun Northwest	AM18CB07	North Star - Fire Rescue - RAM 5500 4x4 Crew Cab - Diesel Engine - 147"L x 94"W		
AM10-18	Braun Northwest	AM18CB08	North Star - Fire Rescue - RAM 5500 4x4 Regular Cab - Diesel Engine - 147"L x 94"W		
AM10-18	Braun Northwest	AM18CB09	North Star - Fire Rescue - Ford F550 4x4 Regular Cab - Diesel Engine - 167"L x 94"W		
AM10-18	Braun Northwest	AM18CB10	North Star - Fire Rescue - RAM 5500 4x4 Regular Cab - Diesel Engine - 167"L x 94"W		
AM10-18	Braun Northwest	AM18CB11	North Star - Fire Rescue - Ford F550 4x4 Regular Cab - Diesel Engine - 192"L x 94"W		
AM10-18	Braun Northwest	AM18CB12	North Star - Fire Rescue - RAM 5500 4x4 Regular Cab - Diesel Engine - 192"L x 94"W		
C. Other Spec	cialty Vehicle or Equipment				
AM10-18	Braun Northwest	AM18CC01	North Star - Prisoner Transport - Ford E350 - Gas Engine - 138"L x 94"W x 57.875"HR		
AM10-18	Braun Northwest	AM18CC02	North Star - Prisoner Transport - Ford F350 4x4 - Diesel Engine - 143"L x 94"W x 57.75"HR		
AM10-18	Braun Northwest		North Star - Prisoner Transport - Ford F450 4x2 Regular Cab - Diesel Engine - 191"L x 94"W x 72.875"HR		
AM10-18	Braun Northwest		North Star - Prisoner Transport - Ford F550 4x2 - Regular Cab - Diesel Engine - 197"L x 94"W x 73" HR		
AM10-18	Braun Northwest		North Star - Prisoner Transport - Freightliner 4x2 - Regular Cab - Diesel Engine - 197"L x 94" W x 73"HR		
AM10-18	Braun Northwest	AM18CC06	North Star - Prisoner Transport - Ford F650 4x2 - Super Cab - Diesel Engine - 197"L x 94" W x 73"HR		

AM10-18	Braun Northwest	AM18CC07	North Star - Prisoner Transport - RAM 4500 4x2 Regular Cab - 197"L x 94"W x 72 "HR			
AM10-18	Braun Northwest	AM18CC08	North Star - EOD Command - Ford F550 4x4 - Regular Cab - Diesel Engine - 191"L x 94" W x 80" HR			
AM10-18	Braun Northwest	AM18CC09	North Star - EOD Command - International 4400 4x2 - Diesel Engine - 222"L x 100"W x 84"HR			
AM10-18	Braun Northwest		North Star - SWAT Command - Ford F550 4x4 - Regular Cab - Diesel Engine - 192"L x 94" W x 78" HR			
AM10-18	Braun Northwest	AM18CC11	North Star - Hazardous Materials Command - Ford F550 4x4 - Regular Cab - Diesel Engine - 187"L x 94" W x 72" HR			
AM10-18	Braun Northwest	AM18CC12	North Star - Crime Scene Command - Ford F350 4x4 - Diesel Engine - 147"L x 94"W x 72"HR			
AM10-18	Braun Northwest	AM18CC13	North Star - Mobile Command - Ford F650 4x2 - Diesel Engine - 196"L x 94"W x 76"HR			
AM10-18	Braun Northwest	AM18CC14	North Star - Wildland Crew Body - 198"L x 98"W x 78" HR			
E. Remounts ((See Section B, p. 8 Item	s 17-18 for specifics regarding "Ren	nount" pricing)			
	Braun Northwest		North Star - Remount of Northstar Module			
AM10-18	Braun Northwest	AM18CE02	North Star - Remount of Northstar Module - Ford F350 4x4			
AM10-18	Braun Northwest	AM18CE03	North Star - Remount of Northstar Module - Ford F450 4x4			
AM10-18	Braun Northwest	AM18CE04	North Star - Remount of Northstar Module - Ford E350			
AM10-18	Braun Northwest	AM18CE05	North Star - Remount of Northstar Module - Ford E450			
AM10-18	Braun Northwest	AM18CE06	North Star - Remount of Northstar Module - GMC G3500			
AM10-18	Braun Northwest	AM18CE07	North Star - Remount of Northstar Module - GMC G4500			
AM10-18	Braun Northwest	AM18CE08	North Star - Remount of Northstar Module - RAM 3500 4x4			
AM10-18	Braun Northwest	AM18CE09	North Star - Remount of Northstar Module - RAM 4500 4x4			
AM10-18	Braun Northwest	AM18CE10	North Star - Remount of Northstar Module - International			
AM10-18	Braun Northwest	AM18CE11	North Star - Remount of Northstar Module - Freightliner			
			D. Crestline Coach Ltd.	·		
A. Ambulance	2					
AM10-18	Crestline Coach Ltd.	AM18DA01	Summit 170, Type III - 96"W x 170"L - Ford E450 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA02	Summit 170, Type III - 96"W x 170"L - Chev G4500 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA03	Summit 170, Type I - 96"W x 170"L - Ford F-450 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA04	Summit 170, Type I - 96"W x 170"L - Ford F-550 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA05	Summit 170, Type I - 96"W x 170"L - Dodge 4500 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA06	Summit 150, Type I - 96"W x 154"L - Ford F-350 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA07	Summit 150, Type I - 96"W x 154"L - Ford F-450 Diesel			

AM10-18	Crestline Coach Ltd.	AM18DA08	Summit 150, Type I - 96"W x 154"L - Dodge RAM 3500 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA09	Summit 150, Type I - 96"W x 154"L -Dodge RAM 4500 Diesel			
AM10-18	Crestline Coach Ltd.	AM18DA10	Commander, Type III - 94'W x 164"L - Ford E-450 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA11	Commander, Type III - 94"W x 164"L - Chevy G4500 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA12	Commander, Type III - 94"W x 164"L - Ford E350			
AM10-18	Crestline Coach Ltd.	AM18DA13	Gas Commander, Type III - 94"W x 164"L - Chev G3500			
AM10-18	Crestline Coach Ltd.	AM18DA14	Gas			
AM10-18	Crestline Coach Ltd.	AM18DA15	FleetMax, Type III - 88"W x 164"L - Ford E350 Gas FleetMax, Type III - 88"W x 164"L - Chev G3500			
			Gas			
AM10-18	Crestline Coach Ltd.	AM18DA16	Apex, Type III - 90"W x 151"L - Ford E350 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA17	Apex, Type III - 90"W x 151"L - Chev G3500 Gas			
AM10-18	Crestline Coach Ltd.	AM18DA18	Icon, Type III - 82"W x 151"L - Mercedes Sprinter Diesel			
			E. Demers			
A. Ambulance						
			Type I, MXP150E FORD Diesel V8 P-up 2x4 F350			
AM10-18	Demers	AM18EA01	150"L x 95"W x 72" HR			
111111111111111111111111111111111111111		111/11/02/101	Multiplex, Heads up console, Emergency LED light package, Ecosmart, Autoboost			
			Type I, MXP150E FORD Diesel V8 P-up 4x4 F350			
AM10-18	Demers	AM18EA02	150"L x 95"W x 72" HR			
AWIIU-IO	Demers	AWITOEAU2	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP150E FORD Diesel V8 P-up 2x4 F450 150"L x 95"W x 72" HR			
AM10-18	Demers	AM18EA03	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP150E FORD Diesel V8 P-up 4x4 F450			
AM10-18	Demers	AM18EA04	150"L x 95"W x 72" HR			
			Multiplex, Heads up console, Emergency LED light package, Ecosmart, Autoboost			
			Type I, MXP150E GM Diesel V8 P-up 4x 4 3500			
			150"L x 95"W x 72" HR			
AM10-18	Demers	AM18EA05	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP150E GM Gas V8 P-up 4x 4 3500			
AM10-18	Demers	AM18EA06	150"L x 95"W x 72" HR			
			Multiplex, Heads up console, Emergency LED light package, Ecosmart, Autoboost			
			Type I, MXP150E Dodge Diesel P-up 2x 4 4500			
AM10-18	Domons	AM18EA07	150"L x 95"W x 72" HR			
Alvi10-18	Demers	AWI18EAU/	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP150E Dodge Diesel P-up 4x 4 4500			
AM10-18	Demers	AM18EA08	150"L x 95"W x 72" HR Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
L	I	1	r			

			Type I, MXP170E FORD Diesel V8 P-up 4x4 F450			
AM10-18	Demers	AM18EA09	170"L x 95"W x 72" HR			
AW110-10	Demers	AMIOEAUS	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP170E FORD Diesel V8 P-up 2x4 F450			
			170"L x 95"W x 72" HR			
AM10-18	Demers	AM18EA10	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP170E Dodge Diesel V8 P-up 4x4 4500			
AM10-18	Demers	AM18EA11	170"L x 95"W x 72" HR			
AW110-10	Demers	AMIOLAII	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type I, MXP170E Freightliner M2 Diesel P-up 2x4			
			170"L x 95"W x 72"HR			
AM10-18	Demers	AM18EA12	Multiplex, Heads up console, Emergency LED light			
			package, Autoboost			
			Type II, EXE Mercedes Diesel Van Sprinter 2500			
AM10-18	Demers	AM18EA13	76"HR			
AWIIU-IO	Demers	AMIGEAIS	Multiplex, Heads up console, LED light package,			
			Aerodynamic roof design			
			Type II, TSE Ford Transit Diesel Mid Height Roof			
AM10-18	Demers	AM18EA14	Van			
AMIIU-IU	Demers	AMIOEAT	Multiplex, Aerodynamic roof design			
			Multiplex, Aerodynamic foor design			
13510.10	_		Type II, TSE Ford Transit Gas Mid Height Roof Van			
AM10-18	Demers	AM18EA15	Multiplex, Aerodynamic roof design			
			-			
			Type III, MX151 FORD Gas V10 C/W E350 151"L			
13/10 10	D.	AM40E446	x 88"W x 68"HR			
AM10-18	Demers	AM18EA16	Multiplex, Heads up console, Emergency LED light			
			package, Autoboost			
			Type III, MX152E Mercedes Diesel C/W Sprinter			
AM10-18	Demers	AM18EA17	3500, 152"L x 86"W x 72"HR			
			Multiplex, Heads up console, LED Light package			
			Type III, MX164 FORD Gas V10 C/W E350 164"L			
AM10-18	Demers	AM18EA18	x 95"W x 72"HR			
AWIIU-IO	Demers	AWIOLAIO	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type III, MX164 FORD Gas V10 C/W E450 164"L			
			x 95"W x 72"HR			
AM10-18	Demers	AM18EA19	Multiplex, Heads up console, Emergency LED light			
-	 	 	package, Ecosmart, Autoboost			
			Type III, MX164 FORD Gas V10 C/W E450 164"L			
AM10-18	Demers	AM18EA20	x 95"W x 72"HR			
			Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type III, MX164 GM Gas V8 C/W 4500 164"L x			
13.510.10	_		95"W x 72" HR			
AM10-18	Demers	AM18EA21	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
-	1	+	Type III, MX170 FORD Gas V10 C/W E450 170"L x			
AM10-18	Demers	AM18EA22	95"W x 72"HR			
			Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
			Type III, MX170 GM Gas V8 C/W 4500 170"L x			
	-		95"W x 72" HR			
AM10-18	Demers	AM18EA23	Multiplex, Heads up console, Emergency LED light			
			package, Ecosmart, Autoboost			
E D	(C	17.10.6 16 27 27				
E. Remounts (See Section B, p. 8 Iten	ns 17-18 for specifics regarding "Ren	nount" pricing)			
			-		 	

			,		
AM10-18	Demers	AM18EE01	Type III REMOUNT, MX160 Ford gas C/W E350 160"long x 95" wide x 68" HR Multiplex, Heads up console, Emergency LED package,		
AM10-18	Demers	AM18EE02	Type III REMOUNT, MX160 GM gas C/W 3500 160"long x 95" wide x 68"HR Multiplex, Heads up console, Emergency LED package		
AM10-18	Demers	AM18EE03	Type III REMOUNT, MX144 Ford gas C/W E350 144"long x 89" wide x 64"HR Multiplex, Heads up console, Emergency LED package		
AM10-18	Demers	AM18EE04	Type III REMOUNT, MX144 GM gas C/W 3500 144"long x 89" wide x 64"HR Multiplex, Heads up console, Emergency LED package		
	1	1	F. Excellance	_	
A. Ambulance	2				
AM10-18	Excellance	AM18FA01	GE-T1 Ford F350 4x2 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA02	GE T1 Ford F450 4x2 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA03	GE-T1 Ford F550 4x2 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA04	GE T1-L Ford F450 4x2 Type1-L Golden Eagle Diesel 172"L x 96"W X69"HR		
AM10-18	Excellance	AM18FA05	GE-T1-L Ford F550 4x2 Type1-L Golden Eagle Diesel 172"L x 96"W X69"HR		
AM10-18	Excellance	AM18FA06	GE-T1 Ford F350 4x4 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA07	GE T1 Ford F450 4x4 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA08	GE-T1 Ford F550 4x4 Type1 Golden Eagle Diesel 146L" x 96"W x 69"HR		
AM10-18	Excellance	AM18FA09	GE T1-L Ford F450 4x4 Type1-L Golden Eagle Diesel 172"L x 96"W x 69"HR		
AM10-18	Excellance	AM18FA10	GE-T1-L Ford F550 4x4 Type1-L Golden Eagle Diesel 172"L x 96"W x 69"HR		
AM10-18	Excellance	AM18FA11	GE-T III Ford E350 Type III Golden Eagle Gas 146" x 96" x 69"HR		
AM10-18	Excellance	AM18FA12	GE-T-III-L Ford E450 Type IIIL Golden Eagle Gas 166" x 96" x 69"HR		
AM10-18	Excellance	AM18FA13	GE-T-III GM G3500 Type III Golden Eagle Gas 146" x 96" x 69"HR		
AM10-18	Excellance	AM18FA14	GE-T-III-L GM G4500 Type III-L Golden Eagle Gas 166" x 96" x 69"HR		
AM10-18	Excellance	AM18FA15	GE-T-1 RAM 4500 4x2 Golden Eagle Diesel Type1 146" x 96" x 69"HR		
AM10-18	Excellance	AM18FA16	GE-T-1 RAM 5500 4x2 Golden Eagle Diesel Type1 146" x 96" x 69"HR		
AM10-18	Excellance	AM18FA17	GE-T-1 RAM 4500 4x4 Golden Eagle Diesel Type1 146" x 96" x 69"HR		
AM10-18	Excellance	AM18FA18	GE-T-1-L RAM 4500 4x2 Golden Eagle Diesel Type1L 172" x 96" x 69"HR		

		<u> </u>	,			
AM10-18	Excellance	AM18FA19	GE-T-L-1 RAM 5500 4x2 Golden Eagle Diesel Type1L 172" x 96" x 69"HR			
AM10-18	Excellance	AM18FA20	GE-T-L-1 RAM 4500 4x4 Golden Eagle Diesel Type1L 172" x 96" x 69"HR			
AM10-18	Excellance	AM18FA21	GE-T-1-L RAM 5500 4x4 Golden Eagle Diesel Type1L 172" x 96" x 69"HR			
AM10-18	Excellance	AM18FA22	GE-EHD International 4300 EHD Golden Eagle			
ANIIU-10	Excenance	ANIIOFAZZ	166"L x 96"L x 72" HR			
AM10-18	Excellance	AM18FA23	GE-EHD Freightliner M2 EHD Golden Eagle 166"L x 96"L x 72" HR			
AM10-18	Excellance	AM18FA24	GE-EHD Ford F650 4x2 EHD Golden Eagle Diesel 172" x 96" x 72" HR			
AM10-18	Excellance	AM18FA25	GE-TI Chevrolet C-3500 HD 4x2 Golden Eagle Diesel 146" x 96" x 69"			
AM10-18	Excellance	AM18FA26	GE-TI Chevrolet C-3500 HD 4x4 Golden Eagle Diesel 146" x 96" x 69"			
E. Remounts	(See Section B, p. 8 Item	ns 17-18 for specifics regarding "R	emount" pricing)			
AM10-18	Excellance	AM18FE01	Base Remount Only Type1 Excellance			
AM10-18	Excellance	AM18FE02	Base Remount TypeIII Excellance			
AM10-18	Excellance	AM18FE03	Base Remount TypeIII-L Excellance			
AM10-18	Excellance	AM18FE04	Base Remount Only EHD Excellance			
AM10-18	Excellance	AM18FE05	Base Remount Ford F350 4x2 Type1 Diesel			
AM10-18	Excellance	AM18FE06	Base Remount Ford F450 4x2 Type1 Diesel			
AM10-18	Excellance	AM18FE07	Base Remount Ford F550 4x2 Type1 Diesel			
AM10-18	Excellance	AM18FE08	Base Remount Ford F350 4x4 Type1-L Diesel			
AM10-18	Excellance	AM18FE09	Base Remount Ford F450 4x2 Type1-L Diesel			
AM10-18	Excellance	AM18FE10	Base Remount Ford F550 4x2 Type1-L Diesel			
AM10-18	Excellance	AM18FE11	Base Remount Ford F450 4x4 Type1 Diesel			
AM10-18	Excellance	AM18FE12	Base Remount Ford F550 4x4 Type1Diesel			
AM10-18	Excellance	AM18FE13	Base Remount Ford F450 4x4 Type1-L Diesel			
AM10-18	Excellance	AM18FE14	Base Remount Ford F550 4x4 Type1-L Diesel			
AM10-18	Excellance	AM18FE15	Base Remount Ford E350 Type III Gas			
AM10-18	Excellance	AM18FE16	Base Remount Ford E450 Type IIIL Gas			
AM10-18	Excellance	AM18FE17	Base Remount GM G3500 Type III Gas			
AM10-18	Excellance	AM18FE18	Base Remount GM G4500 Type III Gas			
AM10-18	Excellance	AM18FE19	Base Remount RAM 4500 4x2 Diesel Type1			
AM10-18	Excellance	AM18FE20	Base Remount RAM 5500 4x2 Diesel Type1			
AM10-18	Excellance	AM18FE21	Base Remount RAM 4500 4x4 Diesel Type1			
AM10-18	Excellance	AM18FE22	Base Remount RAM 4500 4x4 Diesel Type1			
AM10-18	Excellance	AM18FE23	Base Remount RAM 4500 4x2 Diesel Type1L			
AM10-18	Excellance	AM18FE24	Base Remount RAM 5500 4x2 Diesel Type1L			
AM10-18	Excellance	AM18FE25	Base Remount RAM 4500 4x4 Diesel Type1L			
AM10-18	Excellance	AM18FE26	Base Remount RAM 5500 4x4 Diesel Type1L			
AM10-18	Excellance	AM18FE27	Base Remount International 4300 EHD			

AM10-18	Excellance	AM18FE28	Base Remount Freightliner M2 EHD			
	L	<u> </u>	G. FastLane Emergency Vehicle	les		
B. Light/Med	ium Rescue Vehicle					
AM10-18	FastLane Emergency Vehicles	AM18GB01	XMR-108-F450 Light Rescue, Ford F450, 9ft walk around body, 7-compartments w/ LED light package.			
AM10-18	FastLane Emergency Vehicles	AM18GB02	XMR-108-F550 Light Rescue, Ford F550, 9ft walk around body, 7-compartments w/ LED light package.			
AM10-18	FastLane Emergency Vehicles	AM18GB03	XMR-132-F550 Light Rescue, Ford F550, 11ft walk around body, 7-compartments w/ LED light package.			
AM10-18	FastLane Emergency Vehicles	AM18GB04	XMR-108-R450 Light Rescue, Dodge Ram 4500, 9ft walk around body, 7-compartments w/ LED light package.			
AM10-18	FastLane Emergency Vehicles	AM18GB05	XMR-108-R550 Light Rescue, Dodge Ram 5500, 9ft walk around body, 7-compartments w/ LED light package.			
AM10-18	FastLane Emergency Vehicles	AM18GB06	XMR-132-R550 Light Rescue, Dodge Ram 5500, 11ft walk around body, 7-compartments w/ LED light package.			
C. Other Spec	cialty Vehicle or Equipme	nt				
AM10-18	FastLane Emergency Vehicles	AM18GC01	FL-SUV-C-EEL Ford Expedition EL, Command Unit, Console, Rear Command Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles		FL-SUV-C-EXP Ford Expedition, Command Unit, Console, Rear Command Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC03	FL-SUV-C-TAH Chevrolet Tahoe, Command Unit, Console, Rear Command Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC04	FL-SUV-C-SUB Chevrolet Suburban, Command Unit, Console, Rear Command Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC05	FL-SUV-E-EXE Ford Expedition EL, EMS Response Unit, Console, Rear Storage Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles		FL-SUV-E-EXP Ford Expedition, EMS Response Unit, Console, Rear Storage Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC07	FL-SUV-E-TAH Chevrolet Tahoe, EMS Response Unit, Console, Rear Storage Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC08	FL-SUV-E-SUB Chevrolet Suburban, EMS Response Unit, Console, Rear Storage Cabinet, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC09	FL-FPU-C Ford F350, Command, Console, Rear Cap Topper, Rear Slide Out Command Center, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC10	FL-RPU-C Dodge Ram 3500, Command, Console, Rear Cap Topper, Rear Slide Out Command Center, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles	AM18GC11	FL-CPU-C Chevrolet 3500, Command, Console, Rear Cap Topper, Rear Slide Out Command Center, LED Lighting Package			
AM10-18	FastLane Emergency Vehicles		FL-FPU-R Ford F350, Response Unit, Console, Rear Cap Topper, Rear Slide Out Storage Unit, LED Lighting Package			

			<u> </u>		
AM10-18	FastLane Emergency Vehicles		FL-RPU-R Dodge Ram 3500, Response Unit, Console, Rear Cap Topper, Rear Slide Out Storage Unit, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-CPU-R Chevrolet 3500, Response Unit, Console, Rear Cap Topper, Rear Slide Out Storage Unit, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-VAN-S-CSU Crime Scene Van, Sprinter 2500, Rear Finished Work Area with Cabinetry, Rear HVAC, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles	AM18GC16	FL-VAN-R-CSU Crime Scene Van, Ram ProMaster, Rear Finished Work Area with Cabinetry, Rear HVAC, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-VAN-S-SUR Surveilance Van, Sprinter 2500, Rear Finished Work Area with Cabinetry, Rear HVAC, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles	AM18GC18	FL-VAN-R-SUR Surveilance Van, Ram ProMaster, Rear Finished Work Area with Cabinetry, Rear HVAC, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-MARC-F350 Ford F350, Mobile Aluminum Remountable Command vehicle with LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-MARC-C350 Chevrolet 3500, Mobile Aluminum Remountable Command Vehicle with LED Lighting Package		
AM10-18	FastLane Emergency Vehicles	AM18GC21	FL-MARC-R350 Ram 3500, Mobile Aluminum Remountable Command Vehicle with LED Lighting Package		
AM10-18	FastLane Emergency Vehicles		FL-SIB-F350 Ford F350, Slide In Fiberglass Body Responder Unit, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles	AM18GC23	FL-SIB-C350 Chevrolet 3500, Slide In Fiberglass Body Responder Unit, LED Lighting Package		
AM10-18	FastLane Emergency Vehicles	AM18GC24	FL-SIB-R350 Ram 3500, Slide In Fiberglass Body Responder Unit, LED Lighting Package		
			H. Frazer		
C. Other Spec	cialty Vehicle or Equipm	ent			
AM10-18	Frazer	AM18HC01	Urban Command Vehicle 9' on Chevy C2500 Gas 4x2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC02	Urban Command Vehicle 9' on Chevy C2500 Diesel 4x2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC03	Urban Command Vehicle 9' on Ford F-350 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC04	Urban Command Vehicle 9' on Ford F-350 Diesel 4x2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC05	Urban Command Vehicle 9' on Ford F-350 Diesel 4x2 Super Cab w/ DRW		
AM10-18	Frazer	AM18HC06	Urban Command Vehicle 9' on Ford F-350 Diesel 4x2 Super Cab w/ SRW		
AM10-18	Frazer	AM18HC07	Urban Command Vehicle 9' on Ford F-350 Gas 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC08	Urban Command Vehicle 9' on Ford F-350 Gas 4x2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC09	Urban Command Vehicle 9' on Ford F-350 Gas 4x2 Super Cab w/ DRW		
AM10-18	Frazer	AM18HC10	Urban Command Vehicle 9' on Ford F-350 Gas 4x2 Super Cab w/ SRW		

AM10-18	Frazer	AM18HC11	Urban Command Vehicle 9' on Ford F-450 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC12	Urban Command Vehicle 9' on Ford F-450 Diesel 4x2 Super Cab w/ DRW		
AM10-18	Frazer	AM18HC13	Urban Command Vehicle 9' on RAM 3500 Gas 4X2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC14	Urban Command Vehicle 9' on RAM 3500 Diesel 4X2 Crew Cab w/ SRW		
AM10-18	Frazer	AM18HC15	Urban Command Vehicle 9' on RAM 3500 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC16	Urban Command Vehicle 9' on RAM 3500 Gas 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC17	Urban Command Vehicle 9' on RAM 4500 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC18	Urban Command Vehicle 9' on RAM 4500 Gas 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC19	Urban Command Vehicle 10' on Ford F-350 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC20	Urban Command Vehicle 10' on Ford F-350 Diesel 4x2 Super Cab w/ DRW		
AM10-18	Frazer	AM18HC21	Urban Command Vehicle 10' on Ford F-350 Gas 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC22	Urban Command Vehicle 10' on Ford F-350 Gas 4x2 Super Cab w/ DRW		
AM10-18	Frazer	AM18HC23	Urban Command Vehicle 10' on Ford F-450 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC24	Urban Command Vehicle 10' on Ford F-450 Diesel 4x2 Super Cab w/ DRW Urban Command Vehicle 10' on RAM 3500 Diesel		
AM10-18	Frazer	AM18HC25	4x2 Crew Cab w/ DRW Urban Command Vehicle 10' on RAM 3500 Gas 4x2		
AM10-18	Frazer	AM18HC26	Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC27	Urban Command Vehicle 10' on RAM 4500 Diesel 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC28	Urban Command Vehicle 10' on RAM 4500 Gas 4x2 Crew Cab w/ DRW		
AM10-18	Frazer	AM18HC29	Urban Command Vehicle 9' on Customer Provided Chassis		
AM10-18	Frazer	AM18HC30	Urban Command Vehicle 10' on Customer Provided Chassis		
AM10-18	Frazer	AM18HC31	Mobile Health or Command Vehicle 15' on Chevy G4500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HC32	Mobile Health or Command Vehicle 15' on Ford E- 450 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HC33	Mobile Health or Command Vehicle 18' on International 4300LP Diesel 4x2 Reg Cab		
AM10-18	Frazer		Mobile Health or Command Vehicle 18' on Freightliner M2 Diesel 4x2 Reg Cab		
AM10-18	Frazer		Mobile Stroke Unit 14' on International 4300LP Diesel 4x2 Reg Cab		
AM10-18	Frazer		Mobile Stroke Unit 14' on Freightliner M2 Diesel 4x2 Reg Cab		
	cle Conversion				
AM10-18			Type I 12' on Chevy C3500 Diesel 4x2 Reg Cab		
AM10-18	Frazer		Type I 12' on Chevy C3500 Gas 4x2 Reg Cab		
AM10-18	Frazer		Type I 14' on Chevy C4500 Diesel 4X2 Reg Cab		
AM10-18	Frazer		Type I 12' on Ford F-350 Diesel 4x2 Reg Cab		
AM10-18	Frazer		Type I 12' on Ford F-450 Diesel 4x2 Reg Cab		
AM10-18	Frazer		Type I 12' on RAM 3500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD07	Type I 12' on RAM 3500 Gas 4x2 Reg Cab		

	1				
AM10-18	Frazer		Type I 12' on RAM 4500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD09	Type I 12' on RAM 4500 Gas 4x2 Reg Cab		
AM10-18	Frazer		Type I 14' on Ford F-450 Diesel 4x2 Reg Cab		
AM10-18	Frazer		Type I 14' on Ford F-550 Diesel 4X2 Reg Cab		
AM10-18	Frazer		Type I 14' on RAM 4500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD13	Type I 14' on RAM 4500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HD14	Type I 14' on RAM 5500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD15	Type I 14' on International 4300LP Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD16	Type I 14' on Freightliner M2 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HD17	Type III 12' on Chevy G3500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HD18	Type III 12' on Ford E-350 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HD19	Type III 12' on Ford Transit 350 Gas 4X2 Reg Cab		
AM10-18	Frazer	AM18HD20	Type III 12' on Ford Transit 350 Diesel 4X2 Reg Cab		
AM10-18	Frazer	AM18HD21	Type III 14' on Chevy G4500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HD22	Type III 14' on Ford E-450 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HD23	Type I 12' on Customer Provided Chassis		
AM10-18	Frazer	AM18HD24	Type I 14' on Customer Provided Chassis		
AM10-18	Frazer	AM18HD25	Type III 12' on Customer Provided Chassis		
AM10-18	Frazer	AM18HD26	Type III 14' on Customer Provided Chassis		
E. Remounts ((See Section B, p. 8 Item	ns 17-18 for specifics regarding "Rei	mount" pricing)		
AM10-18	Frazer	AM18HE01	Remount of 12' Module on Chevy C3500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE02	Remount of 12' Module on Chevy C3500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HE03	Remount of 14' Module on Chevy C4500 Diesel 4X2 Reg Cab		
AM10-18	Frazer	AM18HE04	Remount of 12' Module on Ford F-350 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE05	Remount of 12' Module on Ford F-450 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE06	Remount of 12' Module on RAM 3500 Diesel 4x2		
AM10-18	Frazer	AM18HE07	Reg Cab Remount of 12' Module on RAM 3500 Gas 4x2 Reg		
			Cab		
AM10-18	Frazer	AM18HE08	Remount of 12' Module on RAM 4500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE09	Remount of 12' Module on RAM 4500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HE10	Remount of 14' Module on Ford F-450 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE11	Remount of 14' Module on Ford F-550 Diesel 4X2 Reg Cab		
AM10-18	Frazer	AM18HE12	Remount of 14' Module on RAM 4500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE13	Remount of 14' Module on RAM 4500 Gas 4x2 Reg Cab		
AM10-18	Frazer	AM18HE14	Remount of 14' Module on RAM 5500 Diesel 4x2 Reg Cab		
AM10-18	Frazer	AM18HE15	Remount of 14' Module on International 4300LP		
<u> </u>	Frazer	AM18HE16	Diesel 4x2 Reg Cab Remount of 14' Module on Freightliner M2 Diesel		
AM10-18					

AM10-18	Frazer	AM18HE17	Remount of 12' Module on Chevy G3500 Gas 4x2 Reg Cab			
AM10-18	Frazer	AM18HE18	Remount of 12' Module on Ford E-350 Gas 4x2 Reg Cab			
AM10-18	Frazer	AM18HE19	Remount of 14' Module on Chevy G4500 Gas 4x2 Reg Cab			
AM10-18	Frazer	AM18HE20	Remount of 14' Module on Ford E-450 Gas 4x2 Reg Cab			
AM10-18	Frazer	AM18HE21	Remount of Urban Command Vehicle on Chevy C2500 Diesel 4x2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE22	Remount of Urban Command Vehicle on Chevy C2500 Gas 4x2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE23	Remount of Urban Command Vehicle on Ford F-350 Diesel 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE24	Remount of Urban Command Vehicle on Ford F-350 Diesel 4x2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE25	Remount of Urban Command Vehicle on Ford F-350 Diesel 4x2 Super Cab w/ DRW			
AM10-18	Frazer	AM18HE26	Remount of Urban Command Vehicle on Ford F-350 Diesel 4x2 Super Cab w/ SRW			
AM10-18	Frazer	AM18HE27	Remount of Urban Command Vehicle on Ford F-350 Gas 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE28	Remount of Urban Command Vehicle on Ford F-350 Gas 4x2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE29	Remount of Urban Command Vehicle on Ford F-350 Gas 4x2 Super Cab w/ DRW			
AM10-18	Frazer	AM18HE30	Remount of Urban Command Vehicle on Ford F-350 Gas 4x2 Super Cab w/ SRW			
AM10-18	Frazer	AM18HE31	Remount of Urban Command Vehicle on Ford F-450 Diesel 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE32	Remount of Urban Command Vehicle on Ford F-450 Diesel 4x2 Super Cab w/ DRW			
AM10-18	Frazer	AM18HE33	Remount of Urban Command Vehicle on RAM 3500 Diesel 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE34	Remount of Urban Command Vehicle on RAM 3500 Gas 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE35	Remount of Urban Command Vehicle on RAM 4500 Diesel 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE36	Remount of Urban Command Vehicle on RAM 4500 Gas 4x2 Crew Cab w/ DRW			
AM10-18	Frazer	AM18HE37	Remount of Urban Command Vehicle on RAM 3500 Gas 4X2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE38	Remount of Urban Command Vehicle on RAM 3500 Diesel 4X2 Crew Cab w/ SRW			
AM10-18	Frazer	AM18HE39	Remount of 12' Module on Customer Provided Chassis			
AM10-18	Frazer	AM18HE40	Remount of 14' Module on Customer Provided Chassis			
AM10-18	Frazer	AM18HE41	Remount of Urban Command Vehicle on Customer Provided Chassis			
			I. Frontline Communicatio	ns		
C. Other Spec	cialty Vehicle or Equipm	ent				
AM10-18	Frontline Communications	AM18IC01	C-17 Chevrolet Suburban-4x4			
AM10-18	Frontline Communications	AM18IC02	C-20 Ford Transit Rapid Response van			
AM10-18	Frontline Communications	I AMIXICUS	C-23 Mercedes Sprinter 3500HC diesel van - 11,030 GVWR			

	In a	1	In a		
AM10-18	Frontline Communications	AM18IC04	C-24 Hostage Negotiations Vehicle Mercedes Sprinter 3500HC diesel van - 11030 GVWR		
	Frontline		F-450 EOD, 4 Door, 4x4, 22' Modular aluminum		
AM10-18	Communications	AM18IC05	body.		
AM10-18	Frontline Communications	AM18IC06	F-550 2 Door Rescue, 10' Modular aluminum body		
AM10-18	Frontline Communications	AM18IC07	F-550 4 Door Rescue, 10' Modular aluminum body		
AM10-18	Frontline Communications	AM18IC08	F-550 2 Door Rescue, 12' Modular alumnum body		
AM10-18	Frontline Communications	AM18IC09	F-550 4 Door Rescue 12' Modular aluminum body		
AM10-18	Frontline Communications	AM18IC10	C-25 F-650 - 26,000 GVWR - 25 feet approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC11	C-30 Freightliner M2-106 - 33,000 GVWR - 30 feet approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC12	C-33 SWAT, Ford F-750 - 26,000 GVWR, 33 feet approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC13	C-35 Freightliner M2-106 - 33,000 GVWR - 35 feet approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC14	C-35 Marine Rescue Freightliner M2-106 - 33,000 GVWR - 35 feet approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC15	C-40 Incident Support Freightliner M2-106 - 35,600 GVWR - 40 feet 9 inches approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC16	C-40 Freightliner M2-106 - 54,000 GVWR - 40 feet 9 inches approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC17	C-40 SWAT Freightliner M2-106 - 54,000 GVWR - 40 feet 9 inches approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC18	C-40 Arrow XT Command/Communications, 40 feet 9 inches approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC19	C-40 Velocity Command/Communications, 40 feet 9 inches approximate length - Modular aluminum body.		
AM10-18	Frontline Communications	AM18IC20	C-20T Custom Trailer - 20 foot body, swing down ramp door		
AM10-18	Frontline Communications	AM18IC21	C-42T Custom Trailer - 42 foot, Modular aluminum body		
AM10-18	Frontline Communications	AM18IC22	C-53T Custom Trailer, 53 body, Modular aluminum body		
			J. General Truck Body		
C. Other Spec	cialty Vehicle or Equipment				
AM10-18	General Truck Body	AM18JC01	METRA Dive Unit on Ford F550		
AM10-18	General Truck Body	AM18JC02	METRA Dive Unit on Ford F550 METRA Dive Unit on Ram 5500		
AM10-18	General Truck Body	AM18JC03	Rapid Response on Ford F150 Interceptor		
AM10-18	General Truck Body	AM18JC04	KRR Rapid Response K-9 Unit on Ford F250		
AM10-18	General Truck Body	AM18JC05	KRR Rapid Response K-9 Unit on Ram 2500		
	1	T.	r		

AM10-18	General Truck Body	AM18JC06	DDVD: . D D LVV E LESSO			
AM10-18	General Truck Body	AM18JC07	RBU Disaster Response Bomb Unit on Ford F250			
AM10-18	General Truck Body	AM18JC08	RBU Disaster Response Bomb Unit on Ram 2500			
			MERC Mobile Command Center on Ford F750			
AM10-18	General Truck Body	AM18JC09	MERC Crime Scene Unit on Ford F450			
AM10-18	General Truck Body	AM18JC10	HWR Ford F550 Crew Cab 6x6 High Water Rescue			
AM10-18	General Truck Body	AM18JC11	HWR HD Ford F750 4x4 High Water rescue			
AM10-18	General Truck Body	AM18JC12	EVS COMMAND/RESCUE EXPEDITION SSV			
AM10-18	General Truck Body	AM18JC13	EVS COMMAND/RESCUE EXPLORER INTERCEPTOR AWD			
AM10-18	General Truck Body	AM18JC14	Disaster Rapid Response Truck on a Ford Transit Connect Chassis			
AM10-18	General Truck Body	AM18JC15	Disaster responst Unit on a Ford Transit			
AM10-18	General Truck Body	AM18JC16	Prisioner Transport on a Ford Transit Passenger Van			
AM10-18	General Truck Body	AM18JC17	RCV Response Command Vehicle 8FT, Ram 2500 Reg Cab 4x2			
AM10-18	General Truck Body	AM18JC18	T-REX D-3500, Reg Cab 9FT, Walk-Around Rescue/Extraction			
AM10-18	General Truck Body	AM18JC19	Rapid Response Vehicle 10FT, D5500, Aluminum body, 1 work station w/ overhead cabinet, (1) 13,500btu AC w / heatstrip			
AM10-18	General Truck Body	AM18JC20	Mobile Command Vehicle 14FT, D-5500, Aluminum body, (2) work station's w/ overhead cabinet's, (2) 13,500btu AC's w / heatstrip			
AM10-18	General Truck Body	AM18JC21	Mobile Surveillance Unit 14FT, D-5500 (2) Solid surface work station's w/ overhead cabinet's, (2) 13,500btu AC's w / heatstrip			
AM10-18	General Truck Body	AM18JC22	BATVAN, DUI Mobile Breath Analyzer Van, 2 work stations, roof top air, external lighting, 2 holding cells, Promaster LWB			
AM10-18	General Truck Body	AM18JC23	CSIU - Crime Scene Investigative Unit - Enclosed compartmentalized body to provide transportation and storage of crime scene investigation equipment 1 work station. Promaster Cirt			
AM10-18	General Truck Body	AM18JC24	CSIU - Crime Scene Investigative Unit - 9FT Enclosed compartmentalized body to provide transportation and storage of crime scene investigation equipment. D-3500 Reg Cab Gas/Diesel			
AM10-18	General Truck Body	AM18JC25	ELU - Emergency Lighting Unit - Compartmental body designed to provide self-contained illumination via generator to an emergency or disaster area. D- 5500 Reg Cab Diesel			
AM10-18	General Truck Body	AM18JC26	DAV - Disaster Assessment Vehicle designed to asses an emergency or disaster situation from an elevated vantage point. D-5500 Reg Cab			

AM10-18	General Truck Body	AM18JC27	DPU - Disaster Power Unit, 11FT Compartment body with generator power and hook ups designed to power up a command station or medical unit within a disaster area. D-5500 Reg Cab Diesel			
AM10-18	General Truck Body	AM18JC28	ETAU - Emergency Transport Aid Unit - 12FT Temperature controlled body w/roof mounted A/C, compartments and bench seating to move and provide aid to emergency personnel from the elements of a disaster. D-5500 Reg Cab			
AM10-18	General Truck Body	AM18JC29	EPEU - Emergency Patient Evacuation Unit -12FT Temperature controlled body with wall mounted gurneys and life support to remove multiple casualties from a disaster ridden area. D-5500			
AM10-18	General Truck Body	AM18JC30	CEU - Cadaver Evacuation Unit - 12FT Refrigerated to morgue level designed to remove or provide storage for disaster fatalities, D-5500 Reg Cab			
AM10-18	General Truck Body	AM18JC31	RCV Response Command Vehicle 8FT, F250 Reg Cab 4x2			
AM10-18	General Truck Body	AM18JC32	T-REX F350, Reg Cab 9FT, Walk-Around Rescue/Extraction			
AM10-18	General Truck Body	AM18JC33	Rapid Response Vehicle 10FT, Ford F-550, Aluminum body, 1 work station w/ overhead cabinet, (1) 13,500btu AC w/heatstrip			
AM10-18	General Truck Body	AM18JC34	Mobile Command Vehicle 14FT, Ford F-550, Aluminum body, (2) work station's w/ overhead cabinet's, (2) 13,500btu AC's w/ heatstrip			
AM10-18	General Truck Body	AM18JC35	Mobile Surveillance Unit 14FT, Ford F-550 stripped chassis (2) Solid surface work station's w/ overhead cabinet's, (2) 13,500btu AC's w/ heatstrip			
AM10-18	General Truck Body	AM18JC36	Mobile Command Vehicle 20ft, Ford F-650, Aluminum body, (2) Solid surface work station's w/ overhead cabinet's, (2) 13,500btu AC's w / heatstrip			
AM10-18	General Truck Body	AM18JC37	Mobile Command Communications Vehicle 26FT, Ford F-750, Aluminum body, 3 Work station's w/ overhead cabinet's, 3ea 13,500btu AC's w / heatstrip			
AM10-18	General Truck Body	AM18JC38	Rapid Response Vehicle 28FT Ford F-750, (3) Solid surface work station's w/ overhead cabinet's, (3) 13,500btu AC's w/heatstrip			
AM10-18	General Truck Body	AM18JC39	PEV 3000, 30FT Patient Evacuation Unit. Liter and Wheelchair Transport. Oxygen, Medical Air. Ford f- 750			
AM10-18	General Truck Body	AM18JC40	BATVAN, DUI Mobile Breath Analyzer Van, 2 work stations, roof top air, external lighting, 2 holding cells, Ford Transit LWB			
AM10-18	General Truck Body	AM18JC41	CSIU - Crime Scene Investigative Unit - Enclosed compartmentalized body to provide transportation and storage of crime scene investigation equipment 1 work station. Ford Transit Connect			

AM10-18	General Truck Body	AM18JC42	CSIU - Crime Scene Investigative Unit - 9FT Enclosed compartmentalized body to provide transportation and storage of crime scene investigation equipment. Ford F350 Reg Cab			
AM10-18	General Truck Body	AM18JC43	Gas/Diesel ELU - Emergency Lighting Unit - Compartmental body designed to provide self-contained illumination via generator to an emergency or disaster area. Ford F550 Reg Cab Diesel			
AM10-18	General Truck Body	AM18JC44	DAV - Disaster Assessment Vehicle designed to asses an emergency or disaster situation from an elevated vantage point. Ford F550 Reg Cab			
AM10-18	General Truck Body	AM18JC45	DPU - Disaster Power Unit, 11FT Compartment body with generator power and hook ups designed to power up a command station or medical unit within a disaster area. Ford F550 Reg Cab Diesel			
AM10-18	General Truck Body	AM18JC46	ETAU - Emergency Transport Aid Unit - 12FT Temperature controlled body w/roof mounted A/C, compartments and bench seating to move and provide aid to emergency personnel from the elements of a disaster. Ford F550 Reg Cab			
AM10-18	General Truck Body	AM18JC47	EPEU - Emergency Patient Evacuation Unit -12FT Temperature controlled body with wall mounted gurneys and life support to remove multiple casualties from a disaster ridden area. Ford F550 Reg Cab			
AM10-18	General Truck Body	AM18JC48	CEU - Cadaver Evacuation Unit - 12FT Refrigerated to morgue level designed to remove or provide storage for disaster fatalities, Ford F550 Reg Cab			
		<u>, </u>	K. Horton	•	•	
A. Ambulance	e					
AM10-18	Horton	AM18KA01	TYPE I, FORD F350, MODEL 453			
AM10-18	Horton	AM18KA02	TYPE I, FORD F450, MODEL 453			
AM10-18	Horton	AM18KA03	TYPE I, DODGE RAM 4500, MODEL 453			
AM10-18	Horton	AM18KA04	TYPE I, FORD F450, MODEL 457			
AM10-18	Horton	AM18KA05	TYPE I, DODGE RAM 4500 457			
AM10-18	Horton	AM18KA06	TYPE I, FORD F450, MODEL 603			
AM10-18	Horton	AM18KA07	TYPE I, FORD F550, MODEL 603			
AM10-18	Horton	AM18KA08	TYPE I, DODGE RAM 4500 MODEL 603			
AM10-18	Horton	AM18KA09	TYPE I, DODGE RAM 5500 MODEL 603			
AM10-18	Horton	AM18KA10	TYPE I, FORD F450, MODEL 623			
AM10-18	Horton	AM18KA11	TYPE I, FORD F550, MODEL 623			
AM10-18	Horton	AM18KA12	TYPE I, DODGE RAM 4500 MODEL 623			
AM10-18	Horton	AM18KA13	TYPE I, DODGE RAM 5500 MODEL 623			
AM10-18	Horton	AM18KA14	TYPE I, NAVISTAR 4300 MODEL 623			
AM10-18	Horton	AM18KA15	TYPE I, FREIGHTLINER M2 MODEL 623			

AM10-18	Horton	AM18KA16	TYPE III, FORD E350 (GAS), MODEL 453		
AM10-18	Horton	AM18KA17	TYPE III, GM G3500 (GAS), MODEL 453		
AM10-18	Horton		TYPE III, FORD E450 (GAS), MODEL 533		
AM10-18	Horton	AM18KA19	TYPE III, FORD E450 (GAS), MODEL 553		
AM10-18	Horton	AM18KA20	TYPE III, GM G4500 (GAS), MODEL 553		
	1	ns 17-18 for specifics regarding ''Ren	GM G3500 (GAS) TYPE III BASE AMBULANCE		
AM10-18	Horton	AM18KE01	REMOUNT		
AM10-18	Horton	AM18KE02	GM G4500 (GAS)TYPE III BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE03	FORD E350 (GAS) TYPE III BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE04	FORD E450 (GAS) TYPE III BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE05	FORD F350 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE06	FORD F450 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE07	FORD F550 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE08	DODGE RAM 4500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT		
AM10-18	Horton	AM18KE09	DODGE RAM 5500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT		
	-1		L. Lake Assault Boats	<u> </u>	
C. Other Spec	cialty Vehicle or Equipm	nent			
AM10-18	Lake Assault Boats	AM18LC01	LAB 21' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC02	LAB 22' RHIB		
AM10-18	Lake Assault Boats	AM18LC03	LAB 24' V-hull		
AM10-18	Lake Assault Boats	AM18LC04	LAB 24' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC05	LAB 26' V-hull		
AM10-18	Lake Assault Boats	AM18LC06	LAB 26' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC07	LAB 28' V-hull		
AM10-18	Lake Assault Boats	AM18LC08	LAB 28' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC09	LAB 30' Catamaran		
AM10-18	Lake Assault Boats	AM18LC10	LAB 32' V-hull		
AM10-18	Lake Assault Boats	AM18LC11	LAB 32' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC12	LAB 36' V-hull		
AM10-18	Lake Assault Boats	AM18LC13	LAB 36' Landing Craft		
AM10-18	Lake Assault Boats	AM18LC14	LAB 36' Catamaran		
			M. LDV	 	
C. Other Spec	cialty Vehicle or Equipm	nent			
AM10-18	LDV	AM18MC01	SS23EEQ-10CC, 23' Equipment/EOD/SWAT/DIVE/MCC Vehicle on a FORD E450 14500lb GVWR Gas chassis with a 13' load space		

			<u> </u>				
AM10-18	LDV	AM18MC02	SS23RDV-10CC, 23' Rapid Deployment Vehicle on a FORD E450 14500lb GVWR Gas chassis with a 13'				
11.110 10	LD ,	111111111111111111111111111111111111111	load space				
			SS28EEQ-10SV, 28'				
			Equipment/EOD/SWAT/DIVE/MCC Vehicle on a				
AM10-18	LDV	AM18MC03	Freightliner MT-55 25,500-lb. GVWR diesel chassis				
AW110-16	LDV	AMIONICOS					
			with spring rear suspension hydraulic brakes and a 18'				
			load space stepvan				
			SS34FC-10SV, 34' Mobile Command Center on a				
AM10-18	LDV	AM18MC04	Freightliner MT-55 26,000-lb GVWR diesel chassis				
			with Air Ride Suspension Hydraulic Brakes and a 24'				
			load space stepvan				
			SS36FC-10SV, 36' Mobile Command Center on a				
43/10/10	LDV	AM18MC05	Freightliner MT-55 26,000-lb GVWR diesel chassis				
AM10-18	LDV	AMIAMICUS	with Air Ride Suspension Hydraulic Brakes and a 26'				
			load space stepvan.				
			SS40FC1S-10CC, 40' Mobile Command Center with				
			1 slideout on a Freightliner M2 106 33,000-lb.				
AM10-18	LDV	AM18MC06	GVWR diesel chassis with air ride suspension air				
			brakes and a 30' load space				
			brakes and a 50 load space				
			SS40EC1S 10SV 40' Mobile Commond Conton with				
A3/10 10	LDV	A354035C0=	SS40FC1S-10SV, 40' Mobile Command Center with				
AM10-18	LDV	AM18MC07	1 slideout on a Freightliner MT-55 30,000-lb GVWR				
			diesel chassis with air ride suspension air brakes and a				
			30' load space stepvan.				
			SS40FC-10SV, 40' Mobile Command Center on a				
AM10-18	LDV	AM18MC08	Freightliner MT-55 30,000-lb GVWR diesel chassis				
AMIIU-IU	LDV	AMIONICOO	with air ride suspension air brakes and a 30' load				
			space stepvan.				
			SS40RC1S-10SV, 40' Mobile Command Center with				
AM10-18	LDV	AM18MC09	1 slideout on a Freightliner MT-55 30,000-lb GVWR				
			diesel chassis with air ride suspension air brakes and a				
			30' load space stepvan.				
			C28MED18-14, 28' 1 Room Mobile Clinic on a Ford				
AM10-18	LDV	AM18MC10	F550 4x2 19,500-lb. GVWR gas chassis with spring				
			suspension hydraulic brakes and a 18' load space.				
			suspension nytraune brakes and a 10 load space.				
			C34MED24-14, 34' 1 Room Mobile Clinic on a Ford				
AM10-18	LDV	AM18MC11	F650 25,999-lb. GVWR gas chassis with spring				
		 	suspension hydraulic brakes and a 24' load space				
			S32MED22-14, 32' 2 Room Mobile Clinic on a Ford				
AM10-18	LDV	AM18MC12	F59 22,000-lb GVWR gas chassis with spring				
			suspension hydraulic brakes and a 22' load space				
			stepvan.				
			MCC302990-10, 28' Mobile Command Center on a				
AM10-18	LDV	AM18MC13	ATC Cargo Series 11,440-lb. GVWR tandem axle				
			trailer.				
			T35MCC32-10, 35' Mobile Command Center with 1				
AM10-18	LDV	AM18MC14	slideout on a ATC Quest series 19,800-lb GVWR				
1			triple axle trailer.				
	•	•	N. Life Line	-	-	-	
 			14. Life Line				
A. Ambulance	_	, , , , , , , , , , , , , , , , , , ,					
AM10-18	Life Line	AM18NA01	Type I Superliner 167" Body Ford F450				
AM10-18	Life Line	AM18NA02	Type I Superliner 171" Body Ford F450				
	1						
AM10-18	Life Line	AM18NA03	Type I Superliner 167" Body Ford F550				

AM10-18	Life Line	AM18NA04	Type I Superliner 171" Body Ford F550			
AM10-18	Life Line	AM18NA05	Type I Superliner 167" Body RAM 4500			
AM10-18	Life Line	AM18NA06	Type I Superliner 171" Body RAM 4500			
AM10-18	Life Line	AM18NA07	Type I Superliner 167" Body RAM 5500			
AM10-18	Life Line	AM18NA08	Type I superliner 171" Body RAM 5500			
AM10-18	Life Line	AM18NA09	Type I Highliner 171" Freightliner M2			
AM10-18	Life Line	AM18NA10	Type I Highliner 171" International 4300			
AM10-18	Life Line	AM18NA11	Type I Highliner 171" International 4400			
AM10-18	Life Line	AM18NA12	Type I Paraliner 147" Body Ford F350			
AM10-18	Life Line	AM18NA13	Type I Paraliner 147" Body Ford F450			
AM10-18	Life Line	AM18NA14	Type III Paraliner 147" Body Ford E350			
AM10-18	Life Line	AM18NA15	Type III Paraliner 147" Body Chevy G3500			
AM10-18	Life Line	AM18NA16	TYPE III Victoryliner 167" Body Ford E450			
AM10-18	Life Line	AM18NA17	Type III Superliner 167" Body Ford E450			
AM10-18	Life Line	AM18NA18	Type III Superliner 171" Body Ford E450			
AM10-18	Life Line	AM18NA19	Type III Superliner 167" Body Chevy G4500			
AM10-18	Life Line	AM18NA20	Type III Superliner 171" Body Chevy G4500			
E. Remounts	(See Section B, p. 8 Item	s 17-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	Life Line	AM18NE01	Remount Only, Type I Life Line Body			
AM10-18	Life Line	AM18NE02	Remount Only, Type III Life Line Body			
AM10-18	Life Line	AM18NE03	Remount Only, Medium duty Life Line Body			
AM10-18	Life Line	AM18NE04	Remount type 1 Life Line body Ford F-350			
AM10-18	Life Line	AM18NE05	Remount type I Life Line body Ford F-450			
AM10-18	Life Line	AM18NE06	Remount type III Life Line Body Ford E-350			
AM10-18	Life Line	AM18NE07	Remount type III Life Line Body Ford E-450			
AM10-18	Life Line	AM18NE08	Remount type I Life Line body Chevy C-3500			
AM10-18	Life Line	AM18NE09	Remount tupe III Life Line body Chevy G-3500			
AM10-18	Life Line	AM18NE10	Remount type III Life Line body Chevy G-4500			
AM10-18	Life Line	AM18NE11	Remount type I Life Line body RAM 4500			
AM10-18	Life Line	AM18NE12	Remount type I Life Line body RAM 5500			
AM10-18	Life Line	AM18NE13	Remount type I Life Line body International 4300			
AM10-18	Life Line	AM18NE14	Remount type I Life Line body Freightliner -M2			
			O. Marque	 	 	
O. Ambulance	e					
AM10-18	Marque	AM18OA01	Type I 148 Commando F350			
AM10-18	Marque	AM18OA02	Type I 148 Commando F450			
AM10-18	Marque	AM18OA03	Type I 148 Commando Chevy 3500			
AM10-18	Marque	AM18OA04	Type I 148 Commando Ram 4500			

AM10-18	Marque	AM18OA05	Type I 170 Commando F450			
AM10-18	Marque	AM18OA06	Type I 170 Commando Ram 4500			
AM10-18	Marque	AM18OA07	Type I 170-MD Commando International 4300			
AM10-18	Marque	AM18OA08	Type I 170-MD Commando International TerraStar			
AM10-18	Marque	AM18OA09	Type I 170-MD Brigadier International 4300			
AM10-18	Marque	AM18OA10	Type I 170-MD Brigadier International TerraStar			
AM10-18	Marque	AM18OA11	Type II Squad II E350 - V8 Gas			
AM10-18	Marque	AM18OA12	Type II Squad II Transit - Diesel			
AM10-18	Marque	AM18OA13	Type II Squad II Transit - Gas			
AM10-18	Marque	AM18OA14	Type II Squad II G3500 - Diesel			
AM10-18	Marque	AM18OA15	Type II Squad II G3500 - V8 Gas			
AM10-18	Marque	AM18OA16	Type II Sprinter- Diesel			
AM10-18	Marque	AM18OA17	Type III 148 Commando E350			
AM10-18	Marque	AM18OA18	Type III 148 Commando G3500			
AM10-18	Marque	AM18OA19	Type III 164 Commando E450			
AM10-18	Marque	AM18OA20	Type III 164 Commando G4500			
AM10-18	Marque	AM18OA21	Type III 170 Brigader E450			
AM10-18	Marque	AM18OA22	Type III 170 Brigader G4500			
E. Remounts	(See Section B, p. 8 Items	s 17-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	Marque	AM18OE01	Remount only - Type I			
AM10-18	Marque	AM18OE02	Remount only - Type III			
AM10-18	Marque	AM18OE03	Remount only - Medium Duty			
AM10-18	Marque	AM18OE04	Remount on chassis- Type I Ford F-350			
AM10-18	Marque	AM18OE05	Remount on chassis - Type I Ford F-450			
AM10-18	Marque	AM18OE06	Remount on chassis - Type I Chevrolet C3500			
AM10-18	Marque	AM18OE07	Remount on chassis - Type I Ram 3500			
AM10-18	Marque	AM18OE08	Remount on chassis - Type I Ram 4500			
AM10-18	Marque	AM18OE09	Remount on chassis - Type I International 4300			
AM10-18	Marque	AM18OE10	Remount on chassis - Type I Terra Star			
AM10-18	Marque	AM180E11	Remount on chassis - Type III Ford E-350			
AM10-18	Marque		Remount on chassis - Type III Ford E-450			
AM10-18	Marque	AM18OE13	Remount on chassis - Type III Chevrolet G3500			
AM10-18	Marque	AM18OE14	Remount on chassis - Type III Chevrolet G4500			
			P. Matthews Specialty Vehicl	es, Inc.	 	
C. Other Spec	cialty Vehicle or Equipm	ent				
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC01	MSV-CC-500, Sprinter Mobile Command			
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC02	MSV-CC-1000-16, Ford E-450 Mobile Command Unit			

AM10-18	Matthews Specialty	AM18PC03	MSV-CC-3000-102-22, Freightliner M2 Mobile		
	Vehicles, Inc. Matthews Specialty		Command Unit MSV-CC-3000-102-24, Freightliner M2 Mobile		
AM10-18	Vehicles, Inc.	AM18PC04	Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC05	MSV-CC-3000-102-26, Freightliner M2 Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC06	MSV-CC-3000-102-28, Freightliner M2 Mobile Command Unit		
AM10-18	Matthews Specialty	AM18PC07	MSV-CC-3000-102-30, Freightliner M2 Mobile		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC08	Command Unit MSV-CC-3000-102-32, Freightliner M2 Mobile		
ANIIU-10	Vehicles, Inc.	Alvilor Cuo	Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC09	MSV-CC-3000-102-34, Freightliner M2 Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC10	MSV-CC-MH-4000-102-33, Winnebago Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC11	MSV-CC-MH-4000-102-38, Winnebago Mobile Command Unit		
AM10 10	Matthews Specialty	1M10DC12	MSV-CC-4000-102-37, Thomas Mobile Command		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC12	Unit MSV CC 4000 102 40 Thomas Mabile Command		
AM10-18	Vehicles, Inc.	AM18PC13	MSV-CC-4000-102-40, Thomas Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC14	MSV-CC-5000-102-40 -V1, Freightliner XC Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC15	MSV-CC-5000-102-40 -V2, Freightliner XC Mobile Command Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC16	MSV-CC-5000-102-45 - V1, Freightliner XC Mobile Command Unit		
AM10-18	Matthews Specialty	AM18PC17	MSV-CC-5000-102-45 - V2, Freightliner XC Mobile		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC18	Command Unit		
Alviiu-18	Vehicles, Inc. Matthews Specialty	AMIOPUI	MSV-CC-6000-32, Mobile Command Trailer		
AM10-18	Vehicles, Inc.	AM18PC19	MSV-CC-6000-53, Mobile Command Trailer		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC20	MSV-CC-2000-20, Freightliner MT-45 Mobile Command Unit		
AM10-18	Matthews Specialty	AM18PC21	MSV-CC-2000-24, Freightliner MT-55 Mobile		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC22	Command Unit MSV-CC-2000-30, Freightliner MT-55 Mobile		
	Vehicles, Inc. Matthews Specialty		Command Unit		
AM10-18	Vehicles, Inc.	AM18PC23	MSV-EOD-500, Sprinter EOD/Bomb Unit		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC24	MSV-EOD-1000-16, Ford F550 EOD/Bomb Vehicle		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC25	MSV-EOD-3000-23, Freightliner M2 EOD/Bomb Vehicle		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC26	MSV-EOD-3000-26, Freightliner M2 EOD/Bomb Vehicle		
AM10-18	Matthews Specialty	AM18PC27			
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC28	MSV-SWAT-500, Sprinter SWAT Unit		
	Vehicles, Inc. Matthews Specialty		MSV-SWAT-2000-22, Freightliner MT-45 SWAT		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC29	MSV-SWAT-2000-26, Freightliner MT-55 SWAT MSV-HNT-3000-24, Freightliner M2 Hostage		
AM10-18	Vehicles, Inc.	AM18PC30	Negotations Vehicle		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC31	MSV-BAT-2000-22, Freightliner MT-45 DUI Processing Vehicle		
AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC32	MSV-BAT-2000-26, Freightliner MT-55 DUI Processing Vehicle		
L	, cincies, inc.		1 rocessing venicie		

AM10-18	Matthews Specialty Vehicles, Inc.	AM18PC33	MSV-BAT-3000-24, Freightliner M2 DUI Processing Vehicle		
AM10-18	Matthews Specialty	AM18PC34	MSV-BAT-4000-102-40, Thomas DUI Processing		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC35	Vehicle MSV-BAT-5000-102-40, Freightliner XC DUI		
AM10-18	Vehicles, Inc. Matthews Specialty	AM18PC36	Processing Vehicle MSV-BAT-5000-102-45, Freightliner XC DUI		
	Vehicles, Inc. Matthews Specialty		Processing Vehicle MSV-MASSEVAC-4000-102, Thomas Mobile Mass		
AM10-18	Vehicles, Inc.	AM18PC37	Evacuation Unit		
A. Ambulance	<u> </u>		Q. McCoy Miller		
AM10-18	McCoy Miller	AM18QA01	Type I Medic 142 Ford F-350 XL 169" WB - Diesel		
AM10-18	McCoy Miller	AM18QA02	Type I Medic 142 Ram 3500 - 167.5" WB - Diesel		
AM10-18	McCoy Miller	AM18QA03	Type I Medic 142 Chevy C3500 Silverado 162" WB - Diesel		
AM10-18	McCoy Miller	AM18QA04	Type I Medic 146 Ford F-350XL 169" WB - Diesel		
AM10-18	McCoy Miller	AM18QA05	Type I Medic 146 Ram 4500 167.5" WB - Diesel		
AM10-18	McCoy Miller	AM18QA06	Type I Medic 163 Ford F-450XL 193" WB - Diesel		
AM10-18	McCoy Miller	AM18QA07	Type I Medic 163 Ram 4500 192.5" WB - Diesel		
AM10-18	McCoy Miller	AM18QA08	Type I Medic 170 Ford F-450XL 193" WB - Diesel		
AM10-18	McCoy Miller	AM18QA09	Type 1 Medic 170 Ram 4500 192.5" WB - Diesel		
AM10-18	McCoy Miller	AM18QA10	Type 1 Medic 170 Ford F550 Diesel		
AM10-18	McCoy Miller	AM18QA11	Type 1 ResqMedic MD 170 Ford F650 Diesel		
AM10-18	McCoy Miller	AM18QA12	Type 1 ResqMedic MD 170 Freightliner M2 Diesel		
AM10-18	McCoy Miller	AM18QA13	Type 1 ResqMedic MD 170 International 4300 LP Diesel		
AM10-18	McCoy Miller	AM18QA14	Type II Guardian Ford 250 Transit Mid Roof, 148" WB - 9,000 GVWR- Gas		
AM10-18	McCoy Miller	AM18QA15	Type II Guardian Ford 350 Transit High Roof, 148" WB - 9,500 GVWR - Gas		
AM10-18	McCoy Miller	AM18QA16	Type II Guardian Ford 350 Transit High Roof, 148" WB - 9,500 GVWR - Diesel		
AM10-18	McCoy Miller	AM18QA17	Type III Medic 142 Ford E-350 XL 138" WB - Gas		
AM10-18	McCoy Miller	AM18QA18	Type III Medic 142 Chevrolet G3500 139" WB - Gas		
AM10-18	McCoy Miller	AM18QA19	Type III Medic 146 Ford E-350 XL 138" WB - Gas		
AM10-18	McCoy Miller	AM18QA20	Type III Medic 146 Chevrolet G3500 139" WB - Gas		
AM10-18	McCoy Miller	AM18QA21	Type III Medic 163 Ford E-450 XL 158" WB - Gas		
AM10-18	McCoy Miller	AM18QA22	Type III Medic - 163SE Chevy G4500 159"WB - Gas		
AM10-18	McCoy Miller	AM18QA23	Type III Medic 170 Ford E-450 XL 158" WB - Gas		
AM10-18	McCoy Miller	AM18QA24	Type III Medic 170 Chevy G4500 159"WB - Gas		

E. Remounts (See Section B, p. 8 Items 17-	-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	McCoy Miller	AM18QE01	Remount only - Type I			
AM10-18	McCoy Miller	AM18QE02	Remount only - Type III			
AM10-18	McCoy Miller	AM18QE03	Remount only - Medium Duty			
AM10-18	McCoy Miller	AM18QE04	Remount on chassis- Type I Ford F-350			
AM10-18	McCoy Miller	AM18QE05	Remount on chassis - Type I Ford F-450			
AM10-18	McCoy Miller	AM18QE06	Remount on chassis - Type I Chevrolet C3500			
AM10-18	McCoy Miller	AM18QE07	Remount on chassis - Type I Ram 3500			
AM10-18	McCoy Miller	AM18QE08	Remount on chassis - Type I Ram 4500			
AM10-18	McCoy Miller	AM18QE09	Remount on chassis - Type I International 4300			
AM10-18	McCoy Miller	AM18QE10	Remount on chassis - Type I Terra Star			
AM10-18	McCoy Miller	AM18QE11	Remount on chassis - Type III Ford E-350			
AM10-18	McCoy Miller	AM18QE12	Remount on chassis - Type III Ford E-450			
AM10-18	McCoy Miller	AM18QE13	Remount on chassis - Type III Chevrolet G3500			
AM10-18	McCoy Miller	AM18QE14	Remount on chassis - Type III Chevrolet G4500			
			R. Medix	,		
A. Ambulance	T T					
AM10-18	Medix	AM18RA01	Ford Transit SRH-148 Type II Gas 3.7 Ti VCT V6			
AM10-18	Medix	AM18RA02	Ford Transit SRH-148 Type II Gas 3.5 GTDI V6			
AM10-18	Medix	AM18RA03	Ford Transit SRH-148 Type II Diesel 3.2 I5			
AM10-18	Medix	AM18RA04	Ford Transit SRH-148 AL CabinetsType II Gas 3.7 Ti VCT V6			
AM10-18	Medix	AM18RA05	Ford Transit SRH-148 AL Cabinets Type II Gas 3.5 GTDI V6			
AM10-18	Medix	AM18RA06	Ford Transit SRH-148 AL Cabinets Type II Diesel 3.2 I5			
AM10-18	Medix	AM18RA07	6.8L V-10 Gas			
AM10-18	Medix	AM18RA08	Express 6.0L Vortex Gas			
AM10-18	Medix	AM18RA09	Type III RP90 MR Metro Express Ford E-350 Cut XL 6.8L V-10 Gas			
AM10-18	Medix	AM18RA10	Type III RP90 MR Metro Express Chevy G-3500 Cut Express 6.0L Vortex Gas			
AM10-18	Medix	AM18RA11	Type III PC90 Metro Express Ford E350 Cut XL 6.8 L V-10 Gas			
AM10-18	Medix	AM18RA12	Type III PC90 Metro Express Chevy G-3500 Cut Express 6.0L Vortex Gas			
AM10-18	Medix		Type III Metro Express 153 Ford E350 Cut XL 6.8 L V-10 Gas			
AM10-18	Medix		Type III Metro Express 153 Chevy G-3500 Cut Express 6.0L Vortex Gas			
AM10-18	Medix	AM18RA15	Type III 166 Metro Express Ford E-450 Cut XL 6.8L V-10 Gas			
AM10-18	Medix	AM18RA16	Type III 166 Metro Express Chevy G-4500 Cut Express 6.0L Vortex Gas			
AM10-18	Medix	AM18RA17	Type III MSVII Ford E-450 Cut XL 6.8L V-10 Gas			

AM10-18	Medix	AM18RA18	Type III MSVII Chevy G-4500 Cut Express 6.0L Vortex Gas		
AM10-18	Medix	AM18RA19	Type I Metro Express 153 LTD Ford F350 4x2 Diesel		
AM10-18	Medix	AM18RA20	Type I Metro Express 153 LTD Ford F350 4x4 Diesel w/LS Susp		
AM10-18	Medix	AM18RA21	Type I Metro Express 153 LTD Ford F450 4x2 Diesel w/LS Susp		
AM10-18	Medix	AM18RA22	Type I Metro Express 153 LTD Ford F450 4x4 Diesel w/LS Susp		
AM10-18	Medix	AM18RA23	Type I Metro Express 153 LTD RAM 3500 4x2 Diesel		
AM10-18	Medix	AM18RA24	Type I Metro Express 153 LTD RAM 3500 4x2 Diesel w/LS Susp		
AM10-18	Medix	AM18RA25	Type I Metro Express 153 LTD RAM 3500 4x4		
AM10-18	Medix	AM18RA26	Diesel w/LS Susp Type I Metro Express 153 LTD Chevrolet C-3500HD		
AM10-18	Medix	AM18RA27	4x2 Silverado 6.6L Duramax Diesel Type I Metro Express 153 LTD Chevrolet K-3500HD		
	Medix	AM18RA28	4x4 Silverado 6.6L Duramax Diesel Type I Metro Express 153 LTD Chevrolet C-3500HD		
	Medix	AM18RA29	4x2 Silverado 6.0L Gas Type I Metro Express 153 LTD Chevrolet K-3500HD		
	Medix	AM18RA30	4x4 Silverado 6.0L Vortex Gas Type I MSV II 157 LTD Ford F450 4x2 6.7 L Diesel		
	Medix	AM18RA31	w/LS Susp Type I MSV II 157 LTD Ford F450 4x4 6.7 L Diesel		
AM10-18	Medix	AM18RA32	w/LS Susp Type I MSV II 157 LTD RAM 4500 4x2 Diesel w/LS		
AM10-18	Medix	AM18RA33	Susp Type I MSV II 157 LTD RAM 4500 4x4 Diesel w/LS		
			Susp		
AM10-18	Medix	AM18RA34	Type I MSV II 170 Ford F450 4x2 6.7L Diesel		
AM10-18	Medix	AM18RA35	Type I MSV II 170 Ford F450 4x4 6.7L Diesel		
AM10-18	Medix	AM18RA36	Type I MSV II 170 Ford F550 4x2 6.7L Diesel		
	Medix	AM18RA37	Type I MSV II 170 Ford F550 4x4 6.7L Diesel		
	Medix	AM18RA38	Type I MSV II 170 RAM 4500 4x2 6.7L Diesel		
	Medix Medix	AM18RA39 AM18RA40	Type I MSV II 170 RAM 4500 4x4 6.7L Diesel Type I MSV II 170 RAM 5500 4x2 6.7L Diesel		
	Medix		Type I MSV II 170 RAM 5500 4x2 6.7L Diesel		
		s 17-18 for specifics regarding "Ren			
AM10-18	Medix	AM18RE01	Remount only - Type I		
AM10-18	Medix	AM18RE02	Remount only - Type III		
AM10-18	Medix	AM18RE03	Remount only - Medium Duty		
AM10-18	Medix	AM18RE04	Remount on chassis- Ford F-350 Type I		
AM10-18	Medix	AM18RE05	Remount on chassis - Ford F-450 Type I		
	Medix	AM18RE06	Remount on chassis - Ford E-350 Type III		
AM10-18	Medix	AM18RE07	Remount on chassis - Ford E-450 Type III		
	Medix	AM18RE08	Remount on chassis - Chevrolet C3500 Type I		
AM10-18	Medix	AM18RE09	Remount on chassis - Chevrolet G3500 Type III		
AM10-18	Medix	AM18RE10	Remount on chassis - Chevrolet G4500 Type III		
AM10-18	Medix	AM18RE11	Remount on chassis - RAM B3500 Type I		

AM10-18	Medix	AM18RE12	Remount on chassis - RAM B4500 Type I		
AM10-18	Medix	AM18RE13	Remount on chassis - International 4300 Type I		
AM10-18	Medix	AM18RE14	Remount on chassis - Terra Star Type I		
AM10-18	Medix		Remount on chassis - Freightliner M2 Type I		
111110 10		· invitable	S. First Priority		
D T : 14/0/	. D. W.I.I.		5. First Friority		
B. Light/Medi	ium Rescue Vehicle				
AM10-18	First Priority		Emergency Response Unit & ESU, Ford F550, diesel, 9ft walk-around steel body, 7 compartments, painted, console, emergency lighting.		
AM10-18	First Priority	AM18SB02	Emergency Response Unit & ESU, Ford F550, diesel, 12ft walk-around steel body, 9 compartment, painted, console, emergency lighting.		
AM10-18	First Priority		Emergency Response Unit & ESU, Ford F550, diesel, 9ft walk-in steel body, 7 compartments, console, emergency lighting.		
AM10-18	First Priority	AM18SB04	Emergency Response Unit & ESU, Ford F550, diesel, 12ft walk-in steel body, 9 compartments, painted, console, emergency lighting.		
AM10-18	First Priority	AM18SB05	Emergency response unit rescue, F550, diesel, 9ft walk around ATP body (no paint required), console, emergency lighting.		
AM10-18	First Priority	AM18SB06	Emergency Response Unit & ESU, Ford F550, diesel, 9ft walk around extruded aluminum body, 7 compartments, painted, console, emergency lighting.		
AM10-18	First Priority	AM18SB07	Emergency Response Unit & ESU, Ford F550, diesel, 12ft walk-in extruded aluminum body, 9 compartments, painted, console, emergency lightimg.		
AM10-18	First Priority	AM18SB08	Commercial Utility body, Ford F-550 11ft walk-in body, steel, painted, 9 compartments, console, emergency lighting.		
C. Other Spec	cialty Vehicle or Equipmen	t			
AM10-18	First Priority	AM18SC01	SUV, Chief, Chevrolet Suburban, 4x4, rear command storage cabinet, console, emergency lighting		
AM10-18	First Priority	AM18SC02	SUV, Patrol Marked, Ford Interceptor, console, emergency lighting, graphics pkg, push bar		
AM10-18	First Priority	AM18SC03	SUV, Patrol Un-Marked, Ford Interceptor, console, emergency lighting, push bar		
AM10-18	First Priority		SUV, Medical, Chevrolet Suburban, 4x4, rear medical temperature controlled storage, console, emergency lighting		
AM10-18	First Priority		SUV, K9 Transport SUV, Chevrolet Tahoe, 4x4, Equipment storage and k9 kennel system, emergency lighting.		
AM10-18	First Priority	AM18SC06	Pickup, Responder, Ford F250, std cab, diesel, 8' bed, commercial cap, rear pull out equipment and command unit		
AM10-18	First Priority	AM18SC07	Pickup, Medical, Ford F350, crew cab, diesel, 6' bed, temp controlled fiberglass cap insert, emergency lighting.		

AM10-18	First Priority	AM18SC08	Van, Mobile Command, Freightliner Sprinter 3500 ext, diesel, insulated, cabinets, desks, 120 volt power		
AM10-18	First Priority	AM18SC09	2500 ext, diesel, multi passenger seating, Work area, K9 transport kennels, 120 VAC power, emergency lighting.		
AM10-18	First Priority	AM18SC10	Van, Responder, Ford Transit T350, HR, gas, insulated, cabinets & storage, 120 volt power, emergency lighting		
AM10-18	First Priority	AM18SC11	Van, Prisoner transport, Ford Transit, LR 148"WB, gas, insulated, prisoner transport system		
AM10-18	First Priority	AM18SC12	Van, Mobile office, Freightliner Sprinter 3500 ext, diesel, insulated, cabinets, desks, 120 volt power		
AM10-18	First Priority	AM18SC13	Van, Crime scene evidence van, Freightliner Sprinter 3500 ext, diesel, insulated interior, storage cabinets, work counters, 120 VAC power, emergency lighting.		
AM10-18	First Priority	AM18SC14	Van, Raid & Deployment, Freightliner Sprinter 3500 ext, diesel, insulated interior, bench seating, covert appearance, emergency lighting.		
AM10-18	First Priority	AM18SC15	Van, Contractor storage, Freightliner Sprinter 3500 ext, diesel, aluminum tradesman package, partition		
AM10-18	First Priority	AM18SC16	Stepvan, mobile command center, 18ft, Ford F59, 19,500 GVWR, aluminum interior cabinetry, emergency lighting		
AM10-18	First Priority	AM18SC17	Box Truck, Command Center, F-550 w/ FRP dry freight body, 16ft, aluminum interior cabinets, work stations, 120v power.		
AM10-18	First Priority	AM18SC18	Van, electric drive, shuttle/ passenger. Heating & cooling, seating.		
AM10-18	First Priority	AM18SC19	Stepvan, electric drive, storage & transport, 18ft, interior aluminum cabinetry, emergency lighting.		
AM10-18	First Priority	AM18SC20	Tropos, Electric drive, multi-utility vehicle. Pickup bed,		
AM10-18	First Priority	AM18SC21	Tropos, Electric drive, multi-utility vehicle. Utility bed/ body package.		
D. Remounts (See Section B, p. 8 Items	17-18 for specifics regarding "Rei	nount" pricing)		
	First Priority	AM18SD01	Type III Ford E350 chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD03	Type III Ford E450 chassis Customers ambulance module		
AM10-18	First Priority	AM18SD04	Type III Ford E550 4x2 chassis Customers ambulance module		
AM10-18	First Priority	AM18SD05	Type III Ford E550 4x4 chassis Customers ambulance module		
AM10-18	First Priority	AM18SD06	Type III Chev G3500 chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD07	Type III Chev G4500 chassis plus Customers ambulance module		

AM10-18	First Priority	AM18SD08	Type I Ford F350 4x2 Diesel chassis plus Customers		
AlVIIU-10	FIrst Priority	AMIOSDUO	ambulance module		
AM10-18	First Priority	AM18SD09	Type I Ford F350 4x4 Diesel chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD10	Type I Ford F450 4x2 Diesel chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD11	Type I Ford F450 4x4 Diesel chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD12	Type I Chevy K3500 4x2 Diesel chassis plus		
			Customers ambulance module Type I Chevy K3500 4x4 Diesel chassis plus		
AM10-18	First Priority	AM18SD13	Customers ambulance module		
AM10-18	First Priority	AM18SD14	Type I Chevy K3500 4x2 Gas chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD15	Type I Chevy K3500 4x4 Gas chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD16	Type I Dodge R4500 4x2 chassis plus Customers		
13710.10		438400D4 =	ambulance module Type I Dodge R4500 4x4 chassis plus Customers		
AM10-18	First Priority	AM18SD17	ambulance module		
AM10-18	First Priority	AM18SD18	Type I Dodge R5500 4x2 chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD19	Type I Dodge R5500 4x4 chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD20	Type I Med Duty International Diesel chassis plus Customers ambulance module		
AM10-18	First Priority	AM18SD21	Type I Med Duty Freightliner Diesel chassis plus		
AM10-18	First Priority	AM18SD22	Customers ambulance module Type I Med Duty F650 Diesel chassis plus		
AWIIU-10	First Friority	AWI16SD22	Customers ambulance module		
A. Ambulance			T. Osage	1	_
AM10-18	Osage	AM18TA01	Type I Warrior Ford F-350 4x2		
AM10-18	Osage	AM18TA02	Type I Warrior Ford F-350 4x4		
AM10-18	Osage	AM18TA03	Type I Warrior Ford F-450 (2x2)		
AM10-18	Osage	AM18TA04	Type I Warrior Ford F-450 (4x4)		
AM10-18	Osage		International Super Warrior		
AM10-18	Osage	AM18TA06	Freightliner Super Warrior		
AM10-18	Osage		Ford Travois Type II Transit Gasoline		
AM10-18	Osage		Ford Travois Type II Transit Diesel		
AM10-18	Osage	AM18TA09	Chevy Travois Type II 3500		
AM10-18	Osage	AM18TA10	Sprinter Travois Type II		
AM10-18	Osage	AM18TA11	Ford Warrior Type III E-350		
AM10-18	Osage	AM18TA12	Ford Super Warrior Type III E-450		
AM10-18	Osage	AM18TA13	Type I Super Warrior Ford F450 4x2		
AM10-18	Osage	AM18TA14	Type I Super Warrior Ford F450 4x4		
AM10-18	Osage	AM18TA15	Type I Super Warrior Ford F-550 4x2		
AM10-18	Osage	AM18TA16	Type I Super Warrior Ford F-550 4x4		
AM10-18	Osage	AM18TA17	Type I Warrior RAM 3500 2x2		

AM10-18	Osage	AM18TA18	Type I Warrior Ram 3500 4x4			
AM10-18	Osage	AM18TA19	Type I Warrior RAM 4500			
AM10-18	Osage	AM18TA20	Type I Warrior Ram 4500 4x4			
AM10-18	Osage	AM18TA21	Type I Super Warrior RAM 4500 4x2			
AM10-18	Osage	AM18TA22	Type I Super Warrior RAM 4500 4x4			
AM10-18	Osage	AM18TA23	Type I Super Warrior Ram 5500 4x2			
AM10-18	Osage	AM18TA24	Type I Super Warrior Ram 5500 4x4			
AM10-18	Osage	AM18TA25	Type III Warrior GMC G3500			
AM10-18	Osage	AM18TA26	Type III Super Warrior GMC G4500			
AM10-18	Osage	AM18TA27	Chevrolet 4500/5500 Medium Duty			
E. Remounts ((See Section B, p. 8 Item	s 17-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	Osage	AM18TE01	Remount only - Type I			
AM10-18	Osage	AM18TE02	Remount only - Type III			
AM10-18	Osage	AM18TE03	Remount only - Medium Duty			
AM10-18	Osage	AM18TE04	Remount on chassis- Type I Ford F-350			
AM10-18	Osage	AM18TE05	Remount on chassis - Type I Ford F-450			
AM10-18	Osage	AM18TE06	Remount on chassis Type I Frod F-550			
AM10-18	Osage	AM18TE07	Remount on chassis - Type I Chevrolet C/K 3500			
AM10-18	Osage	AM18TE08	Remount on chassis - Type I Ram 3500			
AM10-18	Osage	AM18TE09	Remount on chassis - Type I Ram 4500			
AM10-18	Osage	AM18TE10	Remount on chassis Type I Ram 5500			
AM10-18	Osage	AM18TE11	Remount on chassis - Type I International 4300			
AM10-18	Osage	AM18TE12	Remount on chassis - Type III Ford E-350			
AM10-18	Osage	AM18TE13	Remount on chassis - Type III Ford E-450			
AM10-18	Osage	AM18TE14	Remount on chassis - Type III GMC G3500			
AM10-18	Osage	AM18TE15	Remount on chassis - Type III GMC G4500			
			U. Oshkosh			
C. Other Spec	cialty Vehicle or Equipm	nent				
AM10-18	Oshkosh		Oshkosh Defense Tactical Protector Vehicle (TPV) - high mobility protected tactical vehicle. NIJ level 4.			
			V. Pierce			
B. Light/Med	lium Rescue Vehicle					
AM10-18	Pierce	AM18VB01	Pierce F-550 2 Door Rescue, 10' Body n/walk-in with roll-up			
AM10-18	Pierce	AM18VB02	Pierce F-550 2 Door Rescue, 12' Body n/walk-in with roll-up			
AM10-18	Pierce	AM18VB03	Pierce F-550 4 Door Rescue 12' Body n/walk-in with roll-up			
AM10-18	Pierce	AM18VB04	Pierce F-550 2 Door, 13' Encore Rescue n/walk-in body, roll-up			
C. Other Spec	cialty Vehicle or Equipm	nent	7, · · · · · · · · · · · · · · · · · · ·			

		1					
Pierce	AM18VC01	motor, 30 feet approximate length - Modular					
Pierce	AM18VC02	motor, 30 feet approximate length - Modular					
Pierce	AM18VC03	motor, 40 feet 9 inches approximate length - Modular					
Pierce	AM18VC04	motor, 40 feet 9 inches approximate length - Modular					
	<u>.</u>	W. P L Custom Emergency Vel	nicles				
;							
P L Custom Emergency Vehicles	AM18WA01	Type III Medallion 170, Ford E450 (GAS Engine), Body Length 170"					
P L Custom Emergency Vehicles	AM18WA02	Type III Medallion 170, Chev G4500, Body Length 170" (GAS)					
P L Custom Emergency Vehicles	AM18WA03	Type III Medallion 80 Chev G3500, Body Length 147" (GAS)					
P L Custom Emergency Vehicles	AM18WA04	Type III Medallion 80 Ford E350 (GAS Engine), Body Length 147"					
P L Custom Emergency Vehicles	AM18WA05	Type I Ford F350 4x2 169" WB, Body Length 147"					
P L Custom Emergency Vehicles	AM18WA06	Type I Ford F350 4x4 169" WB, Body Length 147"					
P L Custom Emergency Vehicles	AM18WA07	Type I Ford F450 4x2 169" WB, Body Length 156					
P L Custom Emergency Vehicles	AM18WA08	Type I Ford F450 4x4 , 169" WB, Body Length 156					
P L Custom Emergency Vehicles	AM18WA09	Type I Ford F450 4x2 193" WB, Body Length 170"					
P L Custom Emergency Vehicles	AM18WA10	Type I Ford F450 4x4 193" WB, Body Length 170"					
P L Custom Emergency Vehicles	AM18WA11	Type I Ford F550 4x2 169" WB, Body Length 156"					
P L Custom Emergency Vehicles	AM18WA12	Type I Ford F550 4x4 , 169" WB, Body Length 156					
P L Custom Emergency Vehicles	AM18WA13	Type I Ford F550 4x2 193" WB, Body Length 170"					
	Pierce Pierce Pierce Pierce Pierce PL Custom Emergency Vehicles PL Custom Emergency Vehicles	Pierce AM18VC01 Pierce AM18VC02 Pierce AM18VC03 Pierce AM18VC04 PL Custom AM18WA01 PL Custom AM18WA02 PL Custom AM18WA02 PL Custom AM18WA03 PL Custom AM18WA03 PL Custom AM18WA04 PL Custom AM18WA04 PL Custom AM18WA04 PL Custom AM18WA05 PL Custom AM18WA06 PL Custom AM18WA07 PL Custom AM18WA08 PL Custom AM18WA08 PL Custom AM18WA09 PL Custom AM18WA09 PL Custom AM18WA09 PL Custom AM18WA10 PL Custom AM18WA11 PL Custom AM18WA11	AMISVC02 Pierce AMISVC03 AMISVC03 Pierce Arrow XT Command/Communications, 450 hp motor, 30 feet approximate length - Modular aluminum body - 20kW diesel generator. Pierce Arrow XT Command/Communications, 450 hp motor, 40 feet 9 inches approximate length - Modular aluminum body - 20kW diesel generator. Pierce Arrow XT Command/Communications, 450 hp motor, 40 feet 9 inches approximate length - Modular aluminum body - 20kW diesel generator. W. P. L. Custom Emergency Velices P. L. Custom Emergency Vehicles P. L. Custom Emergency Vehicles AMISWA01 Type III Medallion 170, Ford E450 (GAS Engine), Body Length 170" (GAS) P. L. Custom Emergency Vehicles P. L. Custom Emergency Vehicles AMISWA02 Type III Medallion 80 Chev G3500, Body Length 147" (GAS) P. L. Custom Emergency Vehicles P. L. Custom Emergency Vehicles AMISWA04 Type III Medallion 80 Ford E350 (GAS Engine), Body Length 147" (GAS) P. L. Custom Emergency Vehicles AMISWA05 Type II Ford F350 4x2 169" WB, Body Length 147" Type I Ford F350 4x2 169" WB, Body Length 147" Type I Ford F450 4x4 169" WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA06 Type I Ford F450 4x4 169" WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA09 Type I Ford F450 4x4 193" WB, Body Length 170" Type I Ford F450 4x4 193" WB, Body Length 170" Type I Ford F450 4x4 193" WB, Body Length 170" Emergency Vehicles AMISWA01 Type I Ford F450 4x4 193" WB, Body Length 170" Emergency Vehicles AMISWA01 Type I Ford F450 4x4 193" WB, Body Length 170" Type I Ford F450 4x4 193" WB, Body Length 170" Type I Ford F450 4x4 193" WB, Body Length 170" Type I Ford F450 4x4 193" WB, Body Length 170" Emergency Vehicles AMISWA11 Type I Ford F550 4x4 169" WB, Body Length 156" Type I Ford F550 4x4 169" WB, Body Length 170" Type I Ford F550 4x4 169" WB, Body Length 156" Type I Ford F550 4x4 103" WB, Body Length 156" Type I Ford F550 4x4 103" WB, Body Length 156" Type I Ford F550 4x4 103" WB, Body Length 156" Type I Ford F550 4x4 103" WB, Body Length 156"	Pierce AM18VC01 AM18VC02 Pierce Arrow XT Command/Communications, 450 hp motor, 30 feet approximate length - Modular aluminum body - 20kW diesel generator. Pierce Arrow XT Command/Communications, 450 hp motor, 30 feet approximate length - Modular aluminum body - 20kW diesel generator. Pierce AM18VC03 AM18VC04 Pierce Arrow XT Command/Communications, 450 hp motor, 40 feet 9 inches approximate length - Modular aluminum body - 20kW diesel generator. Pierce Velocity Command/Communications, 450 hp motor, 40 feet 9 inches approximate length - Modular aluminum body - 20kW diesel generator. W. P. L. Custom Emergency Vehicles AM18WA01 Type III Medallion 170, Ford E450 (GAS Engine), Body Length 170' (GAS) P. L. Custom Emergency Vehicles AM18WA02 Type III Medallion 170, Chev G4500, Body Length 170' (GAS) AM18WA03 Type III Medallion 80 Ford E350 (GAS Engine), Body Length 147' (GAS) P. L. Custom Emergency Vehicles AM18WA04 Type II Medallion 80 Ford E350 (GAS Engine), Body Length 147' (GAS) P. L. Custom Emergency Vehicles AM18WA05 Type II Ford F350 4x2 169" WB, Body Length 147'' P. L. Custom Emergency Vehicles AM18WA06 Type I Ford F450 4x4 169" WB, Body Length 147'' P. L. Custom Emergency Vehicles AM18WA07 Type I Ford F450 4x4 169" WB, Body Length 156 AM18WA08 Type I Ford F450 4x4 169" WB, Body Length 156 AM18WA09 Type I Ford F450 4x4 193" WB, Body Length 170'' Emergency Vehicles AM18WA09 Type I Ford F450 4x4 193" WB, Body Length 170'' Type I Ford F450 4x4 169" WB, Body Length 170'' AM18WA01 Type I Ford F450 4x4 169" WB, Body Length 170'' Type I Ford F450 4x4 169" WB, Body Length 170'' Type I Ford F450 4x4 169" WB, Body Length 170'' AM18WA01 Type I Ford F450 4x4 169" WB, Body Length 170'' Type I Ford F450 4x4 169" WB, Body Length 170'' Type I Ford F450 4x4 169" WB, Body Length 170'' AM18WA01 Type I Ford F450 4x4 169" WB, Body Length 156' Emergency Vehicles AM18WA01 Type I Ford F450 4x4 169" WB, Body Length 156' Type I Ford F450 4x4 169" WB, Body Length 156' Type I Ford F	Pierce AMISVC01 Differe AMISVC02 AMISVC02 AMISVC03 AMISVC03 Pierce AMISVC03 AMISVC04 Pierce AMISVC04 AMISVC05 Pierce AMISVC05 AMISVC05 AMISVC06 Pierce AMISVC06 AMISVC06 Pierce AMISVC06 AMISVC07 AMISVC07 AMISVC07 AMISVC08 Pierce AMISVC08 Pierce AMISVC09 AMISVC09 Pierce AMISVC09 AMISVC09 AMISVC09 Pierce AMISVC09 AMISVC0	Pierce AMISVC01 AMISVC02 Pierce Arrow XT Command/Communications, 450 bp motor, 30 feet approximate length - Modular alaminaum body - 2008 V diesel generator. Pierce Arrow XT Command/Communications, 450 bp motor, 40 feet 9 inches approximate length - Modular alaminaum body - 2008 V diesel spencarior. Pierce Arrow XT Command/Communications, 450 bp motor, 40 feet 9 inches approximate length - Modular alaminaum body - 2008 V diesel spencarior. Pierce Arrow XT Command/Communications, 450 bp motor, 40 feet 9 inches approximate length - Modular alaminaum body - 2008 V diesel spencarior. W. P. L. Custom Emergency Vehicles P. L. Custom Emergency Vehicles AMISWA01 Type III Medallion 170, Ford E450 (GAS Engine), Body Length 170* P. L. Custom Emergency Vehicles AMISWA02 Type III Medallion 80 Ford E350 (GAS Engine), Body Length 147* P. L. Custom Emergency Vehicles AMISWA03 Type II Medallion 80 Ford E350 (GAS Engine), Body Length 147* P. L. Custom Emergency Vehicles AMISWA04 Type II Medallion 80 Ford E350 (GAS Engine), Body Length 147* P. L. Custom Emergency Vehicles AMISWA05 Type I Ford F350 4a2 160° WB, Body Length 147* P. L. Custom Emergency Vehicles AMISWA06 Type I Ford F450 4a2 160° WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA06 Type I Ford F450 4a4 160° WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA06 Type I Ford F450 4a4 160° WB, Body Length 170° Emergency Vehicles AMISWA07 Type I Ford F450 4a4 160° WB, Body Length 170° P. L. Custom Emergency Vehicles AMISWA08 Type I Ford F450 4a4 193° WB, Body Length 170° P. L. Custom Emergency Vehicles AMISWA01 Type I Ford F450 4a4 193° WB, Body Length 170° P. L. Custom Emergency Vehicles AMISWA01 Type I Ford F550 4a4 160° WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA01 Type I Ford F550 4a4 160° WB, Body Length 156 P. L. Custom Emergency Vehicles AMISWA01 Type I Ford F550 4a4 160° WB, Body Length 150° AMISWA02 Type I Ford F550 4a4 160° WB, Body Length 150° AMISWA04 Type I Ford F550 4a4 160° WB, Body Length 150°	Pierce AMISVCB

AM10-18	P L Custom Emergency Vehicles	AM18WA14	Type I Ford F550 4x4 193" WB, Body Length 170"			
AM10-18	P L Custom Emergency Vehicles	AM18WA15	Type I RAM 4500 4x4 , 168.5" WB, Body Length 156			
AM10-18	P L Custom Emergency Vehicles	AM18WA16	Type I RAM 4500 4x4 , 192" WB, Body Length 170"			
AM10-18	P L Custom Emergency Vehicles	AM18WA17	Type I RAM 5500 4x4 168.5" WB, Body Length 156"			
AM10-18	P L Custom Emergency Vehicles	AM18WA18	Type I RAM 5500 4x4 192" WB, Body Length 170"			
AM10-18	P L Custom Emergency Vehicles	AM18WA19	Medium Duty Type I Ford F650, Body Length 170"			
AM10-18	P L Custom Emergency Vehicles	AM18WA20	Medium Duty Titan International 4300, 169" Wb, Body Length 170"			
AM10-18	P L Custom Emergency Vehicles	AM18WA21	Medium Duty Titan Freightliner M2, 168" WB, Body Length 170 "			
AM10-18	P L Custom Emergency Vehicles	AM18WA22	Medium Duty Titan Freightliner M2, 174" WB, Body Length 176"			
AM10-18	P L Custom Emergency Vehicles	AM18WA23	Medium Duty Titan International 4300, 175" WB, Body Length 176"			
B. Light/Medi	ium Rescue Vehicle					
AM10-18	P L Custom Emergency Vehicles	AM18WB01	Non Walk In with Upper storage, 16' 3" Rescue, Custom Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB02	Non Walk In with Upper storage, 18'9" Rescue, Custom Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB03	Non Walk In with Upper storage, 20' Rescue, Custom Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB04	Non Walk In with Upper storage, 22' 4" Rescue, Custom Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB05	Walk In Front Crew Cab 16' 3" Rescue, Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB06	Walk In Front Crew Cab 18' 9" Rescue, Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB07	Walk In Front Crew Cab 20' Rescue, Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB08	Walk In Front Crew Cab 22' 4" Rescue, Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB09	Walk In 18'9" Rescue, Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WB10	Walk In 20" Rescue, Commercial Chassis			

P L Custom Emergency Vehicles	AM18WB11	Walk-Around with Upper Storage 14'-6" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB12	Walk-Around with Upper Storage 16'-3" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB13	Walk-Around with Upper Storage 18'-9" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB14	Walk-Around with Upper Storage 20' Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB15	Walk-Around with Upper Storage 22'-4" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB16	Walk-Around with Upper Storage 25' Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB17	Walk-Around with Upper Storage 25' Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB18	Walk-Around 12'-6" Rescue, Ford Chassis					
P L Custom Emergency Vehicles	AM18WB19	Walk-Around USAR 22'-4" Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB20	Walk-In Front Crew Cab 25' Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB21	Walk-In 16'-3" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB22	Walk-In 22'-4" Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB23	Walk-In 25' Rescue, Commercial Chassis					
P L Custom Emergency Vehicles	AM18WB24	Walk-In 18'-9" Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB25	Walk-In 20' Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB26	Walk-In 22'-4" Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB27	Walk-In 25' Rescue, Custom Chassis					
P L Custom Emergency Vehicles	AM18WB28	Command Unit 22' 7"Commercial 4400 Chassis					
P L Custom Emergency Vehicles	AM18WB29	Bomb Unit 18' 9" 2 Door Commercial 4400 Chassis					
P L Custom Emergency Vehicles	AM18WB30	ESU Unit 10' 6" 2 Door Ford F550 Chassis					
Other Specialty Vehicle or Equipment							
P L Custom Emergency Vehicles	AM18WC01	ALS Responder Conversion only; lighting, console, rear cabinet					
	Emergency Vehicles P L Custom Emergency Vehicles	Emergency Vehicles P L Custom Emergency Vehicles AM18WB29 P L Custom Emergency Vehicles AM18WB30 AM18WB30	Emergency Vehicles P. L. Custom	Emergency Vehicles P. L. Custom	P.I. Custom Emergency Vehicles AMISWB10 Walk-Around USAR 22"-4" Rescue, Custom Chassis P.I. Custom Emergency Vehicles P.I. Custom Emergency Vehicles AMISWB20 Walk-In Front Crew Cab 25' Rescue, Commercial Chassis P.I. Custom Emergency Vehicles AMISWB21 Walk-In 16"-3" Rescue, Commercial Chassis P.I. Custom Emergency Vehicles AMISWB22 Walk-In 22"-4" Rescue, Commercial Chassis P.I. Custom Emergency Vehicles P.I. Custom Emergency Vehicles AMISWB24 Walk-In 25' Rescue, Commercial Chassis P.I. Custom Emergency Vehicles AMISWB25 Walk-In 29" Rescue, Custom Chassis P.I. Custom Emergency Vehicles P.I. Custom Emergency Vehicles AMISWB25 Walk-In 29" Rescue, Custom Chassis P.I. Custom Emergency Vehicles P.I. Custom Eme	P. L'Custom Cherrypency Vehicles AMISWB22 Walk-In 16'-3" Rescue, Commercial Chassis P. L'Custom Cherrypency Vehicles AMISWB23 Walk-In 16'-3" Rescue, Commercial Chassis Walk-In 16'-3" Rescue, Commercial Chassis Walk-In 18'-9" Rescue, Custom Chassis Walk-In 18'-9" Rescue,	Custom Compress Vehicles AMISWB1 Walk-Annual with Upper Storage 16 - 9" Rescue, Commercial Classis C

AM10-18	P L Custom	AM18WC02	BLS Responder Conversion only: lighting, console,			
	Emergency Vehicles	11111011002	rear cabinet			
AM10-18	P L Custom Emergency Vehicles	AM18WC03	Fire Command Conversion only; lighting, console, rear cabinet			
AM10-18	P L Custom Emergency Vehicles	AM18WC04	ALS Responder Conversion incl Ford Expedition 4x4; lighting, console, rear cabinet			
AM10-18	P L Custom Emergency Vehicles	AM18WC05	BLS Responder Conversion incl Ford Expedition 4x4; lighting, console, rear cabinet			
AM10-18	P L Custom Emergency Vehicles	AM18WC06	Fire Command Conversion incl Ford Expedition 4x4; lighting, console, rear cabinet			
E. Remounts	(See Section B, p. 8 Items 17-	-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	P L Custom Emergency Vehicles	AM18WE01	Remount only - Type 1			
AM10-18	P L Custom Emergency Vehicles	AM18WE02	Remount only - Type III			
AM10-18	P L Custom Emergency Vehicles	AM18WE03	Remount only - Medium Duty			
AM10-18	P L Custom Emergency Vehicles	AM18WE04	Type III Remount to Ford E-Series Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE05	Type III Remount to Chev G-Series Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE06	Type I Remount to Ford F-Series Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE07	Type I Remount to Ram Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE08	Medium Duty Remount to International Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE09	Medium Duty Remount to Freightliner Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE10	Heavy Duty Remount to Commercial Chassis			
AM10-18	P L Custom Emergency Vehicles	AM18WE11	Heavy Duty Remount to Custom Chassis			
			X. Road Rescue	 		
A. Ambulance	2					
AM10-18	Road Rescue		Duramedic III, 150"X 92", Chevrolet CG33503			
AM10-18	Road Rescue	AM18XA02	Duramedic I, 150" X 92", PT, Ford F450 (4 x 2), w/Air Ride			
AM10-18	Road Rescue	AM18XA03	Duramedic I, 150" X 92", PT, Ford F450 (4 x 4), w Air Ride			
AM10-18	Road Rescue	AM18XA04	Duramedic I, 150" X 92", PT, RAM 4500 (4 x 2), w/Air Ride			
AM10-18	Road Rescue	AM18XA05	Duramedic I, 150" X 92", PT, RAM 4500 (4 x 4), w Air Ride			
AM10-18	Road Rescue	AM18XA06	Promedic III, 150" X 96", Chevrolet CG33503			
AM10-18	Road Rescue	AM18XA07	Promedic I, 150" X 96", PT, Ford F450 (4 x 2), w/Air Ride			
AM10-18	Road Rescue	AM18XA08	Promedic I, 150" X 96", PT, Ford F450 (4 x 4), w/Air Ride			
AM10-18	Road Rescue	AM18XA09	Promedic I, 150" X 96", PT, RAM 4500 (4 x 2), w/Air Ride			

-				 	
AM10-18	Road Rescue	AM18XA10	Promedic I, 150" X 96", PT, RAM 4500 (4 x 4), w/Air Ride		
AM10-18	Road Rescue	AM18XA11	Ultramedic III, 168" X 96", Ford E450 (V-10, Gas) Cutaway		
AM10-18	Road Rescue	AM18XA12	Ultramedic III, 170" X 96", Chevrolet G4500 (Diesel) Cutaway		
AM10-18	Road Rescue	AM18XA13	Ultramedic I, 168" X 96", PT, Ford F450 (4 x 2), w/Air Ride		
AM10-18	Road Rescue	AM18XA14	Ultramedic I, 168" X 96", PT, Ford F450 (4 x 4), w/Air Ride		
AM10-18	Road Rescue	AM18XA15	Ultramedic I, 168" X 96", PT, RAM 4500 (4 x 2), w/Air Ride		
AM10-18	Road Rescue	AM18XA16	Ultramedic I, 168" X 96", PT, RAM 4500 (4 x 4), w/Air Ride		
AM10-18	Road Rescue	AM18XA17	Ultramedic MD, 168" x 96", PT, Internation HX, w/Air Ride		
AM10-18	Road Rescue	AM18XA18	Ultramedic MD, 168" x 96", PT, International Durastar 4300, w/Air Ride,		
AM10-18	Road Rescue	AM18XA19	Ultramedic MD, 168" x 96", Freightliner M2, w/Air Ride,		
AM10-18	Road Rescue	AM18XA20	MetroMedic I, 146" X 90", PT, Ford F350 (4 X 2)		
AM10-18	Road Rescue	AM18XA21	MetroMedic I, 146" X 90", PT, Ford F350 (4 X 4)		
AM10-18	Road Rescue	AM18XA22	MetroMedic I, 146" X 90", PT, Cheverlot C3500 (4 X 2)		
AM10-18	Road Rescue	AM18XA23	MetroMedic I, 146" X 90", PT, Cheverlot K3500 (4 X 4)		
AM10-18	Road Rescue	AM18XA24	MetroMedic I, 146" X 90", PT, RAM 3500 (4 X 2)		
AM10-18	Road Rescue	AM18XA25	MetroMedic I, 146" X 90", PT, RAM 3500 (4 X 4)		
AM10-18	Road Rescue	AM18XA26	MetroMedic I, 153" X 95", PT, Ford F350 (4 X 2)		
AM10-18	Road Rescue	AM18XA27	MetroMedic I, 153" X 95", PT, Ford F350 (4 X 4)		
AM10-18	Road Rescue	AM18XA28	MetroMedic I, 153" X 95", PT, Ford F450 (4 X 2) w/Air Ride		
AM10-18	Road Rescue	AM18XA29	MetroMedic I, 153" X 95", PT, Ford F450 (4 X 4) w/Air Ride		
AM10-18	Road Rescue	AM18XA30	MetroMedic I, 153" X 95", PT, RAM 4500 (4 X 2) w/Air Ride		
AM10-18	Road Rescue	AM18XA31	MetroMedic I, 153" X 95", PT, RAM 4500 (4 X 4) w/Air Ride		
AM10-18	Road Rescue	AM18XA32	MetroMedic I, 170" X 95", PT, Ford F450 (4 X 2) w/Air Ride		
AM10-18	Road Rescue	AM18XA33	MetroMedic I, 170" X 95", PT, Ford F450 (4 X 4) w/Air Ride		
AM10-18	Road Rescue	AM18XA34	MetroMedic I, 170" X 95", PT, RAM 4500 (4 X 2) w/Air Ride		
AM10-18	Road Rescue	AM18XA35	MetroMedic I, 170" X 95", PT, RAM 4500 (4 X 4) w/Air Ride		
AM10-18	Road Rescue	AM18XA36	MetroMedic VII, 146 x 90", Ford E350		
AM10-18	Road Rescue	AM18XA37	MetroMedic VII, 146 x 90", Chevrolet CG33503		
AM10-18	Road Rescue	AM18XA38	MetroMedic III, 153" X 95", Ford E350		
AM10-18	Road Rescue	AM18XA39	MetroMedic III, 153" X 95", Chevrolet CG33503		
AM10-18	Road Rescue	AM18XA40	MetroMedic III, 165" X 95", Ford E450		
	1	ļ	· · ·		

AM10-18	Road Rescue	AM18XA41	MetroMedic III, 165" X 95", Chevrolet G4500			
			Cutaway			
AM10-18	Road Rescue	AM18XA42	MetroMedic III, 170" X 95", Ford E450 (V-10 Gas) MetroMedic III, 170" X 95", Chevrolet G4500			
AM10-18	Road Rescue	AM18XA43	Cutaway			
AM10-18	Road Rescue	AM18XA44	MetroMedic MD, 160" X 95", International Durastar 4300 W/Air Ride			
AM10-18	Road Rescue	AM18XA45	MetroMedic MD, 160" X 95", Freightliner M2 W/Air Ride			
AM10-18	Road Rescue	AM18XA46	MetroMedic MD, 170" X 95", International Durastar 4300 W/Air Ride			
AM10-18	Road Rescue	AM18XA47	MetroMedic MD, 170" X 95", Freightliner M2 W/Air Ride			
AM10-18	Road Rescue	AM18XA48	MetroMedic MD, 170" X 95", International HX W/Air Ride			
AM10-18	Road Rescue	AM18XA49	TransMedic II, Cheverlot G-Seires			
AM10-18	Road Rescue	AM18XA50	TransMedic II, Ford Transit - Silver			
AM10-18	Road Rescue	AM18XA51	TransMedic II, Ford Transit - Gold			
AM10-18	Road Rescue	AM18XA52	TransMedic II, Ford Transit - Platinum			
AM10-18	Road Rescue	AM18XA53	TransMedic II, Mercedes Sprinter			
E. Remounts	(See Section B, p. 8 Item	ns 17-18 for specifics regarding "Ren	nount" pricing)			
AM10-18	Road Rescue	AM18XE01	Remount only - Type I			
AM10-18	Road Rescue	AM18XE02	Remount only - Type III			
AM10-18	Road Rescue	AM18XE03	Remount only - Medium Duty			
AM10-18	Road Rescue	AM18XE04	Remount on chassis- Ford F-350 Type I			
AM10-18	Road Rescue	AM18XE05	Remount on chassis - Ford F-450 Type I			
AM10-18	Road Rescue	AM18XE06	Remount on chassis - Ford E-350 Type III			
AM10-18	Road Rescue	AM18XE07	Remount on chassis - Ford E-450 Type III			
AM10-18	Road Rescue	AM18XE08	Remount on chassis - Chevrolet C3500 Type I			
AM10-18	Road Rescue	AM18XE09	Remount on chassis - Chevrolet G3500 Type III			
AM10-18	Road Rescue	AM18XE10	Remount on chassis - Chevrolet G4500 Type III			
AM10-18	Road Rescue	AM18XE11	Remount on chassis - RAM 3500 Type I			
AM10-18	Road Rescue	AM18XE12	Remount on chassis - RAM 4500 Type I			
AM10-18	Road Rescue	AM18XE13	Remount on chassis - International Terra Star Type I			
AM10-18	Road Rescue	AM18XE14	Remount on chassis - International Durastar 4300 Type I			
AM10-18	Road Rescue	AM18XE15	Remount on chassis - Freightliner M2 Type I			
		,	Y. Sealegs	,	 	
	cialty Vehicle or Equipm					
AM10-18	SeaLegs	AM18YC01	SEALEGS, 6.1 m RIB Amphibious Rescue Craft			

AM10-18	SeaLegs	AM18YC02	SEALEGS, 6.1 m D TUBE Amphibious Rescue Craft			
AM10-19	SeaLegs	AM18YC03	SEALEGS, 7.1 m RIB Amphibious Rescue Craft			
			Z. Supreme Corporation	n		
C. Other Spec	cialty Vehicle or Equipme	ent				
AM10-18	Supreme Corporation		Avenger Armored Tactical Support Vehicle with room for 10-12 Tactical Responders. Includes full armored protection on a Ford F550 4X4 chassis			
AM10-18	Supreme Corporation		Supreme Rapid Deployment Vehicle; 14' x 78"x 96" FRP Body with Swat Bench Seating and Related Equipment on a Ford E450 Cutaway chassis.			
AM10-18	Supreme Corporation	AM18ZC03	10' Dual Compartment Prisoner Transport Van built on a Ford E350 Cutaway Chassis with an FRP body.			
AM10-18	Supreme Corporation	AM18ZC04	12' Quick Response Bomb Squad Command Center built on a Ford f450 chassis.			
AM10-18	Supreme Corporation	AM18ZC05	24' Custom Built Mobile Command Center built on a Ford F650 Chassis.			
AM10-18	Supreme Corporation	AM18ZC06	10' Crime Scene Response [CSI] vehicle mounted on a Ford E350 chassis			
AM10-18	Supreme Corporation	AM18ZC07	Supreme Rapid Deployment Vehicle; 14' x 78"x 96" FRP Body with Swat Bench Seating and Related Equipment on a Ford E450 Cutaway chassis.			
AM10-18	Supreme Corporation	AM18ZC08	Hostage Negotiation Vehicle on a Ford E450 chassis			
AM10-18	Supreme Corporation	AM18ZC09	Terra Hawk Surveillance System on a Ford F550			
			AA. Taylor Made		 	_
A. Ambulance						
AM10-18	Taylor Made	AM18AAA01	Type I, F-350 DRW, 144" Module			
AM10-18	Taylor Made	AM18AAA02	Type I, F-450 DRW, 144" Module			
AM10-18	Taylor Made	AM18AAA03	Type I, F-550 DRW, 144" Module			
AM10-18	Taylor Made	AM18AAA04	Type I, GM DRW, 144" Module			
AM10-18	Taylor Made	AM18AAA05	Type I-HD, F-650, 164" Module			
AM10-18	Taylor Made	AM18AAA06	Type I-HD, FL-M2, 164" Module			
AM10-18	Taylor Made	AM18AAA07	Type I-HD, LP-4300, 164" Module			
AM10-18	Taylor Made	AM18AAA08	Type I-HD, Terra Star, 164" Module			
AM10-18	Taylor Made	AM18AAA09	Type II Sprinter, Diesel HT Van			
AM10-18	Taylor Made	AM18AAA10	Type II XL, GM, Diesel HT Van			
AM10-18	Taylor Made	AM18AAA11	Type II XL, GM Gas, HT Van			
AM10-18	Taylor Made	AM18AAA12	Type III, E-350 DRW Gas,144" Module			
AM10-18	Taylor Made	AM18AAA13	Type III E-450 Gas DRW, 164" Module			
AM10-18	Taylor Made	AM18AAA14	Type III, GM-G3500 Diesel,144" Module			
AM10-18	Taylor Made	AM18AAA15	Type III-HD, GM-G4500 Diesel, 164" Module			
			BB. TechOps Specialty Veh	icles		·
B. Light/Medi	ium Rescue Vehicle					

AM10-18	TechOps Specialty Vehicles	AM18BBB01	ICS-LRWA-F9 Light RSQ & ESU, Ford F550, diesel, 9' walk around alum body, 7 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB02	ICS-LRWI-F9 Light RSQ & ESU Ford F550, diesel, 9' walk in alum body, 6 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB03	ICS-LRWA-R9 Light RSQ & ESU, Ram 5500, diesel, 9' walk around alum body, 7 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB04	ICS-LRWI-R9 Light RSQ & ESU Ram 5500, diesel, 9' walk in alum body, 6 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB05	ICS-LRWI-GM9 Light RSQ & ESU GM 4500 cutaway, diesel, 9' walk in alum body, 6 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB06	ICS-MRWA-F16 Medium RSQ & ESU, Ford F650, diesel, 16' walk around alum body, 9 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB07	ICS-LRWI-F16 Medium RSQ Ford F650, diesel, 16' walk in alum body, 8 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB08	ICS-U-SWAT-F9 Deployment utility, Ford E350, gas, 9' steel body, 6 compartments, insulated interior, HVAC, benches w/storage			
AM10-18	TechOps Specialty Vehicles	AM18BBB09	ICS-U-SWAT-R9 Deployment utility, Ram 4500, gas, 9' steel body, 6 compartments, insulated interior, HVAC, benches w/storage			
AM10-18	TechOps Specialty Vehicles	AM18BBB10	ICS-U-SWAT-GM9 Deployment utility, GM 4500 cutaway, gas, 9' steel body, 6 compartments, insulated interior, HVAC, benches w/storage			
AM10-18	TechOps Specialty Vehicles	AM18BBB11	ICS-MRWA-116 Medium RSQ & ESU, International, diesel, 16' walk around alum body, 9 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB12	ICS-LRWI-F16 Medium RSQ Ford F650, diesel, 16' walk in alum body, 6 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB13	ICS-MRWA-I16 Medium RSQ, International, diesel, 16' walk around alum body, 9 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB14	ICS-MRWI-I16 Medium RSQ, International, diesel, 16' walk in alum body, 8 comp & interior			
AM10-18	TechOps Specialty Vehicles	AM18BBB15	ICS-MRWA-FL16 Medium RSQ, Freightliner, diesel, 16' walk around alum body, 9 compartments			
AM10-18	TechOps Specialty Vehicles	AM18BBB16	ICS-MRWI-FL16 Medium RSQ, Freightliner, diesel, 16' walk in alum body, 8 comp & interior			
C. Other Spec	ialty Vehicle or Equipment					
AM10-18	TechOps Specialty Vehicles	AM18BBC01	ICS-SUV-C-S1 Suburban 4x4, Command, console, rear command center, emergency lighting			
AM10-18	TechOps Specialty Vehicles	AM18BBC02	ICS-SUV-EOD-S1 Suburban 4x4, Bomb Tech, console, rear equipment storage, covert lighting			
AM10-18	TechOps Specialty Vehicles	AM18BBC03	ICS-SUV-IO-S1 Suburban, 4x4, Communications Unit, antenna array, Interior comm center			
AM10-18	TechOps Specialty Vehicles	AM18BBC04	ICS-SUV-K9-S1 Suburban 4x4, K9 kennel, temperature control, emergency lighting			
AM10-18	TechOps Specialty Vehicles	AM18BBC05	ICS-SUV-EMS-S1 Suburban 4x4, Tactical Extraction, patient transport, equipment storage			
AM10-18	TechOps Specialty Vehicles	AM18BBC06	ICS-SUV-SURV-S1 Suburban 4x4, Surveilance, covert, counter, cameras, audio			

TechOps Specialty Vehicles	AM18BBC07	ICS-SUV-SURV-E1 Expedition 4x4, Surveilance, covert, counter, cameras, audio				
TechOps Specialty Vehicles	AM18BBC08	ICS-GMPU-R1 GM 2500 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit				
TechOps Specialty Vehicles	AM18BBC09	ICS-FPU-R1 Ford F250 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit				
TechOps Specialty Vehicles	AM18BBC10	ICS-RPU-R1 Ram 2500 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit				
TechOps Specialty Vehicles	AM18BBC11	ICS-VAN-CS-F1 Crime Scene Van, Ford Transit, 2500, gas, insulated, cabinets, scene lighting				
TechOps Specialty Vehicles	AM18BBC12	ICS-VAN-CS-GM1 Crime Scene Van, GM 2500, gas, insulated, cabinets, scene lighting				
TechOps Specialty Vehicles		ICS-VAN-CS-S1 Crime Scene Van, Sprinter 2500, diesel, insulated, cabinets, scene lighting				
TechOps Specialty Vehicles		ICS-VAN-PT-F1 Prisoner Transport Van, Ford Transit, 2500, gas, insulated, seating				
TechOps Specialty Vehicles	AM18BBC15	ICS-VAN-PT-GM1 Prisoner Transport Van, GM				
TechOps Specialty Vehicles	AM18BBC16	ICS-VAN-PT-S1 Prisoner Transport Van, Sprinter 2500, diesel, insulated, seating				
TechOps Specialty Vehicles	AM18BBC17	ICS-VAN-SWAT-F1 Deployment Van, Ford Transit, 2500, gas, insulated, benches, rear AC				
TechOps Specialty Vehicles	AM18BBC18	ICS-VAN-SWAT-GM1 Deployment Van, GM 2500, gas, insulated, benches, rear AC				
TechOps Specialty Vehicles	AM18BBC19	ICS-VAN-SWAT-S1 Deployment Van, Sprinter 2500, diesel, insulated, benches, rear AC				
TechOps Specialty Vehicles	AM18BBC20	ICS-VAN-SURV-F1 Surveillance Van, Ford Transit, gas, insulated, Cameras, recorder, HVAC				
TechOps Specialty Vehicles	AM18BBC21	ICS-VAN-SURV-GM1 Surveillance Van, GM van, gas, insulated, Cameras, recorder, HVAC				
TechOps Specialty Vehicles	AM18BBC22	ICS-VAN-SURV-S1 Surveillance Van, Sprinter 2500, diesel, insulated,Cameras, recorder, HVAC				
TechOps Specialty Vehicles	AM18BBC23	ICS-BOX-CCI-F1 Command/Communication, Investigation,Ford F550, gas, 12' commercial body				
TechOps Specialty Vehicles	AM18BBC24	ICS-BOX-CCI-R1 Command/Communication, Investigation,Ram 5500, gas, 12' commercial body				
TechOps Specialty Vehicles	AM18BBC25	ICS-BOX-CCI-II Command/Communication,Investigation,International, gas,16' commercial body				
TechOps Specialty Vehicles	AM18BBC26	ICS-BOX-CCI-FL1 Command/Communication,Investigation,Freightliner,g as,16' commercial body				
TechOps Specialty Vehicles		ICS-SV-CCI-F1 Command/Communication, Investigation,Step Van, gas, 18' aluminum body				
TechOps Specialty Vehicles	AM18BBC28	ICS-BOX-EOD-F1 Bomb Tech Unit, Ford F550, gas, 12' commercial body				
TechOps Specialty Vehicles	AM18BBC29	ICS-BOX-EOD-R1 Bomb Tech Unit,Ram 5500, gas, 12' commercial body				
TechOps Specialty Vehicles	AM18BBC30	ICS-BOX-EOD-I1 Bomb Tech Unit, International, gas, 16' commercial body				
	TechOps Specialty Vehicles TechOps Specialty Vehicles	Vehicles TechOps Specialty	TechOps Specialty Vehicles AM18BBC09 CS-GMPU-R1 GM 2500 Pickup, Responder, std cab, gas, 8 bed, cap, rear pull out equipment unit TechOps Specialty Vehicles AM18BBC09 CS-RPU-R1 Ford F250 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit TechOps Specialty Vehicles AM18BBC10 CS-RPU-R1 Ram 2500 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit TechOps Specialty Vehicles AM18BBC11 TechOps Specialty Vehicles AM18BBC12 TechOps Specialty Vehicles AM18BBC13 AM18BBC13 AM18BBC14 AM18BBC15 AM18BBC15 AM18BBC16 AM18BBC16 AM18BBC17 TechOps Specialty Vehicles AM18BBC17 TechOps Specialty Vehicles AM18BBC18 AM18BBC18 AM18BBC19 AM18BBC19 AM18BBC19 AM18BBC19 CS-VAN-PT-GMI Prisoner Transport Van, Ford Transit, 2500, gas, insulated, seating ICS-VAN-PT-SI Prisoner Transport Van, Ford TrachOps Specialty Vehicles AM18BBC16 AM18BBC17 TechOps Specialty AM18BBC18 AM18BBC19 CS-VAN-PT-SI Prisoner Transport Van, Sprinter 2500, diesel, insulated, seating ICS-VAN-PT-SI Prisoner Transport Van, Ford TrechOps Specialty Vehicles AM18BBC16 AM18BBC17 TechOps Specialty AM18BBC18 CS-VAN-SWAT-FI Deployment Van, Ford Transit, 2500, gas, insulated, seating ICS-VAN-SWAT-FI Deployment Van, Ford Transit, 2500, gas, insulated, beaches, rear AC TechOps Specialty Vehicles AM18BBC19 AM18BBC19 CS-VAN-SWAT-FI Deployment Van, Ford Transit, 2500, gas, insulated, beaches, rear AC TechOps Specialty Vehicles AM18BBC20 TechOps Specialty Vehicles AM18BBC20 CS-VAN-SWAT-FI Surpeillance Van, GM Van, gas, insulated, beaches, rear AC TechOps Specialty Vehicles AM18BBC21 TechOps Specialty Vehicles AM18BBC22 TechOps Specialty Vehicles AM18BBC23 TechOps Specialty Vehicles AM18BBC24 CS-VAN-SURV-SI Surveillance Van, GM Van, gas, insulated, Cameras, recorder, HVAC TechOps Specialty Vehicles AM18BBC24 CS-SOX-CCI-FI Command/Communication, Investigation, International, gas, 16' commercial body TechOps Specialty Vehicles AM18BBC25 TechOps Specialty Vehicles AM18BBC26 CS	Vehicles AMISBECOS TechOps Specially Vehicles AMISBECOS AMISBECOS CS-GMPU-R1 GM 2500 Pickup, Responder, std cab, gas, 8 bed, cap, rear pull out equipment unit TechOps Specially Vehicles AMISBECOS AMISB	Vehicles AM18BC08 AM18BC08 AM18BC09 CS-GMPU-RI GM 2500 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit CS-GMPU-RI GM 2500 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit CS-FPU-RI For JE 250 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit CS-FPU-RI For JE 250 Pickup, Responder, std cab, gas, 8' bed, cap, rear pull out equipment unit CS-PVA-NCS-FI Crime Scene Van, Ford Transit, vehicles AM18BC19 CS-VAN-CS-FI Crime Scene Van, Ford Transit, vehicles AM18BC11 CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scere lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, cabiners, scene lighting CS-VAN-CS-GMI Crime Scene Van, GM 2500, gas, insulated, scaning, gas, gas, gas, gas, gas, gas, gas, ga	Vehicles AM18BC08 CS-RPU-R1 Ram 2500 Pickup, Responder, and ab, gas, 8 bed, cap, rear pull out equipment unit TechOps Specialty Vehicles AM18BC10 CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit TechOps Specialty Vehicles AM18BC11 CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit unit CS-RPU-R1 Ram 2500 Pickup, Responder, and cab, gas, 8 bed, cap, rear pull out equipment unit CS-RPU-R1 Ram 2500 Pickup, Responder, and Cab, gas, 8 be

AM10-18	TechOps Specialty Vehicles	AM18BBC31	ICS-BOX-EOD-FL1 Bomb Tech Unit, Freightliner, gas, 16' commercial body		
13/10/10	TechOps Specialty	4 3 5 4 0 D D C 2 2	ICS-TRL-COM Command & Communications		
AM10-18	Vehicles	AM18BBC32	trailer, work stations, HVAC, 120 VAC power		
AM10-18	TechOps Specialty Vehicles		ICS-TRL-SCT OSPREY/RAVEN Satellite Connectivity Trailer, generator, 161"L x 87"W x 75"H		
AM10-18	TechOps Specialty Vehicles	AM18BBC34	ICS-VTR Vehicle Technology update, retrofit and evaluation		
AM10-18	TechOps Specialty Vehicles		ICS-TRL-RHB Rehab trailer, benches, galley, HVAC, 120 VAC power		
AM10-18	TechOps Specialty Vehicles	AM18PRC36	ICS-TRL-DECON Decon trailer, male-female, four station, HVAC, plumbing, 120 VAC power		
AM10-18	TechOps Specialty Vehicles	AM18RRC37	ICS-TRL-MCI Trailer, rear ramp, shelving, storage bins, equipment		
AM10-18	TechOps Specialty Vehicles		UT-R-GM Utility response unit based on GM chassis		
AM10-18	TechOps Specialty Vehicles	AM18BBC39	UT-R-FD Utility response unit based on Ford chassis		
AM10-18	TechOps Specialty Vehicles	AM18BBC40	UT-R-RAM Utility response unit based on RAM chassis		
AM10-18	TechOps Specialty Vehicles	AM18BBC41	VTR-2C Existing vehicle technology - Base		
AM10-18	TechOps Specialty Vehicles	AM18BBC42	VTR-3C Existing vehicle technology & configuration retrofit		
			CC. Wheeled Coach		
A. Ambulance	e				
AM10-18	Wheeled Coach	AM18CCA01	Type I Custom Series, Ford F-350 DRW		
AM10-18	Wheeled Coach	AM18CCA02	Type I Custom Series, Ford F-450 DRW		
AM10-18	Wheeled Coach	AM18CCA03	Type I Custom Series, Ford F-550 DRW		
AM10-18	Wheeled Coach	AM18CCA04	Type I Custom Series, RAM 4500, Cummins Diesel DRW		
AM10-18	Wheeled Coach	AM18CCA05	Type I Custom Series, RAM 5500, Cummins Diesel DRW		
AM10-18	Wheeled Coach	AM18CCA06	Type I CitiMedic,Ford F-350 Diesel DRW		
AM10-18	Wheeled Coach	AM18CCA07	Type I CitiMedic,Chevrolet 3500 Diesel DRW		
AM10-18	Wheeled Coach	AM18CCA08	Type I CitiMedic, RAM 3500, Cummins Diesel DRW		
AM10-18	Wheeled Coach	AM18CCA09	Type I Custom Series, Chevrolet CK3500		
AM10-18	Wheeled Coach	AM18CCA10	Type I Custom Series, Ford F-350 DRW Generator Powered		
AM10-18	Wheeled Coach	1 AM1800A11	Type I Custom Series, Ford F-450 DRW Generator Powered		
AM10-18	Wheeled Coach	AM18CCA12	Type II, Transit, Ford (Mid-roof)		
AM10-18	Wheeled Coach	AM18CCA13	Type II, Transit, Ford (High-roof)		
AM10-18	Wheeled Coach	AM18CCA14	Type II Crusader Plus, Chevrolet G-30 SRW		
AM10-18	Wheeled Coach	AM18CCA15	Type II Sprinter Plus		

	_					
AM10-18	Wheeled Coach	AM18CCA16	Type III Custom Series, Ford E-350 DRW			
AM10-18	Wheeled Coach	AM18CCA17	Type III Custom Series, Chevrolet Cutaway Gas DRW - G3500			
AM10-18	Wheeled Coach	AM18CCA18	Type III Custom Series, Chevrolet Cutaway Gas DRW - G4500			
AM10-18	Wheeled Coach	AM18CCA19	Type III Custom Series, Ford E-450 DRW			
AM10-18	Wheeled Coach	AM18CCA20	Type III, Sprinter Series			
AM10-18	Wheeled Coach	AM18CCA21	Type VII CitiMedic, Ford E-350 DRW			
AM10-18	Wheeled Coach	AM18CCA22	Type VII CitiMedic, Chevrolet Cutaway Gas DRW			
AM10-18	Wheeled Coach	AM18CCA23	Type IX, MAV, International 4300, Diesel DRW			
AM10-18	Wheeled Coach	AM18CCA24	Type IX, MAV, Freightliner M2, Diesel DRW			
AM10-18	Wheeled Coach	AM18CCA25	Type IX, MAV, Ford F-650			
C. Other Spec	cialty Vehicle or Equipm	nent				
AM10-18	Wheeled Coach	AM18CCC01	SRV, Ford F-350 Diesel DRW			
AM10-18	Wheeled Coach	AM18CCC02	SRV, Ford F-450 Diesel DRW			
AM10-18	Wheeled Coach	AM18CCC03	SRV, Ford F-550 Diesel DRW			
AM10-18	Wheeled Coach	AM18CCC04	SRV, RAM 3500 DRW			
AM10-18	Wheeled Coach	AM18CCC05	SRV, RAM 4500 DRW			
AM10-18	Wheeled Coach	AM18CCC06	SRV, Chevrolet, C 3500 DRW			
AM10-18	Wheeled Coach	AM18CCC07	SRV, Medium Duty, Ford F-650			
AM10-18	Wheeled Coach	AM18CCC08	SRV, Medium Duty, International 4300			
AM10-18	Wheeled Coach	AM18CCC09	SRV, Medium Duty, Freightliner M2			
AM10-18	Wheeled Coach	AM18CCC10	SRV, Heavy Duty, International 4300			
AM10-18	Wheeled Coach	AM18CCC11	SRV, Heavy Duty, Freightliner M2			
AM10-18	Wheeled Coach	AM18CCC12	MAV Mobile Command Unit/Special Operations Freightliner Custom			
AM10-18	Wheeled Coach	AM18CCC13	MAV Mobile Command Unit/Special Operations International Custom			
E. Remounts ((See Section B, p. 8 Item	s 17-18 for specifics regarding "Ren				
AM10-18	Wheeled Coach	AM18CCE01	Remount only - Type I			
AM10-18	Wheeled Coach	AM18CCE02	Remount only - Type III			
AM10-18	Wheeled Coach	AM18CCE03	Remount only - Medium Duty			
AM10-18	Wheeled Coach	AM18CCE04	Remount on chassis- Ford F-350 Type I			
AM10-18	Wheeled Coach	AM18CCE05	Remount on chassis - Ford F-450 Type I			
AM10-18	Wheeled Coach	AM18CCE06	Remount on chassis - Ford E-350 Type III			
AM10-18	Wheeled Coach	AM18CCE07	Remount on chassis - Ford E-450 Type III			
AM10-18	Wheeled Coach	AM18CCE08	Remount on chassis - Chevrolet C3500 Type I			
AM10-18	Wheeled Coach	AM18CCE09	Remount on chassis - Chevrolet G3500 Type III			

AM10-18	Wheeled Coach	AM18CCE10	Remount on chassis - Chevrolet G4500 Type III			
AM10-18	Wheeled Coach	AM18CCE11	Remount on chassis - RAM 3500 Type I			
AM10-18	Wheeled Coach	AM18CCE12	Remount on chassis - RAM 4500 Type I			
AM10-18	Wheeled Coach	AM18CCE13	Remount on chassis - International 4300 Type I			
AM10-18	Wheeled Coach	AM18CCE14	Remount on chassis - Freightliner M2 Type I			

FORM E - P	UBLISHED OPTIONS Procurement No.:					
Offeror Name:						
Notes: (Important)	1) Use a single Form E for ALL Option/Accessory items and quote each on a single, separate line. DO NOT use multiple Form E 's Add or insert additional lines as necessary.					
	3) Completely describe each item. Include the manufacturer's code or part number. Each item liste unique code or part number so that it can be identified in any subsequest contract.	d MUST have a				
	4) Options which replace standard equipment on a Form D Item should be priced net of any credit replaced item.	due for the				
	5) Options which are upgrades/downgrades of a Form D Item should be priced at the differential at the cost of the Form D Item and the upgrade/downgrade option.	nount between				
Code or Part No.	Option Description	Offered Price				

FORM H - MARKETING PLAN	Invitation No.: AM10-18
Offeror Name:	
Bidder shall provide a written narra an H-GAC contract to local governm	tive explaining in some detail actiities that will be undertaken to actively market and promote nent and non-profit End Users.



This is a <u>sample</u> of the contract that will be sent to you for execution IF you are recommended for a contract award. Do NOT complete and return with your Response.

A CONTRACT BETWEEN HOUSTON-GALVESTON AREA COUNCIL, Houston, Texas AND
This Contract is made and entered into by the Houston-Galveston Area Council of Governments , hereinafter referred to a H-GAC , having its principal place of business at 3555 Timmons Lane, Suite 100, Houston, Texas 77027, AND,hereinafter referred to as the CONTRACTOR , having its principal place of business at
ARTICLE 1: SCOPE OF SERVICES
The parties have entered into a Contract to become effective as of, and to continue through (the
"Contract"), subject to extension upon mutual agreement of the CONTRACTOR and H-GAC. H-GAC enters into the
Contract as Agent for participating governmental agencies, each hereinafter referred to as END USER , for the purchase of
offered by the CONTRACTOR. The CONTRACTOR agrees to sell through the H-GAC Contract to ENI
USERS.
ARTICLE 2: THE COMPLETE AGREEMENT
The Contract shall consist of the documents identified below in order of precedence:
1. The text of this Contract form, including but not limited to, Attachment A
2. General Terms and Conditions
3. Bid Specifications No:, including any relevant suffixes
4. CONTRACTOR's Response to Bid No:, including but not limited to, prices and options offered

All of which are either attached hereto or incorporated by reference and hereby made a part of this Contract, and shall constitute the complete agreement between the parties hereto. This Contract supersedes any and all oral or written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Contract cannot be modified without the written consent of both parties.

ARTICLE 3: LEGAL AUTHORITY

CONTRACTOR and **H-GAC** warrant and represent to each other that they have adequate legal counsel and authority to enter into this Contract. The governing bodies, where applicable, have authorized the signatory officials to enter into this Contract and bind the parties to the terms of this Contract and any subsequent amendments thereto.

ARTICLE 4: APPLICABLE LAWS

The parties agree to conduct all activities under this Contract in accordance with all applicable rules, regulations, directives, issuances, ordinances, and laws in effect or promulgated during the term of this Contract.

ARTICLE 5: INDEPENDENT CONTRACTOR

The execution of this Contract and the rendering of services prescribed by this Contract do not change the independent status of **H-GAC** or **CONTRACTOR**. No provision of this Contract or act of **H-GAC** in performance of this Contract shall be construed as making **CONTRACTOR** the agent, servant or employee of **H-GAC**, the State of Texas or the United States Government. Employees of **CONTRACTOR** are subject to the exclusive control and supervision of **CONTRACTOR**. **CONTRACTOR** is solely responsible for employee payrolls and claims arising therefrom.

ARTICLE 6: END USER AGREEMENTS

H-GAC acknowledges that the END USER may choose to enter into an End User Agreement with the CONTRACTOR through this Contract and that the term of said Agreement may exceed the term of the H-GAC Contract. However this acknowledgement is not to be construed as H-GAC's endorsement or approval of the End User Agreement terms and conditions. CONTRACTOR agrees not to offer to, agree to or accept from END USER any terms or conditions that conflict with or contravene those in CONTRACTOR's H-GAC contract. Further, termination of this Contract for any reason shall not result in the termination of the underlying End User Agreements entered into between CONTRACTOR and any END USER which shall, in each instance, continue pursuant to their stated terms and duration. The only effect of termination of this Contract is that CONTRACTOR will no longer be able to enter into any new End User Agreements with END USERS pursuant to this Contract. Applicable H-GAC order processing charges will be due and payable to H-GAC on

(10/1/13) Page 1 of 4



any End User Agreements surviving termination of this Contract between H-GAC and CONTRACTOR.

ARTICLE 7: SUBCONTRACTS & ASSIGNMENTS

CONTRACTOR agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Contract or any right, title, obligation or interest it may have therein to any third party without prior written notice to **H-GAC**. **H-GAC** reserves the right to accept or reject any such change. **CONTRACTOR** shall continue to remain responsible for all performance under this Contract regardless of any subcontract or assignment. **H-GAC** shall be liable solely to **CONTRACTOR** and not to any of its Subcontractors or Assignees.

ARTICLE 8: EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS

CONTRACTOR shall maintain during the course of its work, complete and accurate records of items that are chargeable to **END USER** under this Contract. **H-GAC**, through its staff or its designated public accounting firm, the State of Texas, or the United States Government shall have the right at any reasonable time to inspect copy and audit those records on or off the premises of **CONTRACTOR**. Failure to provide access to records may be cause for termination of this Contract. **CONTRACTOR** shall maintain all records pertinent to this Contract for a period of not less than five (5) calendar years from the date of acceptance of the final contract closeout and until any outstanding litigation, audit or claim has been resolved. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. **CONTRACTOR** further agrees to include in all subcontracts under this Contract, a provision to the effect that the subcontractor agrees that **H-GAC'S** duly authorized representatives, shall, until the expiration of five (5) calendar years after final payment under the subcontract or until all audit findings have been resolved, have access to, and the right to examine and copy any directly pertinent books, documents, papers, invoices and records of such subcontractor involving any transaction relating to the subcontract.

ARTICLE 9: REPORTING REQUIREMENTS

CONTRACTOR agrees to submit reports or other documentation in accordance with the General Terms and Conditions of the Bid Specifications. If **CONTRACTOR** fails to submit to **H-GAC** in a timely and satisfactory manner any such report or documentation, or otherwise fails to satisfactorily render performance hereunder, such failure may be considered cause for termination of this Contract.

ARTICLE 10: MOST FAVORED CUSTOMER CLAUSE

If CONTRACTOR, at any time during this Contract, routinely enters into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to H-GAC on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to H-GAC, CONTRACTOR shall notify H-GAC within ten (10) business days thereafter of that offering and this Contract shall be deemed to be automatically amended effective retroactively to the effective date of the most favorable contract, wherein CONTRACTOR shall provide the same prices, warranties, benefits, or terms to H-GAC and its END USER. H-GAC shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If CONTRACTOR is of the opinion that any apparently more favorable price, warranty, benefit, or term charged and/or offered a customer during the term of this Contract is not in fact most favored treatment, CONTRACTOR shall within ten (10) business days notify H-GAC in writing, setting forth the detailed reasons CONTRACTOR believes aforesaid offer which has been deemed to be a most favored treatment, is not in fact most favored treatment. H-GAC, after due consideration of such written explanation, may decline to accept such explanation and thereupon this Contract between H-GAC and CONTRACTOR shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties, benefits, or terms to H-GAC.

The Parties accept the following definition of routine: A prescribed, detailed course of action to be followed regularly; a standard procedure. EXCEPTION: This clause shall not be applicable to prices and price adjustments offered by a bidder, or contractor, which are not within bidder's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.

ARTICLE 11: SEVERABILITY

All parties agree that should any provision of this Contract be determined to be invalid or unenforceable, such determination shall not affect any other term of this Contract, which shall continue in full force and effect.

ARTICLE 12: DISPUTES

Any and all disputes concerning questions of fact or of law arising under this Contract, which are not disposed of by agreement, shall be decided by the Executive Director of **H-GAC** or his designee, who shall reduce his decision to writing and provide notice thereof to **CONTRACTOR**. The decision of the Executive Director or his designee shall be final and conclusive unless,

(10/1/13) Page 2 of 4



within thirty (30) days from the date of receipt of such notice, **CONTRACTOR** requests a rehearing from the Executive Director of **H-GAC**. In connection with any rehearing under this Article, **CONTRACTOR** shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. **CONTRACTOR** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, **CONTRACTOR** shall proceed diligently with the performance of this Contract and in accordance with **H-GAC'S** final decision.

ARTICLE 13: LIMITATION OF CONTRACTOR'S LIABILITY

Except as specified in any separate writing between the **CONTRACTOR** and an **END USER, CONTRACTOR's** total liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify **H-GAC** described in Article 14, is limited to the price of the particular products/services sold hereunder, and **CONTRACTOR** agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will **CONTRACTOR** be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. **CONTRACTOR** understands and agrees that it shall be liable to repay and shall repay upon demand to **END USER** any amounts determined by **H-GAC**, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Contract.

ARTICLE 14: LIMIT OF H-GAC'S LIABILITY AND INDEMNIFICATION OF H-GAC

H-GAC's liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees, and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgments, and liens arising as a result of CONTRACTOR's negligent act or omission under this Contract. CONTRACTOR shall notify H-GAC of the threat of lawsuit or of any actual suit filed against CONTRACTOR relating to this Contract.

ARTICLE 15: TERMINATION FOR CAUSE

H-GAC may terminate this Contract for cause based upon the failure of CONTRACTOR to comply with the terms and/or conditions of the Contract; provided that H-GAC shall give CONTRACTOR written notice specifying CONTRACTOR'S failure. If within thirty (30) days after receipt of such notice, CONTRACTOR shall not have either corrected such failure, or thereafter proceeded diligently to complete such correction, then H-GAC may, at its option, place CONTRACTOR in default and the Contract shall terminate on the date specified in such notice. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation was received by CONTRACTOR.

ARTICLE 16: TERMINATION FOR CONVENIENCE

Either H-GAC or CONTRACTOR may cancel or terminate this Contract at any time by giving thirty (30) days written notice to the other. CONTRACTOR may be entitled to payment from END USER for services actually performed; to the extent said services are satisfactory to END USER. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation is received by CONTRACTOR.

ARTICLE 17: CIVIL AND CRIMINAL PROVISIONS AND SANCTIONS

CONTRACTOR agrees that it will perform under this Contract in conformance with safeguards against fraud and abuse as set forth by **H-GAC**, the State of Texas, and the acts and regulations of any funding entity. **CONTRACTOR** agrees to notify **H-GAC** of **any** suspected fraud, abuse or other criminal activity related to this Contract through filing of a written report promptly after it becomes aware of such activity.

ARTICLE 18: GOVERNING LAW & VENUE

This Contract shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with this Contract shall lie exclusively in Harris County, Texas. Disputes between **END USER** and **CONTRACTOR** are to be resolved in accord with the law and venue rules of the state of purchase. **CONTRACTOR** shall immediately notify **H-GAC** of such disputes.

(10/1/13) Page 3 of 4



ARTICLE 19: PAYMENT OF H-GAC ORDER PROCESSING CHARGE

CONTRACTOR agrees to sell its products to END USERS based on the pricing and other terms of this Contract, including, but not limited to, the payment of the applicable H-GAC order processing charge. On notification from an END USER that an order has been placed with CONTRACTOR, H-GAC will invoice CONTRACTOR for the applicable order processing charge. Upon delivery of any product/service by CONTRACTOR and acceptance by END USER, CONTRACTOR shall, within thirty (30) calendar days or ten (10) business days after receipt of payment, whichever is less, pay H-GAC the full amount of the applicable order processing charge, whether or not CONTRACTOR has received an invoice from H-GAC. For sales made by CONTRACTOR based on this contract, including sales to entities without Interlocal Contracts, CONTRACTOR shall pay the applicable order processing charges to H-GAC. Further, CONTRACTOR agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an H-GAC Interlocal Contract. H-GAC reserves the right to take appropriate actions including, but not limited to, contract termination if CONTRACTOR fails to promptly remit H-GAC's order processing charge. In no event shall H-GAC have any liability to CONTRACTOR for any goods or services an END USER procures from CONTRACTOR.

ARTICLE 20: LIQUIDATED DAMAGES

Any liquidated damages terms will be determined between **CONTRACTOR** and **END USER** at the time **END USER's** purchase order is placed.

ARTICLE 21: PERFORMANCE BONDS FOR INDIVIDUAL ORDERS

Except as described below for fire apparatus, **CONTRACTOR** agrees to provide a Performance Bond at the request of **END USER** within ten (10) days of receipt of **END USER**'s purchase order.

It shall be standard procedure for every order received for fire apparatus that a Performance Bond in the amount of the order be provided to the END USER. Failure of CONTRACTOR to provide such performance bond within ten (10) days of receipt of END USER's order may constitute a total breach of contract and shall be cause for cancellation of the order at END USER's sole discretion. END USER may choose to delete the requirement for a Performance Bond at END USER's sole discretion. If the bond requirement is waived, END USER shall be entitled to a price reduction commensurate with the cost that would have been incurred by CONTRACTOR for the bond.

ARTICLE 22: CHANGE OF CONTRACTOR STATUS

CONTRACTOR shall immediately notify H-GAC, in writing, of ANY change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name, and shall also advise whether or not this Contract shall be affected in any way by such change. H-GAC shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Contract.

ARTICLE 23: LICENSING REQUIRED BY TEXAS MOTOR VEHICLE BOARD [IF APPLICABLE]

CONTRACTOR will for the duration of this Contract maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Contract period, any **CONTRACTOR'S** license is not renewed, or is denied or revoked, **CONTRACTOR shall** be deemed to be in default of this Contract unless the Motor Vehicle Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

IN WITNESS WHEREOF, the parties have caused this Contract to be executed by their duly authorized representatives.

Signed for Houston-Galveston Area Council, Houston, Texas:			
	Jack Steele, Executive Director		
Attest for Houston-Galveston Area Council , Houston, Texas:			
	Deidre Vick, Director of Publ	ic Services	
	Date:	, 20	
Signed for			
Printed Name & Title:	Date:	20	
Attest for			
Printed Name & Title:	Date:	, 20	

(10/1/13) Page 4 of 4