





FUR PAVING AREAS; SUBGRADE SHALL BE NG 8 INCHES AND COMPACTED TO A MINIMUM OF 0.0 OVIDED BY THE OWNER. 20.0 SEAGONAL COLOR 80 9 HC CONTOURS 000 INTERVAL 68' TURNAROUND APE NOTES 45P. HEW CONTOURS YARD HYD. ED DURING CONSTRUCTION AND ARE NOT DING, OR PLANTINGS: TO BE TOPSOILED, ER REQUIREMENTS. 4. SION CONTROL PRACTICES SUCH AS GRADE RMS, STRAW BALES, ETC., SHALL BE 1451 8000 2059. ATERED DAILY OR AS REQUIRED TO MAINTAIN 10 5'ROTPICAL (7) PC ROW 1/2 TO 1 INCH. 0 VOID CONFLICT WITH UTILITIES. IEALTHY AND DISEASE FREE AT THE TIME OF 1.0. PTED WITHOUT PRIOR WRITTEN APPROVAL 0 180.0 13.51 250 64. IB AND GROUNDCOVER AREAS. ALL TREES TO (8)10 50.0 YARD HYD LIST 212,5' L.N.A. SIZE REMARKS NAME B&B-SPACE RY PEAR 2-1/2" BO RCP 10'R PER PLAN WHEADWALLS 6'-8' HT. B&B-SPACE 2-1/2" UD PER PLAN AVENUE 690 ASPEN 6'-8' HT. BILLIDE 5 1º- 18 CONTAINER 3 GAL. IESE HOLLY 5' O.C. CONTAINER 3 GAL. BRILLIANT 5' O.C.

-138

5. chy