



Expiration Date:

NOTE: Pre-payment discounts quoted may vary based on final purchase price, prevailing interest rates, and manufacturing build time and are subject to change up to the time an order is placed. If deferred payment arrangements are required, the Customer must make such financial arrangements through a financial institution acceptable to Company.] All taxes, excises and levies that Company may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Product sold by Company to the Customer shall be for the account of the Customer and shall be added to the Purchase Price. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the prices on all unshipped Product will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent per month or such lesser amount permitted by law. Company will not be required to accept payment other than as set forth in this Agreement. Company shall have and retain a purchase money security interest in all goods and products now or hereafter sold to the Customer by Company or any of its affiliated companies to secure payment of the Purchase Price for all such goods and products. In the event of nonpayment by the Customer of any debt, obligation or liability now or hereafter incurred or owing by the Customer to Company, Company shall have and may exercise all rights and remedies of a secured party under Article 9 of the Uniform Commercial Code (UCC) as adopted by the state of [KANSAS].



Proposal Option List

1/6/2021

Customer: Broken Arrow, OK.
Representative Brown, Roger
Organization: Conrad Fire Equipment
Requirements Manager:
Description: BAFD RESCUE PUC
Body: HDR, Non-Walk-In PUC, Alum
Chassis: Enforcer Chassis, PUC

Bid Number: 975
Job Number:
Number of Units: 1
Bid Date: 11/18/2020
Stock Number:
Price Level: 39 (Current: 39)
Lane:

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 1 | 0766589 | | Boiler Plates, PUC Pumper Fire Department/Customer - Broken Arrow Fire Department Operating/In conjunction W-Service Center - In Conjunction Miles - 100 Miles Number of Fire Dept/Municipalities - 25 Bidder/Sales Organization - Conrad Fire Equipment, Inc. Delivery - Delivery representative Dealership/Sales Organization, Service - Conrad Fire Equipment, Inc. | 1 |
| 2 | 0661794 | | Single Source Compliance | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0610784 | | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 |
| 7 | 0533352 | | Special Services (Rescue) Fire Apparatus | 1 |
| 8 | 0588615 | | Vehicle Certification, Rescue w/Pump | 1 |
| 9 | 0681283 | | Agency, Apparatus Certification, Rescue w/Pump, U.L. | 1 |
| 10 | 0000000 | STF | Service information, Conrad Fire | 1 |
| 10 | 0000000 | STF | Training, Conrad Fire | 1 |
| 10 | 0000000 | STF | Photo gallery reports of truck by FASC | 1 |
| 11 | 0000114 | | Inspection Trip(s) Qty, - 02 Fill in Blank - Three (3) | 2 |
| 12 | 0620362 | | Consortium, HGAC | 1 |
| 13 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 14 | 0529326 | | Bid Bond, 10%, Pierce Built Chassis | 1 |
| 15 | 0050066 | | Performance Bond, 100% Req'd (Statement by Rep) | 1 |
| 16 | 0000007 | | Approval Drawing | 1 |
| 17 | 0002928 | | Electrical Diagrams | 1 |
| 18 | 0625939 | | Enforcer Chassis, PUC | 1 |
| 19 | 0000110 | | Wheelbase Wheelbase - 220.00" | 1 |
| 20 | 0000070 | | GVW Rating GVW rating - 53,800 | 1 |
| 21 | 0649713 | | Frame Rails, 10.25" x 3.50" x .375", Saber FR/Enf | 1 |
| 22 | 0620712 | | Frame Liner, Internal "C", 9.38" x 3.13" x .25", w/Reinforcement,67"Qval,SFR/Enf ** | 1 |
| 23 | 0629940 | | Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Enforcer | 1 |
| 24 | 0010427 | | Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 25 | 0087572 | | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 26 | 0000322 | | Oil Seals, Front Axle | 1 |
| 27 | 0594821 | | Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply | 1 |
| 28 | 0604672 | | Wheels, Front, Accuride, 22.50" x 12.25", Steel, Hub Pilot | 1 |
| 29 | 0640710 | | Axle, Rear, Dana S30-190, 31,000 lb Saber/Enforcer | 1 |
| 30 | 0544253 | | Top Speed of Vehicle, 68 MPH | 1 |
| 31 | 0635109 | | Suspen, Rear, Single Slipper Spring, 31,000 lb, Saber FR/Enforcer | 1 |
| 32 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 33 | 0764830 | | Tires, Rear, Goodyear, Endurance TSD, 315/80R22.50, LRL, Single, Fire Srv | 1 |
| 34 | 0654797 | | Wheels, Rear, Accuride, 22.50" x 9.00", Steel, Hub Pilot, Single | 1 |
| 35 | 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 36 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6 | 1 |
| 37 | 0057936 | | Covers, Lug Nut, Chrome | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 38 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 39 | 0544802 | | Chocks, Wheel, SAC-44-E, Folding | 1 |
| | | | Qty, Pair - 01 | |
| 40 | 0544806 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 |
| | | | Qty, Pair - 01 | |
| | | | Location, Wheel Chocks - Left Side Rear Tire, Forward | |
| 41 | 0010670 | | ABS Wabco Brake System, Single rear axle | 1 |
| 42 | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |
| 43 | 0581433 | | Brakes, Bendix, Cam, Rear, 16.50 x 7.00" | 1 |
| 44 | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 45 | 0637584 | | Brake Reservoirs, 5,376 Cubic Inch Minimum Capacity, Saber FR/Enforcer | 1 |
| 46 | 0644228 | | Air Dryer, Wabco System Saver 1200 IWT, Heated, Saber FR/Enforcer | 1 |
| 47 | 0000790 | | Brake Lines, Nylon | 1 |
| 48 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 49 | 0736438 | | Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2021, REPTO, Saber FR/Enf | 1 |
| 50 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 51 | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine | 1 |
| | | | Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo | |
| 52 | 0644227 | | Clutch, Fan, Air Actuated, Saber FR/Enforcer | 1 |
| 53 | 0640477 | | Air Intake, Metal Screen, Saber FR/Enforcer | 1 |
| 54 | 0794761 | | Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side | 1 |
| 55 | 0617087 | | Adapter, Exhaust, Plymovent Magnetic Grabber Conical, Med Block Engine | 1 |
| 56 | 0788765 | | Radiator, Saber FR/Enforcer | 1 |
| 57 | 0001090 | | Cooling Hoses, Rubber | 1 |
| 58 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 59 | 0001129 | | Lines, Fuel | 1 |
| 60 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| | | | Door, Material & Finish, DEF Tank - Polished Stainless | |
| 61 | 0552793 | | Not Required, Fuel Priming Pump | 1 |
| 62 | 0552712 | | Not Required, Shutoff Valve, Fuel Line | 1 |
| 63 | 0553019 | | Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf | 1 |
| 64 | 0690880 | | No Selection Required From This Category | 1 |
| 65 | 0642572 | | Trans, Allison 5th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf | 1 |
| 66 | 0625329 | | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS | 1 |
| 67 | 0517604 | | Transmission Programming, Park to Neutral, PUC | 1 |
| 68 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 69 | 0001370 | | Driveline, Spicer 1710 | 1 |
| 70 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 71 | 0605356 | | Steering Wheel, 4 Spoke without Controls, Saber FR/Enforcer | 1 |
| 72 | 0690274 | | Logo/Emblem, on Dash | 1 |
| | | | Text, Row (1) One - BROKEN | |
| | | | Text, Row (2) Two - ARROW | |
| | | | Text, Row (3) Three - FIRE DEPT. | |
| 73 | 0090515 | | Hitch, Receiver, Front, 10,000 lbs, Custom Chassis | 1 |
| 74 | 0695359 | | Bumper, 26" Extended, Steel, Painted, Saber FR/Enforcer | 1 |
| 75 | 0629517 | SP | Tray, Hose, Center, 26" Bumper, Outside Air Horns, 16" Deep, 13" Below/3" Above | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 24) 225' of 1.75" | |
| 76 | 0630809 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray, Notched | 1 |
| | | | Location - center bumper hose tray, notch right side toward rear in line with discharge, noth the side of the tray not the cover | |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 77 | 0637795 | | Tray, (1) Hose Left Side of Bumper, 16" Deep, 13" Below & 3" Above | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 30) 50' of 5.00" | |
| 78 | 0630812 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 79 | 0637790 | | Tray, (1) Hose Right Side of Bumper, 16" Deep, 13" Below & 3" Above | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 29) 30' of 5.00" | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 80 | 0630811 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 81 | 0614646 | | No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf | 1 |
| 82 | 0072306 | | Tow Eyes, Chrome, Extended Out Front of Bumper | 1 |
| 83 | 0698960 | | Coating, Top Flange, Front Bumper, Outside Exterior, Line-X Coating, Black ** | 1 |
| 84 | 0625646 | | Cab, Enforcer, 7010, PUC | 1 |
| 85 | 0647919 | | Engine Tunnel, ISL, Saber FR/Enforcer | 1 |
| 86 | 0610508 | | Rear Wall, Interior, Adjustable Seating, Not Available | 1 |
| 87 | 0632103 | | Rear Wall, Exterior, Cab, Saber FR/Enforcer | 1 |
| | | | Material, Exterior Rear Wall - Aluminum Treadplate | |
| 88 | 0644201 | | Cab Lift, Elec/Hyd, Saber FR/Enforcer | 1 |
| 89 | 0695930 | | Grille, Bright Finished, Front of Cab, Dash CF/Enforcer | 1 |
| 90 | 0002224 | | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab | 1 |
| | | | Material Trim/Scuffplate - c) S/S, Polished | |
| 91 | 0647932 | | Not Required, Trim, S/S Band, Across Cab Face, AXT/Dash CF/Saber/Enforcer | 1 |
| 92 | 0015440 | | No Chrome Molding, On side of cab | 1 |
| 93 | 0521669 | | Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 |
| 94 | 0648170 | | Door, Half-Height, Saber FR/Enforcer 4-Door Cab, Raised Roof | 1 |
| | | | Key Model, Cab Doors - 751 | |
| 95 | 0655543 | | Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab | 1 |
| 96 | 0528958 | | Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer, Dash CF | 1 |
| 97 | 0638310 | | Steps, 4-Door Cab, Saber FR/Enforcer | 1 |
| | | | Step Well Material - Aluminum Treadplate | |
| 98 | 0770194 | | Handrail, Exterior, Knurled, Alum, 4-Door Cab | 1 |
| 99 | 0634786 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step 6lts | 1 |
| 100 | 0583698 | | Fenders, S/S on cab, Extra Wide, Saber/Enf | 1 |
| 101 | 0660261 | | Grab Hole Red Webbed, Added to Front Cab Door Webstrap | 1 |
| 102 | 0042105 | | No Windows, Side of Crew Cab | 1 |
| 103 | 0012090 | | Not Required, Windows, Front/Side of raised roof | 1 |
| 104 | 0779033 | | Not Required, Windows Rear of Crew Cab, Saber FR/Enforcer | 1 |
| 105 | 0786278 | | Window Tint, Crew Cab Door, Right Side, Medium Gray | 1 |
| 106 | 0786289 | | Window Tint, Crew Cab Door, Left Side, Medium Gray | 1 |
| 107 | 0786293 | | Window Tint, Upper Crew Cab Door, Left Side, Medium Gray | 1 |
| 108 | 0786285 | | Window Tint, Upper Crew Cab Door, Right Side, Medium Gray | 1 |
| 109 | 0553057 | | Holder, Cup, Cab/Crewcab, Each | 2 |
| | | | Qty, - 02 | |
| 110 | 0664465 | | Bracket, Air Bottle, Hands-Free II | 1 |
| | | | Location - driver side interior rear wall of cab | |
| | | | Qty, - 01 | |
| 111 | 0634206 | | Mounting Provisions, 1/4" Alum, Full Engine Tunnel, Saber FR/Enforcer | 1 |
| | | | Mounting Provision Spacing - 1.00" | |
| | | | Material Finish, Cab Interior - Painted | |
| 112 | 0750824 | | Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |
| | | | Engine Tunnel Cover - Dark Silver Gray Endure Vinyl | |
| | | | Cab Interior Rear Wall Material - Painted Aluminum | |
| 113 | 0753903 | | Cab Interior, Paint Color, Saber FR/Enforcer | 1 |
| | | | Color, Cab Interior Paint - i) fire smoke gray | |
| 114 | 0052100 | | Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer | 1 |
| 115 | 0741237 | | HVAC, Saber/Enforcer, CARE | 1 |
| | | | HVAC System, Filter Access - Removable Panel | |
| | | | Auxiliary Cab Heater - Both | |
| | | | HVAC System, Control Loc. - Panel Position #12 | |
| 116 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer | 1 |
| | | | Sun Visor Retention - Thumb Latch | |
| 117 | 0622887 | | Grab Handles, Driver Door Post, Officer Door Post Low, Saber FR/Enforcer | 1 |
| 118 | 0583938 | | Lights, Engine Compt, Custom, Auto Sw, WIn 3SC0CDCR, 3" LED, Trim | 2 |
| | | | Qty, - 02 | |
| 119 | 0622545 | | Fluid Check Access, Restricted Access, Saber FR/Enforcer, Arrow XT | 1 |
| 120 | 0530840 | | Box, Storage, Aluminum, Latex Gloves | 3 |
| | | | Location - Match previous unit or wait and install at final inspection | |
| | | | Qty, - 03 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 121 | 0026847 | | Map box, 4 bin - Spcl Size Feature Values Location - On engine tunnel, exact location to be chosen at final inspection Size, Long - 29" Size, High, - 10" Size, Wide - 17" | 1 |
| 122 | 0583042 | | Side Roll and Frontal Impact Protection | 1 |
| 123 | 0622619 | | Seating Capacity, 4 Seats | 1 |
| 124 | 0636955 | | Seat, Driver, Pierce PSV, Air Ride, High Back, Safety, Saber FR/Enforcer | 1 |
| 125 | 0636942 | | Seat, Officer, Pierce PSV, Fixed, SCBA, Safety, Saber FR/Enforcer | 1 |
| 126 | 0620420 | | Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer | 1 |
| 127 | 0754581 | | Cabinet, Rear Facing, LS, 23 W x 43 H x 26.75 D, Web, Ext Acc, SFR/Enf Type of fastener - spring clip and hook Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Exterior, Right Side Scuffplate, Door Pan, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Locking #751 Door, Exterior Stop - Stay Arm Louvers, Cabinet - 0-No Louvers | 1 |
| 128 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 129 | 0767450 | | Cabinet, Rear Facing, RS, 22 W x 43 H x 26.75 D, Web, Ext Acc, SFR/Enf Type of fastener - 1" cam buckle Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Exterior, Left Side Scuffplate, Door Pan, Material/Finish - S/S, Polished Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip Door, Cab Exterior Cabinet - Double Pan, Locking #751 Door, Exterior Stop - Stay Arm Louvers, Cabinet - 0-No Louvers | 1 |
| 130 | 0108189 | | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 131 | 0635957 | | Seat, Forward Facing C/C, Center, (2) Pierce PSV, SCBA, Safety, Saber FR/Enf | 1 |
| 132 | 0108190 | | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 133 | 0726846 | SP | Cabinet, Rear Facing, Top Eng Tnl, 45 W x 14.5 H x 24.75 D, Web, Sp Mtg, SFR/Enf Type of fastener - 1" cam buckle Restraint Location - Bottom (towards the ground) Light, Short Cabinet - Pierce, Interior, Horizontal Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 0.75" Up-Turned Lip Louvers, Cabinet - 0-No Louvers | 1 |
| 134 | 0622994 | | Compt, Storage, (2) Rear Facing, Overhead, 21 W x 10 H x 34 D, Saber FR/Enforcer Latch, Storage Compt - a) Non Locking Light, Overhead Compt - Amdor, White, Horizontal Mounted | 1 |
| 135 | 0766467 | | Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray Qty, - 05 | 5 |
| 136 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats Qty, - 03 | 3 |
| 137 | 0678689 | | Compt, Enclose, Forward Facing Seat Riser, VEL/IMP/Qtm/SFR/Enf Location - center forward facing seats Qty, - 1 | 1 |
| 138 | 0669368 | | Riser, Fwd Facing C/C seat raised 3.00", w/Raised Roof cab only, PUC | 1 |
| 139 | 0603866 | | Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer Seat Belt Color - Red | 1 |
| 140 | 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 141 | 0647647 | | Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 142 | 0602637 | | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification | 1 |
| 143 | 0774457 | | Handlight, Streamlight, Vulcan 180, 44315, 12v, Orange | 4 |
| | | | Qty, Lights - 04 | |
| | | | Location, Lights - TBD with approval drawings | |
| 144 | 0622803 | | Cab Instruments, Black Gauges, Black Bezels, Enforcer MUX | 1 |
| | | | Emergency Switching - Individual Switches | |
| 145 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 |
| 146 | 0543751 | | Light, Do Not Move Apparatus | 1 |
| | | | Alarm, Do Not Move Truck - Pulsing Alarm | |
| 147 | 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | 1 |
| 148 | 0622798 | | Switching, Cab Instrument Lower Console & Overhead, Rocker MUX, Enforcer | 1 |
| 149 | 0644179 | | Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer | 1 |
| 150 | 0797189 | | Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Location - P/S as shown in photo labeled "USB Port" matrch 32930 | |
| 151 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - Butt Splice | |
| | | | Location, Spare Wiring - drivers side engine tunnel coming up through a rubber grommet right next to the vertical post. The wire can coiled up. See picture listed as "spare cab wire" in the job file for 33816. It is also the same location as Job # 32576 | |
| 152 | 0615386 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX | 1 |
| | | | System Of Measurement - US Customary | |
| 153 | 0734854 | | Collision Mitigation, Not Requested | 1 |
| 154 | 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | 1 |
| 155 | 0734174 | | Intercom, David Clark, 5-Pos, 2-Radio, D, O, 3ibC, 3805 | 1 |
| | | | Location, Intercom, C Cab - 3) 2 forward inbrd & 1 rear facing (Dave C/Setcom) | |
| 156 | 0637058 | | David Clark Universal Radio Interfaces Included with Single/Dual System | 1 |
| | | | Location, Radio Interface - under officer seat | |
| 157 | 0597906 | | Headset, David Clark, H3441 Under Helmet, Flex Mic, One Slotted Ear Cup | 1 |
| | | | Qty, - 01 | |
| | | | Location - driver | |
| 158 | 0597914 | | Headset, David Clark, H3442 Under Helmet, Flex Mic | 4 |
| | | | Qty, - 04 | |
| | | | Location - officer and three crew seats | |
| 159 | 0681408 | | Hangers For Headsets, NFPA, Each | 5 |
| | | | Qty, - 05 | |
| | | | Location, Headset Hangers - Driver Seat, Officer Seat, DS Outbrd, Fwrd Fcng Seat, PS Outbrd, Fwrd Fcng Seat and Rear, Center, Fwrd Fcng Seat | |
| 160 | 0562774 | | Install Customer Provided Thermal Camera(s), Charger Only | 2 |
| | | | Location - left of officer to match previous units and one in crew cab area, exact locations to be chosen with approval drawings | |
| | | | Qty, - 02 | |
| 161 | 0616382 | | Install Customer Provided GPS/Multimode Antenna(s) | 1 |
| | | | Qty, - 01 | |
| 162 | 0559512 | | Install Customer Provided MDT, Complete (Qty) | 1 |
| | | | Location - left of officer position to match previous units, exact location to be determined with approval drawings | |
| | | | Qty, - 01 | |
| 163 | 0670250 | | Install Customer Provided Two-Way Radio(s), Enforcer Chassis | 1 |
| | | | Qty, - 01 | |
| 164 | 0559508 | | Install Customer Provided Two-Way Radio Remote Head Cable | 1 |
| | | | Location - from two way radio to remote head on pump panel | |
| | | | Qty, - 01 | |
| 165 | 0694166 | | Antenna Mount, Larsen NMOKHFUDTHK, 0-6000MHz | 1 |
| | | | Location - cab as required by Precision | |
| | | | Qty, - 01 | |
| | | | Location 1 - behind officer seat | |
| 166 | 0653526 | | Camera, Pierce, Driver Mux, Rear Camera Only | 1 |
| | | | Camera System Audio - Not Provided | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 167 | 0683718 | | Recess, Rear Vision Camera Into Lightstick Housing | 1 |
| 168 | 0769077 | | Key Storage, Knox-Box, KeySecure 5, KSM-200K1, WiFi, Cab Surface Mt | 1 |
| | | | Location - TBD with approval drawings | |
| 169 | 0615112 | | Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi | 1 |
| 170 | 0624253 | | Electrical System, Enforcer MUX | 1 |
| 171 | 0079166 | | Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| 172 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 173 | 0002698 | | Battery Compartment, Saber/Enforcer | 1 |
| 174 | 0531315 | | Charger, Sngl Sys, IOTA, DSL-75, 75 Amp, Kussmaul 091-94-12 Ind, Qtm/Enf/SFR | 1 |
| 175 | 0012782 | | Location, Charger, Front Left Side Body Compartment | 1 |
| | | | Location, Battery Chrgr/Cmpr - High On Left Wall | |
| 176 | 0530949 | | Location, Bat Chrg Ind, Driver's Seat Riser | 1 |
| 177 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super | 1 |
| | | | Qty, - 01 | |
| | | | Color, Kussmaul Cover - b) red | |
| | | | Shoreline Connection - Battery Charger | |
| 178 | 0026800 | | Shoreline Location | 1 |
| | | | Location, Shoreline(s) - DS Crew Cab | |
| 179 | 0009429 | | Electric Power Only, Portable Winch | 4 |
| | | | Location - front, both sides, and rear | |
| | | | Qty, Receptacles - 04 | |
| 180 | 0647729 | | Alternator, 320 amp, Delco Remy 40SI | 1 |
| 181 | 0092582 | | Load Manager/Sequencer, MUX | 1 |
| | | | Enable/Disable Hi-Idle - e)High Idle enable | |
| 182 | 0766233 | | Headlights, Rect LED, Truck-Lite, AXT/DCF/Enf/Imp/Sab/Vel | 1 |
| 183 | 0648418 | | Light, Directional, Wln M6T LED, Common Bezel, Above Headlights, Sab/Enf | 1 |
| 184 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 185 | 0647802 | | Lights, Clearance/Marker/ID, Front, P25 LED 5 Lts, Saber FR/Enforcer | 1 |
| 186 | 0647899 | | Lights, Directional/Marker, Cab Front Side, Weldon 9186-8580-29 LED, Sab/Enf | 1 |
| 187 | 0090155 | | Lights, Clearance/Marker/ID, Rear, Truck-Lite 35200R LED 7Lts | 1 |
| 188 | 0564683 | | Lights, Tail, Wln M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg | 1 |
| | | | Color, Lens - Colored | |
| 189 | 0561471 | | Lights, Backup, Wln M6BUW, LED, For Tail Lt Housing | 1 |
| 190 | 0659635 | | Bracket, License Plate & Light, P25 LED, Stainless Brkt | 1 |
| 191 | 0556842 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| 192 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 193 | 0658406 | | Light, Marker, Britax Rubber Arm, Model 427.200.LB, Amber/Amber, Qty/Loc | 1 |
| | | | Location, Lights - one (10 each side on rear corners of body | |
| | | | Qty, Lights, Pair - 1 | |
| 194 | 0769420 | | Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr | 1 |
| 195 | 0769559 | | Lights, Perimeter Pump House, Amdor AY-LB-12HW012 LED 2lts | 1 |
| 196 | 0770056 | | Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step | 1 |
| | | | Control, Perimeter Lts - Parking Brake Applied | |
| 197 | 0640941 | | Light, Wln, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 2nd | 2 |
| | | | Location, Lights - One forward and one rearward on upper body sides | |
| | | | Qty, - 02 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | |
| | | | Switch, Lt Control 3 DC,3 - f) PS Switch Panel | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |
| | | | Color, Wln Lt Housing - Black Flange | |
| 198 | 0640991 | | Light, Wln, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 1st | 1 |
| | | | Location, Lights - driver side of cab above EMS door | |
| | | | Qty, - 01 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | |
| | | | Switch, Lt Control 3 DC,3 - f) PS Switch Panel | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |
| | | | Color, Wln Lt Housing - Black Flange | |
| 199 | 0709438 | | Light, Walking Surf, FRP Flood, LED | 1 |
| 200 | 0638454 | | Light, Wln, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 3rd | 1 |
| | | | Location, Lights - passenger side above center window | |
| | | | Qty, - 01 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 200 | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel Switch, Lt Control 3 DC,3 - f) PS Switch Panel Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - Black Flange | |
| 201 | 0629643 | | Light, Wln, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 4th Location, Lights - One forward and one rearward on upper body sides Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel Switch, Lt Control 3 DC,3 - f) PS Switch Panel Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - Black Flange | 2 |
| 202 | 0776357 | | Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st Qty, - 02 Location, driver's/passenger's/center - 1DS & 1PS 15 Deg Out Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS Scene Light Optics - Flood/Spot | 2 |
| 203 | 0774579 | | Lights, Wln, P*H2* Pioneer, 12 VDC, 1st Location - Pne (1) each side on rear of body up high Qty, - 02 Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Body Switch, DS Rear SS Painted Black Scene Light Optics - Flood/Spot Mount, Wln II - Semi-recessed 0 deg P**2 - Black PBH203BB | 2 |
| 204 | 0657535 | | Lights, Work, (2) Wln PELCC LED, w/Alternative Hose Bed Lights Switch, Scene Lt Cntrl - i)switch at rear and ds sw pnl | 1 |
| 205 | 0645877 | | Lights, Hose Bed, Sides, Dual LED Light Strips Control, Hose Bed Lts - Cup Switch At Rear | 1 |
| 206 | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 207 | 0539523 | | HDR, Non-Walk-In PUC, Alum | 1 |
| 208 | 0656355 | | 19.5' Body Length, 48.48.57.60, NWI, PUC | 1 |
| 209 | 0630372 | | 100" Body Width, Shallow Compts, NWI | 1 |
| 210 | 0765680 | | 98" Body Height, NWI, PUC | 1 |
| 211 | 0765690 | | NWI, Hatch, Recessed Walkway & Recessed Area, PUC Configuration of Hatch Compartments - 1.) Two Each Side | 1 |
| 212 | 0692726 | | Doors, Gortite, Roll-up, Side Compartments Qty, Door Accessory - 08 Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar | 8 |
| 213 | 0656365 | | 19.5' Body Roll Doors, 48.48.57.60, NWI, PUC | 1 |
| 214 | 0690035 | | Left Forward Compt, 47" & 48" Roll, NWI, PUC Width, PUC Pump Operators Panel Partition - 2.5" | 1 |
| 215 | 0018724 | | Left Over Wheel Compt, 57", Roll, NWI | 1 |
| 216 | 0018752 | | Left Rear Compt, 60" Roll, NWI | 1 |
| 217 | 0018781 | | Right Forward Compt, 48" & 48", Roll, NWI | 1 |
| 218 | 0018816 | | Right Over Wheel Compt, 57" Roll, NWI | 1 |
| 219 | 0018844 | | Right Rear Compartment, 60" Roll, NWI | 1 |
| 220 | 0785063 | | Rear Compt, Roll Door, Gortite, 100" Body w/Shallow Compts, Single Axle Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar | 1 |
| 221 | 0503432 | | Audio/Video Network Not Provided | 1 |
| 222 | 0794539 | SP | Cover, Hinged, Over Recessed Area Qty, - 01 | 1 |
| 223 | 0032207 | | Hitch, Receiver, Rear/Sides,Under Body (HDR ONLY), Includes Ball Connection, Trailer/12V Electrical - Trailer Electric Brakes | 1 |
| 224 | 0799944 | | Rope Anchors, 45 Deg Angle, Corner Extrusions, 9,000 lb, Pair Qty, Pair - 02 Location, Rope Anchors, First Pair - Roof Top, Front Corners Location, Rope Anchors, Second Pair - Roof Top, Rear Corners | 2 |
| 225 | 0687919 | | Compt, Under Body, w/Slide Drawer, 8" H, Up to 84" W, HDR, Saber/Comm Location - one (1) each side in front of rear wheels | 2 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 225 | | | Qty, - 02 | |
| 226 | 0004201 | | Rack, SCBA Bottles, 7.50" x 7.50" | 4 |
| | | | Location - TBD with approval drawings | |
| | | | Qty, - 04 | |
| | | | Configuration - TBD | |
| 227 | 0794489 | | Bumper, Rear, Non-Walk-In 13.00" D | 1 |
| 228 | 0539622 | | Tank, Water, 500 Gallon, Poly, Rectangle, HDR, PUC | 1 |
| 229 | 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 230 | 0028104 | | Foam Cell Required | 1 |
| 231 | 0633066 | | Sleeve, Through Tank | 1 |
| | | | Qty, Sleeve - 1 | |
| | | | Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing | |
| 232 | 0553729 | | Not Required, Restraint, Water Tank, Heavy Duty | 1 |
| 233 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 234 | 0003424 | | Not Required, Dump Valve | 1 |
| 235 | 0030007 | | Not Required, Dump Valve Chute | 1 |
| 236 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 237 | 0199595 | | Hose Bed, Aluminum, Non-Walk-In, PUC | 1 |
| 238 | 0003481 | | Hose Bed Capacity, Special | 1 |
| | | | Capacity, Hosebed - left to right 300' of 1.75", 300' of 4", 300' of 4", standpipe bundles | |
| 239 | 0003488 | | Divider, Hose Bed, Unpainted | 3 |
| | | | Qty, Hosebed Dividers - 3 | |
| 240 | 0645985 | | Hose Restraint, Hose Bed, 2" Heavy Nylon Web, Rr,Permanent Base,(2)Seat Belt Top | 1 |
| | | | Nylon Web Color - Black | |
| 241 | 0089471 | | Cutout, Handhold, in Hose Bed Divider | 2 |
| | | | Qty, - 02 | |
| 242 | 0730459 | | Cover, Hose Bed, Alum Treadplate, Bolted T-Bar | 1 |
| 243 | 0689562 | | Remote Latch, Treadplate Hose Bed Cover, Rear | 1 |
| 244 | 0611509 | | Running Boards, Flip Out, PUC | 1 |
| 245 | 0690026 | | Wall, Rear, Body Material | 1 |
| 246 | 0003540 | | Tow Eyes (2) (Tanker/Rescue) | 1 |
| 247 | 0611794 | | Trim, Rollup Door, Painted Door Color, Amdor | 11 |
| | | | Location, Door Accessory - all body compartments including crosslay door trim | |
| | | | Qty, - 11 | |
| 248 | 0689547 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, HDR | 9 |
| | | | Qty, - 09 | |
| 249 | 0606068 | | Lights, Hatch Compt, Pierce LED Strip Lights, HDR | 1 |
| 250 | 0652247 | | Shelf, Adjustable, 500 lb Capacity, Standard Depth, HDR | 13 |
| | | | Qty, Shelf - 13 | |
| | | | Location, Shelf - TBD | |
| 251 | 0652283 | | Tray, 250 lb Slide-Out, 2" Sides - Adj. Height, Standard Depth Compt, HDR | 8 |
| | | | Location - TBD | |
| | | | Qty, Tray (slide-out) - 08 | |
| 252 | 0652263 | | Tray, 200 lb, Tilt/Slide-out, 30 Deg, Adj, Standard Depth compt, HDR | 2 |
| | | | Location - TBD | |
| | | | Qty, Tray (slide-out) - 02 | |
| 253 | 0645991 | | Tray, Floor Mounted, Slide-Out, w/ Side Slides,Std Depth, 500lb, 2.00" Sides,HDR | 6 |
| | | | Qty, - 06 | |
| | | | location - TBD | |
| | | | Material - paint to match compt interior | |
| 254 | 0759090 | | Tool Grid System, Gear Grid, Single Swing-Out | 1 |
| | | | Color - 6) gray | |
| | | | location - LS-2 | |
| | | | Qty - 1 | |
| | | | Location, Pivot - Front | |
| 255 | 0648489 | | Toolboard, Slide-out, Alum, .188", Peg Board, Standard Depth, HDR | 4 |
| | | | Finish - Painted, Compt Interior, Spatter Gray | |
| | | | location - TBD | |
| | | | Qty - 4 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 256 | 0052397 | | Storage, Stokes Basket, Specify Size, Inside Trans Compt Location - Rear compartment Size - To be stated with approval drawings | 1 |
| 257 | 0539811 | | Box, Poly Tool Location - TBD Qty, Comp. Accessory - 05 Color - 1) black Length - 20.00" Width - 10.00" Depth - 10.00" | 5 |
| 258 | 0636846 | | Drawer Assembly, CTECH, Five Drawers, Up To 24" Wide Location - RS-4 starting at the rearward wall of the compartment, 24" wide drawers Qty, - 01 Size, Drawer Height 1 (Top) - 2.00" Size, Drawer Height 2 - 2.75" Size, Drawer Height 3 - 4.75" Size, Drawer Height 4 - 4.75" Size, Drawer Height 5 - 6.75" | 1 |
| 259 | 0558501 | | Drawer Assembly, CTECH, Four Drawers, Up To 24" Wide Location - LS-3, as far rearward to the wall of the compartment as possible - 24" wide drawers. Qty, - 01 Size, Drawer Height 1 (Top) - 2.00" Size, Drawer Height 2 - 4.75" Size, Drawer Height 3 - 5.75" Size, Drawer Height 4 - 6.75" | 1 |
| 260 | 0604956 | | Pac Trac, Installed on Shelf/Tray Location - On slide-out toolboards for struts Qty, Comp. Accessory - 08 | 8 |
| 261 | 0608468 | | Equipment Storage Module, Angled Front, Liftup Door Location - LS1 on adj. shelf. The front face/angled plate to have 2 chain saws mounted to it, with K12 saws mounted on each stationary side. Once the saws are removed and the doors are lifted up, additional equipment will be stored. Chrome grab handles on front face Qty, - 01 Dimensions - TBD Door, Material & Finish, Storage - Smooth Aluminum Latch, Door, Storage - Lift and Turn Latch | 1 |
| 262 | 0004016 | | Rub Rail, Aluminum Extruded, Side of Body | 1 |
| 263 | 0510626 | | Fender Crowns, Rear, S/S, Wider Than Std. | 1 |
| 264 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 265 | 0527021 | | Handrails Located @ Front Body | 1 |
| 266 | 0664688 | | Handrails, Rear, PUC/HDRP | 1 |
| 267 | 0000941 | | No Rear Hose Bed Handrail Required | 1 |
| 268 | 0657524 | | Compt, Air Bottle, Single, Round, Fender Panel Qty, Air Bottle Comp - 4 Door Finish, Fender Compt - Polished Location, Fender Compt - Single - LS Fwd, Single - LS Rear, Single - RS Fwd and Single - RS Rear Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting | 4 |
| 269 | 0004225 | | Ladder, 24' Duo-Safety 900A 2-Section | 1 |
| 270 | 0004230 | | Ladder, 14' Duo-Safety 775A Roof | 1 |
| 271 | 0014245 | | Ladder, 10' Duo-Safety Folding 585A, w/Mounting Location, Folding Ladder - Ladder Compartment | 1 |
| 272 | 0540716 | | Rack, Equipment Storage, Rear Compt Configuration - for ladders in rear compartment Restraint, Equipment Rack - Strap Qty, Equipment Troughs - 3 | 1 |
| 273 | 0557255 | | Pike Pole, 6' Fire Hooks Unlimited, New York Roof Hook, Steel, Pry End, RH-6 Location - ladder storage Qty, Pike Poles - 1 | 1 |
| 274 | 0592685 | | Pike Pole, 8' Fire Hooks Unlimited, New York Roof Hook Fiberglass RH-8 w/Pry End Location - ladder storage | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 274 | | | Qty, Pike Poles - 1 | |
| 275 | 0087631 | | Trough for D-Handled Pike Pole | 1 |
| | | | Location - ladder stoage for Colorado hook | |
| | | | Qty, Pike Pole Tubes - 01 | |
| 276 | 0004361 | | Tubes, Alum, Pike Pole Storage | 2 |
| | | | Qty, Pike Pole Tubes - 02 | |
| | | | Location, Pike Pole Tube - Ladder Storage | |
| 277 | 0759599 | | Ladder, Top Access, Alum, LH Rear, PUC style, Pumper & Tanker, Do Not Move Light | 1 |
| 278 | 0515695 | | Pump, Pierce, 1500 GPM, Single Stage, PUC | 1 |
| 279 | 0515822 | | Seal, Mechanical, Silicon Carbide, PUC Pump | 1 |
| 280 | 0515705 | | Gear Case, Pierce Pump, REPTO-Clutch Drive | 1 |
| 281 | 0521309 | | Pumping Mode, Pump and Roll/Stationary, Basic, PUC | 1 |
| 282 | 0515829 | | Pump Shift, Sure-Shift | 1 |
| 283 | 0515833 | | Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC | 1 |
| 284 | 0515835 | | Auxiliary Cooling System, PUC | 1 |
| 285 | 0014486 | | Not Required, Transfer Valve, Stage Pump | 1 |
| 286 | 0746501 | | Valve, Relief Intake, Elkhart | 1 |
| | | | Qty - 1 | |
| | | | Pressure Setting - 125 psig | |
| | | | Intake Relief Valve Control - Behind Right Side Pump Panel | |
| 287 | 0515838 | | Controller, Pressure, Pierce, PUC | 1 |
| 288 | 0072170 | | Primer, Trident, Air Prime, Air operated, w/(1) Additional Priming Valve | 1 |
| | | | Inlet Extra Primer - Rear Inlet | |
| 289 | 0780359 | | Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump | 1 |
| 290 | 0602496 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC | 1 |
| 291 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 292 | 0517852 | | Inlets, 6.00" - 1500 GPM, Pierce PUC Pump | 1 |
| 293 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 294 | 0730368 | | Valve, Ball Intake, TFT, AX Series | 2 |
| | | | Location - both sides | |
| | | | Qty - 2 | |
| | | | Connection, Inlet, Side B - 3SP (4.0" Swivel Storz) with a cap | |
| | | | Connection, Outlet, Side A - NX (6.0" Threaded Swivel) | |
| | | | Ball Intake Valve Actuation - Standard (Crank On Right Side) | |
| | | | Relief Valve, Ball Intake - Standard | |
| 295 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 296 | 0004660 | | Inlet, Left Side, 2.50" | 1 |
| 297 | 0004680 | | Inlet, Right Side, 2.50" | 1 |
| 298 | 0520002 | | Valve, Inlet(s) Recessed, Side Cntrl, PUC | 1 |
| | | | Qty, Inlets - 1 | |
| 299 | 0521137 | | Anode, Zinc, Pair, Pump Inlets, PUC | 1 |
| 300 | 0004700 | | Control, Inlet, at Valve | 1 |
| 301 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 302 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 303 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 304 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 305 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 306 | 0563738 | | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle | 1 |
| 307 | 0520277 | | Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC | 1 |
| 308 | 0601686 | | Outlet, Tank Fill, 2.50", PUC | 1 |
| 309 | 0521216 | | Outlet, Left Side, 2.50" (1), PUC | 1 |
| 310 | 0766761 | | Outlet, Right Side, 2.50", (1), Electric Akron 9335 Controller, PUC | 1 |
| | | | Qty, Discharges - 01 | |
| 311 | 0766992 | | Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC | 1 |
| 312 | 0649939 | | Outlet, Front, 1.50" w/2" Plumbing | 1 |
| | | | Fitting, Outlet - 1.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| | | | Location, Front, Single - top of right bumper | |
| 313 | 0516777 | | Outlet, Rear, 2.50", (1), Thru Tank, PUC | 1 |
| | | | Qty, Discharges - 01 | |
| | | | Location, Outlet - b) left side | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 314 | 0537394 | | Not Required, Outlet, Rear, Additional, PUC | 1 |
| 315 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| 316 | 0563739 | | Valve, 0.75" Bleeder, Discharges, Swing Handle | 1 |
| 317 | 0528718 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC | 1 |
| 318 | 0528719 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC | 1 |
| 319 | 0045091 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 320 | 0537395 | | Not Required, Elbow, Rear Outlets, Additional | 1 |
| 321 | 0586649 | | Adapter, 4.00" FNST x 4.00" Storz w/Cap and Cable | 1 |
| 322 | 0005080 | | Reducer, 2.50" FNST x 1.50" MNST, w/Cap | 4 |
| | | | Qty, Adapter for Outlets - 04 | |
| | | | Location, Adapter(s) - All 2.5" discharges | |
| 323 | 0766944 | | Control, Outlets, Swing Handle, Elec Right Outlets Akr 9333 w/Analog Gauge, PUC | 1 |
| 324 | 0516280 | | Outlet, 3.00" Deluge w/2.50" Valve, w/TFT Extend-a-Gun XG18, PUC | 1 |
| 325 | 0543605 | | Monitor, Akron 3431 Hi-Riser and 4" storz Inlet Grd Base | 1 |
| | | | Monitor Finish - Painted by OEM | |
| 326 | 0501504 | | Nozzle, Akron 2499, Quad Tips, 3488 and 5160 Manual Fog | 1 |
| 327 | 0071580 | | Deluge Mount, 3" ANSI 4 Bolt Flange S/S | 1 |
| 328 | 0750982 | | Crosslay Module, Full Width, Roll Up Doors, PUC | 1 |
| 329 | 0749510 | | Doors, Crosslay, Roll-up Gortite, Each End, Full Height, PUC | 1 |
| | | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| | | | Door Guard - Drip Pan Not Required | |
| 330 | 0747660 | | Lights, Crosslay Compt, Forward LED, 2Lts | 1 |
| 331 | 0750916 | | Crosslays, (2) 1.50", W/Poly Trays, PUC | 1 |
| | | | Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 1.75" double jacket hose | |
| 332 | 0750900 | | Crosslay, (1) 2.50", W/Poly Trays, PUC | 1 |
| | | | Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 2.50" double jacket hose | |
| 333 | 0746688 | | Trough, Aluminum, Long Tool Storage, Upper Crosslay Module, Special Size, PUC | 1 |
| | | | Size - large as space allows | |
| | | | Qty - 1 | |
| | | | Location, Trough - next to 2.5" crosslay | |
| 334 | 0688927 | | Reel, Booster, Aluminum - Over Pump, Left Side | 1 |
| 335 | 0011060 | | Switch, Reel Rewind - One at Pump Panel | 1 |
| 336 | 0045300 | | Hose, Booster - 200' of 1.00"/800 PSI | 1 |
| 337 | 0005244 | | Capacity, Hose Reel 200' of 1" | 1 |
| 338 | 0007428 | | Nozzle for Booster Reel Not Req'd | 1 |
| 339 | 0674725 | | Blowout, Hose Reel - Quarter Turn Valve at Panel | 1 |
| 340 | 0025028 | | Cutout for Reel Access, W/ Roller Assembly | 1 |
| | | | Location - driver side over pump panel compartment next to scene light | |
| | | | Qty, - 1 | |
| 341 | 0085328 | | Nozzle Cup, Zico w/Bracket | 1 |
| | | | Location - mount at final | |
| | | | Qty, - 1 | |
| | | | Size, Nozzle Cup - 4-5/8" I.D. | |
| 342 | 0676021 | | Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature | 1 |
| | | | Discharge, Foam Locations - Crosslay Lower Rear, Crosslay Lower | |
| | | | Front, Crosslay Upper Rear, Front Bumper Right Side and Rear Outlet Left Side | |
| 343 | 0012126 | | Not Required, CAF Compressor | 1 |
| 344 | 0592527 | | Refill, Foam Tank, Integral, Husky 3 | 1 |
| 345 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 346 | 0595941 | | Foam Cell, 20 Gallon, Not Reduce Water, PUC | 1 |
| | | | Type of Foam - Class "A" | |
| | | | Foam, Brand Name - TBD | |
| 347 | 0697589 | | Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn | 1 |
| 348 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 349 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 350 | 0746447 | | Approval Dwg, All Pump Panel(s), Includes Color And Label Tags | 1 |
| | | | Num Of Truck(s) or Sim Unit, ALL Pump Pnl, Dwg - 01 | |
| 351 | 0515692 | | Pump Operators Panel, 31", Control Zone, PUC | 1 |
| 352 | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 353 | 0516975 | | Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 354 | 0516978 | | Pump and Plumbing Access, Simple Tilt Service, PUC | 1 |
| 355 | 0520016 | | Not Required, Pumphouse Structure, PUC | 1 |
| 356 | 0618458 | | Light, Pump Compt, WIn 3SC0CDCR LED White, PUC | 1 |
| | | | Qty, - 01 | |
| 357 | 0516983 | | Gauges, Engine, Included With Pierce Pressure Controller, PUC | 1 |
| 358 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 359 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| 360 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 361 | 0553643 | | Control, Air Horn at Pump Panel w/Red Switch | 1 |
| 362 | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 363 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 364 | 0756688 | | Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC, Lt Driver | 1 |
| | | | Activation, Water Level G - pg) pump in gear | |
| 365 | 0750438 | | Water Level Gauge, WIn PSTANK2, LED 1-Light, 4-Level | 2 |
| | | | Qty, - 02 | |
| | | | Activation, Water Level G - pg) pump in gear | |
| | | | Location, Water Level Gauge - Each Side Custom Cab - Most Rearward | |
| | | | Color, Trim - Black Trim | |
| 366 | 0517012 | | Gauge, Foam Level, Pierce, PUC, PP and Mini in Cab | 1 |
| | | | Activation, Foam Level Gauge - pump in gear | |
| 367 | 0653081 | | Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr | 1 |
| | | | Cvr | |
| 368 | 0606697 | | Air Horns, (2) Grover, In Bumper | 1 |
| 369 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 370 | 0016065 | | Control, Air Horn, Horn Ring, PS Chrome Push Button | 1 |
| 371 | 0533071 | | Siren, WIn 295SLSC1, w/Detachable Mic Cord | 1 |
| 372 | 0036136 | | Location, Elect Siren, Overhead on Swivel Bracket, Saber | 1 |
| 373 | 0076156 | | Control, Elec Siren, Head Only | 1 |
| 374 | 0601306 | | Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 375 | 0601565 | | Location, Speaker, Frt Bumper, Recessed, Center (Pos 4) | 1 |
| 376 | 0731098 | | Siren, Federal Q2B Prk Brk Interlock | 1 |
| 377 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 378 | 0026163 | | Control, Mech Siren, DS & PS Foot Sw | 1 |
| 379 | 0736165 | | Sw, Siren Brake, Momentary, RS Overhead Sw Pnl | 1 |
| 380 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 381 | 0745080 | SP | Lightbar, WIn, Freedom IV-Q, 72", RRBWRBOptBRWRBRR | 1 |
| | | | Opticom Priority - b) High | |
| | | | Opticom Activation - Cab Switch & E-Master | |
| | | | Momentary Opticom Activation - DS & PS Switch | |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 382 | 0016380 | | No Additional Lights Req'd, Side Zone Upper | 1 |
| 383 | 0540384 | | Lights, Front Zone, WIn M6°C LED, Clear Lens, in Common Bzl | 1 |
| | | | Color, Lt DS Front - Red | |
| | | | Color, Lt PS Front - Blue | |
| 384 | 0653937 | | Flasher, Headlight Alternating | 1 |
| | | | Headlt flash deactivation - a)w/high beam | |
| 385 | 0540692 | | Lights, Side Zone Lower, WIn M6°C LED, Clear Lens, 3pr, Ovr 25 | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Middle - Blue | |
| | | | Color, Lt Side Rear - Red | |
| | | | Location, Lights Mid Side - Rearward of Crew Cab Doors | |
| | | | Location, Lights Rear Side - Centered Above Rear Wheels | |
| 386 | 0540783 | | Lights, Rear Zone Lower, WIn M6°C LED | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - b) PS Rear Lt Blue | |
| 387 | 0541155 | | Lights, Rear/Side Up Zone, WIn M9°C LED, Clear Lens 4lts | 1 |
| | | | Color, Lt, Side Rear Upper DS - Side Rear Upper Red | |
| | | | Color, Lt, Side Rear Upper PS - Side Rear Upper Red | |
| | | | Color, Lt, Rear Upper DS - r) DS Rear Upper Red | |
| | | | Color, Lt, Rear Upper PS - r) PS Upper Rear Red | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 388 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 389 | 0791528 | | Light, Traffic Directing, WIn TAL65, 36.00" Long, TACTL5 | 1 |
| | | | Activation, Traffic Dir L - Not Connected | |
| 390 | 0551728 | | Location, Traf Dir Lt, Recessed with S/S Trim | 1 |
| 391 | 0530282 | | Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End | 1 |
| 392 | 0519546 | | Brand, Hydraulic Tool System, Holmatro | 1 |
| 393 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 394 | 0694818 | | Tool, Mounting, Jumbo Lok, Pac Trac P/N 1070 | 10 |
| | | | Location - TBD with approval drawings for Holmatro tools | |
| | | | Qty, - 10 | |
| 395 | 0677138 | | Brackets, Mounting, Holmatro Tool, Spreader, Pac | 1 |
| | | | Location - TBD | |
| | | | Qty, - 1 | |
| | | | Brand, Model, Age of Tool - Homatro | |
| 396 | 0677140 | | Brackets, Mounting, Holmatro Tool, Cutter, Pac | 1 |
| | | | Location - TBD | |
| | | | Qty, - 01 | |
| | | | Brand, Model, Age of Tool - Holmatro | |
| 397 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 398 | 0602524 | | NFPA Required Loose Equipment, Special Services, NFPA 2016, Provided by Fire Dept | 1 |
| 399 | 0602396 | | Soft Suction Hose, Provided by Fire Department, Special Service Classification | 1 |
| 400 | 0027023 | | No Strainer Required | 1 |
| 401 | 0602533 | | Extinguisher, Dry Chemical, Special Services, NFPA 2016, Provided by Fire Dept | 1 |
| 402 | 0533277 | | Extinguisher, 2.5 Gal. Pressurized Water | 1 |
| | | | Qty, Extinguishers - 1 | |
| 403 | 0559690 | | Paint, Two Tone, Cab and Body, w/shield, Custom Cab | 1 |
| | | | Paint, Color - Red #789 | |
| | | | Paint Color, Upper Area - Black #101 | |
| 404 | 0645807 | | Paint Chassis Frame Assy, With Liner, E-Coat, All Joints Sealed | 1 |
| | | | Paint Color, Frame Assembly, Predefined - Standard Black | |
| 405 | 0693798 | | Paint, Front Wheels | 1 |
| | | | Paint, Wheels - Black #101 | |
| 406 | 0693793 | | Paint, Rear Wheels, Single Axle | 1 |
| | | | Paint, Wheels - Black #101 | |
| 407 | 0733739 | | Paint, Axle Hubs | 1 |
| | | | Paint, Axle Hub - Black #101 | |
| 408 | 0581434 | | Transit Coating, Carwell, Corrosion Protection, Including Underside | 1 |
| 409 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 410 | 0544111 | | Reflective Band, 10" | 1 |
| | | | Color, Reflect Band - A - e) black | |
| 411 | 0547618 | | Stripe, Diamond Grade, Chevron, Front Bumper | 1 |
| | | | Size, Chevron Striping - 06 | |
| | | | Color, Chevron DG - Yellow | |
| 412 | 0536955 | | Stripe, Chevron, Rear, Diamond Grade, Rescue | 1 |
| | | | Color, Rear Chevron DG - yellow | |
| 413 | 0027341 | | Jog, In Reflective Stripe, Single or Multiple | 1 |
| | | | Qty, - 1 | |
| 414 | 0679885 | | Stripe, Sign Gold Outline Above & Below Reflective Band | 1 |
| | | | Qty, - 01 | |
| 415 | 0552453 | | Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade | 1 |
| | | | Color, Reflect Band - A - r) red diamond grade | |
| | | | Size, Chevron Striping - 04 | |
| | | | Color, Reflect Chev - A - u) yellow diamond grade | |
| 416 | 0679832 | | Stripe, Sign Gold, Across Cab Face | 1 |
| 417 | 0679831 | | Stripe, Sign Gold, Cab Sides, IPO Chrome Molding | 1 |
| 418 | 0594559 | | Lettering Specifications, (Sign Gold Process) | 1 |
| 419 | 0685936 | | Lettering, Sign Gold, 3.00", Each | 4 |
| | | | Qty, Lettering - 04 | |
| | | | Outline, Lettering - Outline | |
| 420 | 0685735 | | Lettering, Sign Gold, 12.00", Each | 2 |
| | | | Qty, Lettering - 02 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 420 | | | Outline, Lettering - Outline | |
| 421 | 0685750 | | Lettering, Sign Gold, 9.00", Each | 4 |
| | | | Qty, Lettering - 04 | |
| | | | Outline, Lettering - Outline | |
| 422 | 0685806 | | Lettering, Sign Gold, 5.00", Each | 18 |
| | | | Qty, Lettering - 18 | |
| | | | Outline, Lettering - Outline | |
| 423 | 0684183 | | Emblem, Maltese Cross, Reflective, 18"-20", Pair | 1 |
| | | | Qty, - 01 | |
| | | | Location, Emblem - each front cab door | |
| 424 | 0684201 | | Emblem, Maltese Cross, Sign Gold, 9"-11", Pair | 1 |
| | | | Qty, - 01 | |
| | | | Location, Emblem - behind crew cab doors as high as possible | |
| 425 | 0766493 | | Emblem, American Flag Muted w/Thin Red Line, Ptd Cab Grille, All Custom Chassis | 1 |
| 426 | 0583553 | | Undercoating, Cab & Body, Stock/Demo Style, Pumper, Ziebart | 1 |
| 427 | 0529225 | | Manuals, Two (2) CD, Fire Apparatus Parts, Custom Chassis | 1 |
| 428 | 0531636 | | Manual, (2) CD, Chassis Service, Custom | 1 |
| 429 | 0531638 | | Manual, Two (2) CD, Chassis Operation, Custom | 1 |
| 430 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 431 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 432 | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| 433 | 0596017 | | Warranty, Frame, 50 Year, Custom Chassis, WA0013 | 1 |
| 434 | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| 435 | 0610485 | | Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor | 1 |
| 436 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 437 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 438 | 0595813 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 439 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 440 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 441 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 442 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 443 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 444 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 445 | 0596024 | | Warranty, Structure, 15 Year, HDR, WA0010 | 1 |
| 446 | 0690936 | | Warranty, Roll up Doors, Not Required | 1 |
| 447 | 0516693 | | Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039 | 1 |
| 448 | 0648675 | | Warranty, 10 Year S/S Pumping, WA0035 | 1 |
| 449 | 0657990 | | Warranty, Foam System, Husky 3, WA0231 | 1 |
| 450 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 451 | 0595412 | | Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168 | 1 |
| 452 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 453 | 0736238 | | Certification, Engine Installation, Saber FR/Enf, Cummins L9, 2021 | 1 |
| 454 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 455 | 0631980 | | Certification, Cab Integrity, Saber FR/Enforcer, CD0130 | 1 |
| 456 | 0631973 | | Certification, Cab Door Durability, Saber FR/Enforcer, CD0137 | 1 |
| 457 | 0631978 | | Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132 | 1 |
| 458 | 0556828 | | Certification, Electric Window, Not Available | 1 |
| 459 | 0631977 | | Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134 | 1 |
| 460 | 0735949 | | Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175 | 1 |
| 461 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 462 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 463 | 0799248 | | Appleton/Florida BTO | 1 |
| 464 | 0000031 | | HDR BODY | 1 |
| 465 | 0000012 | | PIERCE CHASSIS | 1 |
| 466 | 0004713 | | ENGINE, OTHER | 1 |
| 467 | 0046395 | | EVS 3000 Series TRANSMISSION | 1 |
| 468 | 0520324 | | PIERCE PUMP, PUC | 1 |
| 469 | 0020009 | | POLY TANK | 1 |
| 470 | 0028048 | | FOAM SYSTEM | 1 |
| 471 | 0020006 | | SIDE CONTROL | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--------------------|-----|
| 472 | 0020007 | | AKRON VALVES | 1 |
| 473 | 0020015 | | ABS SYSTEM | 1 |
| 474 | 0752883 | | HDR | 1 |

CONRAD FIRE EQUIPMENT, INC.

19922 W 162nd Street Olathe, KS 66062
www.CONRADFIRE.com
(913) 780-5521
(913) 780-5251 Fax

QUOTATION
140669

CUSTOMER NO.
283

BILL TO:

BROKEN ARROW
1101 N 6TH ST
BROKEN ARROW, OK 74012
US

SHIP TO:

BROKEN ARROW
1101 N 6TH ST
BROKEN ARROW, OK 74012
US

PHONE: 918/259-8367
FAX: 918/259-8376

PAGE 1

| DATE | | SHIP VIA | F.O.B. | TERMS | |
|---|---------|---------------------|--|----------------|------------------|
| 01/06/21 | | GROUND | | NET 30 | |
| PURCHASE ORDER NUMBER | | ORDER DATE | SALESPERSON | | OUR QUOTE NUMBER |
| TRUCK EQUIPMENT | | 01/06/21 | 103 164 | | 140669 |
| QUANTITY | | ITEM NUMBER | DESCRIPTION | UNIT PRICE | AMOUNT |
| ORDERED | SHIPPED | | | | |
| 2 | | MSA-10148136 | "CHARGER,E6000 TIC,VEHICLE MOU | 463.19 | 926.38 |
| 1 | | COM.QUOTE#1394872 | BAOKAPX6500 QUOTE 1394872 | 4,725.72 | 4,725.72 |
| 1 | | DEL.3000076373018.1 | BROKEN ARROW ANTENNA/HAVIS -RUGGED 12 ANTENNA 25' CABLES -HAVIS C-MD-112 MOUNT -DOCKING STATION AND LPS-137 WITH TRIPLE PASS THROUGH ANTENNA FOR DELL'S LATITUDE 14 RUGGED AND LATITUDE 12 & 14 RUGGED EXTREME NOTEBOOKS -HAVIS C-ADP-110 MOUNTING COMPONENT (BRACKET ADAPTER) STEEL - BLACK POWDER COAT | 1,288.02 | 1,288.02 |
| Product Total | | Discount | Freight | Taxable Amount | Tax |
| 6,940.12 | | 0.00 | | 6,940.12 | 0.00 |
| | | | | Misc. Amt. | QUOTATION TOTAL |
| | | | | | 6,940.12 |
| "WE APPRECIATE YOUR BUSINESS" | | | | | |
| RETURNED GOODS WILL NOT BE ACCEPTED WITHOUT PRIOR RETURN AUTHORIZATION NUMBER FROM CONRAD FIRE EQUIPMENT. ALL RETURNS ARE SUBJECT TO A RESTOCKING FEE. | | | | | |