



# City of Broken Arrow

## Legislation Details

---

**File #:** 17-2618 **Name:**

**Type:** Preview Ordinance **Status:** Adoption

**File created:** 8/28/2017 **In control:** Broken Arrow City Council

**On agenda:** 9/5/2017 **Final action:**

**Title:** Consideration, discussion, and possible preview of an ordinance amending Chapter 6, BUILDINGS AND BUILDING REGULATIONS, Article III.5 INTERNATIONAL RESIDENTIAL CODE (IRC), Section 6-37 - Amendments, of the Broken Arrow Code; specifically requiring concrete and masonry foundation/stem walls to extend above the existing grade adjacent to the foundation at all points a minimum of twelve inches (12") and extend above the finished grade adjacent to the foundation at all points a minimum of six inches (6"); repealing all ordinances to the contrary

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. Sec. 6\_37.\_\_\_\_Amendments..pdf, 2. ORD 1212 1984 ADOPTING THE CABO ONE AND TWO FAMILY DWELLING CODE 1983 EDITION.pdf, 3. ORD 1532 1989 ADOPTING THE NATIONAL BUILDING CODE OF 1987 WITH AMENDMENTS.pdf, 4. Foundation Drawings.pdf

Date	Ver.	Action By	Action	Result
9/5/2017	1	Broken Arrow City Council	set for adoption at the next meeting	Pass